

2023 Regional Transportation Plan



2023 Regional Transportation Plan

Chapter 3

System policies to achieve our vision

November 30, 2023



This page intentionally left blank.

TABLE OF CONTENTS

Chapter 3.....	1
3.0 Introduction	3-1
Purpose3-1	
Chapter organization	3-1
3.1 Regional Transportation System Components	3-3
3.2 Overarching System Policies	3-5
3.2.1 2040 Growth Concept—an integrated land use and transportation vision and strategy	3-5
3.2.2 Transportation equity policies	3-9
3.2.3 Safety and Security Policies	3-24
3.2.4 Climate action policies and resilience policies	3-33
3.2.5 Pricing policies	3-42
3.2.6 Mobility policies.....	3-57
3.3 Regional Network Visions, Concepts and Policies	3-66
3.3.1 Regional mobility corridor concept	3-68
3.3.2 Regional design and placemaking vision and policies	3-70
3.3.3 Regional motor vehicle network vision and policies	3-87
3.3.4 Congestion management process	3-101
3.3.5 Regional transit network vision and policies	3-103
3.3.6 Regional freight network concept, vision and policies	3-131
3.3.7 Regional active transportation network vision.....	3-140
3.3.8 Regional bicycle network concept and policies	3-143
3.3.9 Regional pedestrian network concept and policies.....	3-153
3.3.10 Transportation System Management and Operations Vision and Policies	3-161
3.3.11 Transportation Demand Management Concept and Policies	3-167
3.3.12 Emerging Technology Policies	3-172

FIGURES

Figure 3.1: Growth Concept—an integrated land use and transportation vision	3-6
Figure 3.2: Regional equity focus areas map	3-11
Figure 3.3: Regional transportation safety strategies.....	3-25

Figure 3.4: Components of the Safe System approach.....	3-26
Figure 3.5: Guiding principles of the Safe System approach	3-26
Figure 3.6: Regional high injury corridors and intersections	3-27
Figure 3.7: Regional emergency transportation routes (ETR) map	3-39
Figure 3.8: Throughway classifications: Freeways and Signalized-Highways	3-61
Figure 3.9: Regional transportation system components.....	3-67
Figure 3.10: Regional mobility corridor concept	3-69
Figure 3.11: Mobility corridors in the Portland metropolitan region.....	3-69
Figure 3.12: Metro’s Designing Livable Streets and Trails Guide	3-70
Figure 3.13: Land use and transportation transect	3-72
Figure 3.14: Street connectivity.....	3-73
Figure 3.15: Livable streets and trails functions	3-74
Figure 3.16: Regional design classifications map.....	3-75
Figure 3.17: Examples of how green infrastructure can help achieve regional goals	3-84
Figure 3.18: The performance-based design decision-making framework	3-86
Figure 3.19: Regional motor vehicle network concept.....	3-88
Figure 3.20: Collector and local street network concept.....	3-96
Figure 3.21: Regional motor vehicle network map.....	3-99
Figure 3.22: Regional transit network concept.....	3-105
Figure 3.23: Regional transit spectrum.....	3-108
Figure 3.24: Regional transit network map	3-109
Figure 3.25: Regional high capacity transit vision map.....	3-111
Figure 3.26: Service improvements, capital investments and transit-supportive elements.....	3-113
Figure 3.27: Tools for building a high-quality transit system.....	3-116
Figure 3.28: U.S. High speed intercity passenger rail network.....	3-125
Figure 3.29: Regional transit access priorities	3-126
Figure 3.30: Regional freight network concept	3-131
Figure 3.31: Regional freight network map	3-137
Figure 3.32: Regional bicycle network concept	3-144
Figure 3.33: Bicycle parkway concept.....	3-147
Figure 3.34: Regional bicycle network map	3-151
Figure 3.35: Regional pedestrian network concept.....	3-154
Figure 3.36: Regional pedestrian network map.....	3-159

Figure 3.37: Transportation system management and operations map3-166

TABLES

Table 3.1: Growth concept and land use design.....3-7

Table 3.2: Priority infrastructure investment strategies.....3-8

Table 3.3: Pricing and implementing agency3-43

Table 3.4: Potential Options for Revenue Reinvestment3-47

Table 3.5: Mobility performance targets and thresholds3-62

Table 3.6: Planned regional transportation system and typical design components of regional design classifications3-77

Table 3.7: Design characteristics of healthy urban arterials.....3-80

Table 3.8: Planned motor vehicle network capacity.....3-88

Table 3.9: Toolbox of strategies to address congestion in the region.....3-102

Table 3.10: Effects of land use on transit service3-106

Table 3.11: Better Bus treatments to enhance frequent transit service.....3-123

Table 3.12: Examples of TSMO actions and investments in four strategic areas3-162

Table 3.13: RTP goals and corresponding emerging technology principles3-173

This page intentionally left blank.

3.0 INTRODUCTION

Purpose

Transportation shapes our communities and our daily lives, giving access to opportunities and to meet daily needs. Chapter 3 includes overarching, network and system management policies for the regional transportation system.

The policies in this chapter support implementation of the vision, goals and objectives for the regional transportation system defined in Chapter 2.

Policies guide the development and implementation of the regional transportation system, informing transportation planning and investment decisions made by the Joint Policy Advisory Committee on Transportation (JPACT), the Metro Council and state, regional and local partners.

Chapter organization

This chapter is organized into three sections.

Regional partners have developed policies in this chapter over many decades. As a result, policy sections do not always follow the same format or include all the same elements. Some policies include actions for regional, state and local agencies and other stakeholders. These policies, such as transportation equity, pricing and mobility, were developed through the Regional Transportation Plan (RTP) update and do not exist in a separate plan. Implementing actions for policies that come from a separate plan, such as the safety and freight policies, are not included in this chapter. Instead, the separate plan is referenced in the text.

3.1 Regional transportation system components: This section defines the transportation facilities and areas that comprise the regional transportation system.

3.2 Overarching system policies: This section provides overarching policies for the regional transportation system. Overarching system policies correlate to regional goals and include policies for:

- Implementing the 2040 Growth Concept
- Advancing transportation equity
- Improving safety
- Climate leadership and resilience
- Using pricing
- Supporting multimodal mobility.

3.3 Regional network visions, concepts and policies: This section provides the vision, network concepts policies and policy maps for:

- regional street design and placemaking;
- regional motor vehicle, transit, freight, pedestrian and bicycling networks;
- transportation system management and operations;
- transportation demand management; and
- emerging technology.

3.1 REGIONAL TRANSPORTATION SYSTEM COMPONENTS

The policies in this chapter apply to the regional transportation system of the greater Portland region. As described in Section 3.2.1, a facility or service is part of the regional transportation system if it:

- provides access to any activities crucial to the social or economic health of the greater Portland region, including connecting the region to other parts of the state and Pacific Northwest, or
- provides access to and within 2040 Growth Concept centers, main streets, corridors and industrial and employment areas.

Regional transportation system components

The following facilities and areas are the components that make up the regional transportation system.

1. Planned and existing throughways (freeways and highways) and arterials shown on the regional motor vehicle network map shown in Figure 3.21, including:
 - all state-owned transportation facilities
 - interstate, statewide, regional and district highways and their bridges, overcrossings, and ramps
 - all city- or county-owned arterial roadways and their bridges
2. All streets and transportation facilities, including bicycle and pedestrian facilities, within 2040 centers, corridors, industrial areas, employment areas, main streets and station communities shown on the 2040 Growth Concept map in Figure 3.1.
3. All high capacity transit and regional transit network facilities and their bridges shown on the regional transit network map in Figure 3.24.
4. All regional bicycle and pedestrian facilities and their bridges, including regional trails shown on the regional pedestrian and bicycle network maps in Figure 3.34 and Figure 3.36.
5. All bridges that cross the Willamette, Columbia, Clackamas, Tualatin or Sandy rivers.
6. All freight and passenger intermodal facilities, airports, rail facilities and marine transportation facilities and their bridges shown on the regional freight network map in Figure 3.31.
7. All streets and transportation facilities and their bridges shown on the regional transportation system management and operations (TSMO) map in Figure 3.37.

8. Any other transportation facility, service or strategy that is determined by JPACT and the Metro Council to be of regional interest because it has a regional need or impact such as:
 - state and regional emergency transportation routes shown in Figure 3.7.
 - transit-oriented development;
 - transportation system management and demand management strategies;
 - local street connectivity; and
 - culverts that serve as barriers to fish passage.

The RTP designates these facilities on the network maps in this chapter. Together, these facilities and services establish an integrated and interconnected system that supports planned land uses and provides travel options to achieve the goals, objectives and policies of the RTP. Typically, projects must be identified on or as part of the regional transportation system to be eligible for federal transportation funding.

3.2 OVERARCHING SYSTEM POLICIES

This section defines regional transportation system policies related to land use, transportation equity, safety, climate action, resiliency, mobility and pricing. These policies apply to the regional transportation system and the regional networks in Section 3.3.

3.2.1 2040 Growth Concept—an integrated land use and transportation vision and strategy

In 1995, the greater Portland region adopted the 2040 Growth Concept, the long-range strategy for managing growth that integrates land use and transportation system planning to preserve the region’s economic health and livability in an equitable, environmentally sound and fiscally responsible manner.

Shown in Figure 3.1 and Table 3.1, the 2040 Growth Concept includes land use and transportation building blocks that express the region’s aspiration to incorporate population growth within existing urban areas as much as possible and expand the urban growth boundary only if necessary. It concentrates mixed-use and higher density development in urban centers, station communities, corridors and main streets that are well served by transit, walking and bicycling. It envisions a well-connected street network that supports biking and walking for short trips.

Employment lands serve as hubs for regional commerce and include industrial land and freight facilities for truck, marine, air and rail cargo sites that enable goods to be generated and moved in and out of the greater Portland region. Freight access to industrial and employment lands is centered on rail, the freeway system and other road connections.

Implicit in the 2040 Growth Concept is the understanding that compact development is more affordable, sustainable, livable and fiscally responsible than urban sprawl and will help reduce the region’s carbon footprint. Increased pedestrian and bicycle access and new transit and road capacity are needed to achieve the 2040 Growth Concept vision and support the region’s economic vitality.

Defining terms

Compact development

Land use development patterns that have a mix of higher density land uses, can be served by transit and encourage walking, biking and use of transit


Urban sprawl

Land use development patterns that are characterized by low-density or single-use development, commercial strip development, and/or development that occurs on vacant land that is disconnected from existing urban development

Intermodal facilities

Places where freight is transferred between two or more freight modes (e.g., truck to rail, rail to ship, truck to air). Examples include airports, rail stations, marine terminals, and rail yards that facilitate the transfer of containers or trailers

Figure 3.1: Growth Concept—an integrated land use and transportation vision



Map depicting the adopted 2040 Growth Concept.

Transportation and the economy are closely linked, and investments that serve certain land uses or transportation facilities may have a greater economic return than others. This means ensuring reliable and efficient connections between intermodal facilities and destinations within and outside the region to promote the region's function as a gateway for trade and tourism.

3.2.1.1 2040 Growth Concept Land-use Design Types

The 2040 Growth Concept land uses, called 2040 Design Types, are arranged in a hierarchy. RTP investments are typically focused in the primary and secondary land uses, referred to as 2040 Target Areas. These are the areas expected to absorb a large share of the region’s future growth. The hierarchy also serves as a framework for prioritizing RTP investments. Table 3.1 lists the 2040 design types based on this hierarchy.

Table 3.1: Growth concept and land use design

2040 Target Areas		
Primary land uses	Secondary land uses	Other urban land uses
<ul style="list-style-type: none"> Portland central city Regional centers Industrial areas Freight and passenger intermodal facilities 	<ul style="list-style-type: none"> Employment areas Town centers Station communities Corridors Main streets 	<ul style="list-style-type: none"> Neighborhoods
		Other land uses outside UGB
		<ul style="list-style-type: none"> Urban reserves Rural reserves Neighbor cities

Different parts of the region are at different stages of implementing the 2040 Growth Concept. As a result, different areas may have different transportation investment needs and priorities that will require substantial public and private investment over the long-term. Table 3.2 provides an example of the type of investments that might be applicable depending on how far along an area is in implementing the 2040 Growth Concept.

Table 3.2: Priority infrastructure investment strategies

Stage of Development					
Developed Areas Built-out areas with most new housing and jobs accommodated through infill, redevelopment and brownfields development.		Developing Areas Redeveloping and developing areas with most new housing and jobs being accommodated through infill, redevelopment and greenfield development.		Undeveloped Areas More recent additions to the urban growth boundary with most new housing and jobs accommodated through greenfield development.	
Infrastructure Investment Strategies	Operations, maintenance and preservation of existing transportation assets.	Operations, maintenance and preservation of existing transportation assets.	Operations, maintenance and preservation of existing transportation assets.	Operations, maintenance and preservation of existing transportation assets.	Operations, maintenance and preservation of existing transportation assets.
	Managing the existing transportation system using system and demand management tools to optimize performance for all modes of travel.	Preserving right-of-way for future transportation system.	Preserving right-of-way for future transportation system.	Preserving right-of-way for future transportation system.	Preserving right-of-way for future transportation system.
	Leveraging infill, redevelopment and use of brownfields.	Managing the existing transportation system using system and demand management tools to optimize performance for all modes of travel.	Managing the existing transportation system using system and demand management tools to optimize performance for all modes of travel.	Providing a multimodal urban transportation system.	Providing a multimodal urban transportation system.
	Improving system connectivity to address barriers and safety deficiencies.	Leveraging infill, redevelopment and use of brownfields.	Leveraging infill, redevelopment and use of brownfields.	Managing new transportation system, using system and demand management tools to optimize performance for all modes of travel.	Managing new transportation system, using system and demand management tools to optimize performance for all modes of travel.
	Providing a multimodal urban transportation system.	Providing a multimodal urban transportation system.	Providing a multimodal urban transportation system.	Improving system connectivity to address barriers and safety deficiencies.	Improving system connectivity to address barriers and safety deficiencies.
	Completing local street connections needed to complement the arterial street network.	Improving system connectivity to address barriers and safety deficiencies.	Improving system connectivity to address barriers and safety deficiencies.	Completing local street connections needed to complement the arterial street network.	Completing local street connections needed to complement the arterial street network.
		Completing local street connections needed to complement the arterial network.	Completing local street connections needed to complement the arterial network.		

3.2.2 Transportation equity policies

The RTP reflects a regional commitment to plan and invest in the region's transportation system to reduce transportation-related disparities and barriers faced by communities of color and other underserved communities.,,

The greater Portland region's economic prosperity and quality of life depend on an equitable transportation system that provides every person and business in the region with access to safe, efficient, reliable, affordable and healthy travel options. Everyone should have the fair opportunity to thrive, regardless of their race, ethnicity, language proficiency, income, age or ability.

Investment in the region's transportation system is one important tool in reducing disparities and barriers, especially those experienced by communities of color, but the tool must be intentional and deployed with focus to be successful in reducing racial disparities rather than worsening disparities.

The policies in this section provide direction to Metro, working in partnership with marginalized communities, jurisdictions and other partners to prioritize racial and transportation equity in regional transportation planning and decision-making.

Why is a focus on racial equity important?

A goal of racial equity is to reach a time when race is no longer a predictor of life outcomes, and outcomes for all groups are improved. In the transportation context, this means addressing and removing disparities for communities who have had little power to change systems and policies that continue to exclude them and impact their everyday life and well-being. This includes people of color, English language learners and people with low incomes. Areas identified by these communities as priorities for the regional transportation system, include, but are not limited to accessibility, mobility, safety, affordability and environmental health.

Transportation mobility and accessibility plays a significant intersectional role in reducing barriers, but historically, its development and operation has contributed to unequal benefits. Using transportation infrastructure projects as an urban renewal mechanism led to the destruction of thriving communities, particularly Black communities in Portland.

Lessons learned from the generational impacts of displacement teaches us that to achieve equitable transportation, government must embed equity considerations in each step of the transportation planning and implementation. Marginalized communities bear an unequal burden of environmental harms, such as urban heat islands, air pollution and traffic crashes. For the greater Portland region to be environmentally sustainable and

economically prosperous, government and communities must proactively address racial disparities and tackle the most pervasive challenges.

Focusing on racial disparities and barriers helps develop and maintain sustainable economic growth by fostering greater racial inclusion and reducing racial income gaps.¹ This, in turn, allows communities facing the greatest barriers opportunities to flourish and build generational wealth. Policies, projects and strategies that address these disparities can help other marginalized groups, including low-income households, elders, youth and people with disabilities.

3.2.2.1 Metro’s Strategic Plan to Advance Racial Equity, Diversity, and Inclusion (2016)

In 2010, the Metro Council adopted equity as one of the region’s six desired outcomes. Adopted by the Metro Council in June 2016, Metro’s [Strategic Plan to Advance Racial Equity, Diversity, and Inclusion](#) is a major milestone in the agency’s efforts to define, implement and measure equity in the greater Portland region.² The plan’s purpose is to provide a strategic approach to incorporating equity into policy, decision-making and programs. This strategic plan provides clarity and direction to Metro’s different lines of business related to integrating and approaching equity in planning, operations and services.

The key aspect of the strategic plan is its focus and emphasis on deliberately tackling inequities based on race and ethnicity. It is organized around five long-term goals that inform the RTP.

The goals are:


- A. Metro convenes and supports regional partners to advance racial equity;
- B. Metro meaningfully engages communities of color;
- C. Metro hires, trains, and promotes a racially diverse workforce;
- D. Metro creates safe and welcoming services, programs and destinations; and
- E. Metro’s resource allocation advances racial equity.

¹ Treuhaft, S., Blackwell, A.G., & Pastor, M. (2012). America’s Tomorrow: Equity is the Superior Growth Model. Retrieved January 2016: www.policylink.org/sites/default/files/SUMMIT_FRAMING_WEB_20120110.PDF


² Metro Strategic plan to advance racial equity, diversity and inclusion, Executive summary, June 2016, <https://www.oregonmetro.gov/sites/default/files/2016/11/15/Strategic-plan-advance-racial-equity-diversity-inclusion-exec-summary-17063-20160613.pdf>

Figure 3.2


Equity Focus Areas




1. Forest Grove-Cornelius-Hillsboro area



2. Hillsboro-Aloha-Beaverton-Tigard area



3. Sherwood-Tigard-Tualatin-Wilsonville area



Legend


Equity focus areas are based on census tracts that have populations above the regional average and over twice the regional density.

Equity Focus Areas


- People of color
- Limited english
- Low income

- County boundary
- Urban growth boundary
- Metropolitan planning area


Overlapping equity focus areas




4. Lake Oswego-Milwaukie-Oregon City area



5. Hollywood-Gateway-Rockwood area



6. Fairview-Wood Village-Troutdale-Gresham



The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

3.2.2.2 Regional Transportation Plan equity focus areas

Metro and regional partners identified Equity Focus Areas using 2020 Census and 2016-20 American Community Survey data for the following groups:

- People of color – people who do not identify as white
- People with limited English proficiency – people who identify as unable “to speak English very well”
- People with lower incomes – people with incomes equal to or less than 200% of the federal poverty level

These three groups, as identified in Census data, are the emphasis and focus for the RTP, but not with exclusivity to the needs of other marginalized communities, including young people, older adults and people living with disabilities.

Figure 3.2 shows Equity Focus Areas, which are areas with double the regional average density of any one of the three groups listed above. The RTP directs certain investments toward these areas where they can benefit as many people as possible. More detail on how Metro created this map and on the state of transportation equity in the region can be found in Chapter 4.

3.2.2.3 Transportation equity policies

The transportation equity policies in this section aim to eliminate transportation-related disparities and barriers³ identified by marginalized communities as priorities to address through the RTP and regional transportation planning and decision-making processes.

Transportation Equity Policy 1	Embed equity into the planning and implementation of transportation projects, programs, policies and strategies to achieve equitable outcomes for marginalized communities, particularly communities of color and people with low incomes.
Transportation Equity Policy 2	Ensure investments in the transportation system support community stability by anticipating and minimizing the effects of displacement and other affordability impacts on marginalized communities, with a focus on communities of color and people with low income.
Transportation Equity Policy 3	Prioritize transportation investments that eliminate transportation-related disparities and barriers for marginalized communities, with a focus on communities of color and people with low income.

³ Transportation-related disparities and barriers identified by historically marginalized communities as priorities to address include safety, access, affordability and community health.

Transportation Equity Policy 4	Meaningfully engage federally recognized tribes, communities of color and other marginalized communities to participate in the development and implementation of transportation plans, projects and programs.
Transportation Equity Policy 5	Collect and assess qualitative and quantitative data to understand the transportation-related disparities, barriers, needs and priorities of communities of color and other marginalized communities.
Transportation Equity Policy 6	Evaluate transportation plans, policies, programs and investments to understand how they address transportation-related disparities and barriers experienced by communities of color, people with low income and other marginalized communities and the extent disparities are being eliminated.
Transportation Equity Policy 7	Create living-wage career pathways for people of color and women into the construction industry and support the growth and participation of women- and people-of-color-owned firms on capital projects throughout the transportation system.

The policies provide direction as to how Metro, working in partnership with marginalized communities, jurisdictions, and other partners, will prioritize transportation equity in regional transportation planning and decision-making. These policies are consistent with Chapter 660 Division 12 of Oregon Administrative Rules (OAR).⁴ These rules include additional guidance for equitable transportation planning and decision-making.

Because the transportation equity policies do not have a separate topical plan, specific implementing actions are included for each transportation equity policy.

Transportation Equity Policy 1. Embed equity into the planning and implementation of transportation projects, programs, policies and strategies to achieve equitable outcomes for marginalized communities, particularly communities of color and people with low incomes.

Equity considerations embedded in transportation projects, programs, policies and strategies must reflect the transportation priorities identified by marginalized communities, including accessibility, safety, community health and affordability. Embedding equity into planning and implementation requires a paradigm shift as to how transportation is currently planned, built and operated. This includes bringing in unheard voices from project or policy inception all the way through construction to understand the perspective of potential benefits or impacts.

⁴ See OAR 660-012-0130 (Decision-Making with Underserved Populations), OAR 660-012-0125 (Underserved Populations) and OAR 660-012-0135 (Equity Analysis). <https://secure.sos.state.or.us/oard/displayDivisionRules.action?selectedDivision=3062>

Additionally, transportation agencies must consider how investments can advance equity. A transportation investment can provide greater access to opportunities for marginalized communities, such as access to education or jobs, but a transportation investment also offers contracting and hiring opportunities. By embedding equity into transportation comprehensively, a full view and consideration of the benefits and impacts of transportation can be understood and weighed.

Agencies can take a variety of actions to embed equity into transportation processes. Many transportation agencies have organizational level equity policies that can support the implementation and incorporation of these actions. For example, existing policies and structures can support participation mechanisms, such as creation of committees in ways that address power imbalances among groups and stipends for community participation in decision making processes.

To implement Transportation Equity Policy 1, regional partners should take the following actions:

1. Examine the structure of decision-making processes, identify who participates (or does not) in decision-making and how their input is linked to the outcomes of the decisions.
 - a. Change the design of decision-making processes to increase access and opportunity to those who have been previously excluded. This includes prioritizing representation from Black, Indigenous and people of color communities and equity leaders.
 - b. Provide opportunities for direct interaction with decision makers and shift power inequities.
2. Use specific methods, analysis and tools in transportation planning and decision-making processes to eliminate exclusionary practices. This includes using tools, analysis and methods to check implicit bias and assess power dynamics, providing distinct participation mechanisms for those most impacted, considering who benefits and who is most impacted by decisions and ultimately shifting the way decisions are made.
 - a. **Data collection and analysis:** Assessment of current community conditions that may be impacted by the proposed decision with attention to demographics, historical, real estate market, workforce and environmental conditions.
 - b. **Social and economic power analysis:** A social power analysis is a tool that can be used to determine who has the decision-making power or influence, historically and today, to inform this decision, as well as who has the power to change this decision. This analysis is supported by data collection that

considers who is positively and negatively affected by the proposed decision.

- c. **Appointed representation:** Appointed representation is a participation mechanism for appointing individuals from specific social groups who have the least influence and are most impacted by the proposed decision.
- d. **Decision mapping:** This tool supports the design of a process to include individuals and groups that lack access and opportunity to participate in decision making. Conceptual mapping of a process is used to determine how and when individuals or a group may be included in decisions and how their input is linked to outcomes. A key aspect of this is identifying decision points to inform how to situate participants to influence decisions rather than serve as a review body.
- e. **Reflective questions:** Incorporating specific questions into decision making processes help address implicit bias and shift the way we make decisions. These may include questions such as: Who benefits and who is burdened by this decision? In addition, more extensive and in-depth questions may be tailored to the specific policies and programs.

Transportation Equity Policy 2. Ensure investments in the transportation system support community stability by anticipating and minimizing the effects of displacement and other affordability impacts on marginalized communities, with a focus on communities of color and people with low income.

A trend observed across many western U.S. cities is that with a severe deficit of housing supply, particularly affordable units, the addition of certain transportation projects, such as a new rail line or a high-quality bicycle/pedestrian trail, can increase surrounding property values, contribute to displacement and disrupt community stability. This happened in Portland, in particular, to Black communities in North and Northeast Portland. Over time, ethnic and new immigrant neighborhoods with good access to transportation have gentrified, displacing established communities. Dense centers are appealing and desirable and do not have enough affordable housing and are becoming more expensive as transportation investments are made. This creates a vicious cycle of increased transportation access to those who have the financial means to afford travel options and the benefits not born to the existing community.

The success, sustainability and prosperity of the region relies on how well government agencies and partners addresses displacement before infrastructure investments are made. Displacement is a pervasive challenge that requires ongoing collaboration between land use, housing and transportation agencies.

To implement Transportation Equity Policy 2, regional partners should take the following actions:

1. Plan capital transportation investments to include a variety of strategies to avoid and minimize involuntary displacement, such as increasing rent burden.
2. Demonstrate how intersectional issues of housing affordability and displacement are being addressed proactively in plans and programs prior to capital investment in transportation infrastructure.
 - a. Look at land use solutions and survey what is necessary in land use policy to avoid and mitigate involuntary displacement.
 - b. Collect data and build analysis tools that can assess and monitor transportation and housing affordability issues and share the information to partners to help inform capital investment decisions.
3. Increase the number of units of regulated affordable housing in proximity to frequent transit service and in 2040 growth centers as well as communities with rich access to travel options, jobs and community places.

Transportation Equity Policy 3. Prioritize transportation investments that eliminate transportation-related disparities and barriers for marginalized communities, with a focus on communities of color and people with low income.

Eliminating transportation disparities is vital to achieving transportation equity. Marginalized communities have identified affordability, safety, access and environmental health as transportation priorities. Focusing on eliminating disparities requires a shift in the current practices of transportation agencies and developing transportation plans, programs, policies and investments to achieve of fairness rather than equality.

While Federal law requires that benefits and burdens of transportation are distributed equally, transportation agencies should focus on eliminating disparities caused by systemic racism; not only will marginalized communities benefit, but all communities will benefit.

To focus on the disparities, it is imperative for transportation agencies to ask marginalized communities to provide direction and prioritization of which disparities to tackle first and the best methods to do so.

This should also be done with continued engagement through implementation and future prioritization processes to reflect new priorities or other unforeseen issues. *Also see Transportation Equity Policies 4 through 6.*

To implement Transportation Equity Policy 3 regional partners should take the following actions:

1. Seek opportunities to restore Black, Indigenous and people of color (BIPOC), federally recognized tribes, and other marginalized communities harmed by past

transportation decisions through collaborative re-investment and removal of harmful infrastructure.

2. Commit to and focus on systematically addressing disparities for marginalized communities, and measure and track progress.
3. Actively question and engage federally recognized tribes and impacted communities to understand how the plan, program, policies, strategies or action being undertaken contributes to reducing and eliminating disparities.
4. Actively recognize and put aside implicit partialities and biases.
5. More specifically for the outcomes of safety, access, affordability and public health, prioritize the following:
 - a. Among the multiple priorities for the region's transportation system, prioritize and advance the equity elements of the priority. For example, in looking at a transportation investment focused on safety, advance the element that would benefit communities of color over a general safety benefit.
 - b. Prioritize building out the active transportation infrastructure network in areas where there are gaps and deficiencies. Focus on completing gaps in communities of color as a means of prioritizing equity. This includes advancing the completion of access to transit in marginalized communities.
 - c. Implement the Regional Travel Options Strategy, including the new Safe Routes to School program, with emphasis to support new partnerships with organizations that serve marginalized communities.
 - d. Prioritize the safety of the transportation system, especially in marginalized communities, but focus on addressing the systemic safety issues on high injury corridors where marginalized communities traverse. Focus on increasing safety in high-risk locations and on high injury corridors that coincide with higher residential concentrations of marginalized communities.
 - e. Prioritize and focus on increasing active transportation and transit access to jobs and community places (e.g., libraries, pharmacies, grocery stores, schools, etc.) and services for marginalized communities. Place an emphasis on connecting marginalized communities to middle-wage employment opportunities.
6. Focus on transit solutions that serve marginalized communities.
 - a. This may include creative solutions such as community and job connector shuttle services.

- b. Focus increase in service on transit routes that serve a significant portion of marginalized communities.
 - c. While not the most productive and efficient from a strict transit management view, consider coverage transit service routes to support marginalized communities as they navigate the shifting housing affordability dynamics.
 - d. Support special needs transportation providers.
7. Complement affordable housing and transit-oriented development to support the integration of land use and transportation where marginalized communities will benefit.
- a. Ensure the long-term sustainability of programs that make transportation affordable, including the adult low-income fare and student pass programs on transit.
 - b. Complement and cross-implement the strategies in the *Coordinated Transportation Plan for Seniors and People with Disabilities* in Appendix G.
8. Document and address existing disparities in exposure to transportation related air pollutants, including PM2.5, Diesel PM, NO2 and air toxics, and evaluate whether projects reduce or exacerbate disparities.

Transportation Equity Policy 4. Meaningfully engage federally recognized tribes, communities of color and other marginalized communities to participate in the development and implementation of transportation plans, projects and programs.

Meaningful engagement is critical to understand the perspectives and experiences of marginalized communities and to build plans, projects and programs to address these perspectives and experiences.

Meaningful and inclusive engagement takes a significant effort and relies on building relationships and trust with members of marginalized communities and is a significant change from the conventional practices of public involvement in the transportation sector. Engagement and inclusion help embed equity in the transportation planning process by allowing for marginalized communities to be seen, heard and considered, and allow for their needs and priorities to influence the planning and decision-making process.

To implement Transportation Equity Policy 4 regional partners should take the following actions:

- 1. Reduce the barriers to participation in public processes for these communities.
 - a. Transportation professionals should look to reduce the barriers for marginalized communities to participate (e.g., go out into the community,

offer language translation and childcare services, provide food and incentives) and reach out to marginalized communities in meaningful ways (e.g., engaging through a community liaison, allowing communities to lead the discussion) and at opportunities to shape and influence transportation plans, policies and program (e.g., not at a perfunctory time).

2. Identify funding and contracting opportunities for community outreach liaisons and community-based organizations who are trusted members of marginalized communities to facilitate relationship-building, conversations and meaningful engagement.
3. Dedicate resources to meaningfully engage marginalized communities in planning and decision-making processes.
4. Bring in voices from marginalized communities to add perspective and help guide how equity can be embedded in the planning and decision-making process.
5. Use the Climate Friendly Equitable Communities (CFEC) Program for guidance/rules on inclusive decision making.

Transportation Equity Policy 5. Collect and assess qualitative and quantitative data to understand the transportation-related disparities, barriers, needs and priorities of communities of color and other marginalized communities.

Conventional data sources and analysis practices do not always capture disparities experienced by marginalized communities. While national datasets or statewide statistics provide a picture of disparities, gaps in local data and information make it difficult to assess the performance of transportation plans, programs and policies on the outcomes and priorities identified marginalized communities.

Collecting disaggregated data at a local scale gives the ability to look in-depth at local conditions on key transportation outcomes identified as priorities by marginalized communities—affordability, safety, access and environmental health—and is necessary to understand the current level of disparities and establish appropriate baselines. Until such data can be collected, it is imperative to supplement data collection and assessment with engagement to gather the qualitative information directly from marginalized communities.

Additionally, in supplementing quantitative data with engagement and qualitative data, needs, gaps and deficiencies which may have already been identified can be confirmed. By supporting data collection and assessment focused on the needs and priorities of marginalized communities, especially communities of color, transportation professionals will have better information to plan, program and implement strategies or actions which can better address the priorities and needs.

To implement Transportation Equity Policy 5, regional partners should take the following actions:

1. Collect data in a manner that facilitates looking at outcomes with an equity lens.
 - a. Collect localized, disaggregated data.
 - b. Emphasize collecting as much qualitative data as quantitative data.
 - c. Collect data that is meaningful to marginalized communities.
2. Appropriately resource data collection and assessment to focus on outcomes with an equity lens.
 - a. Acknowledge and recognize data collection and assessment methods will be unfamiliar and new for many project managers and likely to be a necessary but challenging to break convention.
3. Appropriately resource the development of a disparities baseline looking at measures of affordability, safety, access and environmental health to understand disparities of marginalized communities, in particular people of color.
4. Conduct meaningful engagement with marginalized communities to supplement and ground truth data and technical analysis findings.

Transportation Equity Policy 6. Evaluate transportation plans, policies, programs and investments to understand how they address transportation-related disparities and barriers experienced by communities of color, people with low income and other marginalized communities and the extent disparities are being eliminated.

It is crucial to identify disparities and evaluate if transportation plans, programs, policies, and strategies are making progress towards eliminating disparities. The assessment should consider access, safety, affordability, community health and any other transportation-related priority identified by marginalized communities. The assessment process helps to understand effectiveness, progression, monitoring and accountability in achieving the equitable transportation and other associations RTP goals and objectives. Evaluation also provides transparency towards what to expect as a result.

To implement Transportation Equity Policy 6, regional partners should take the following actions:

1. Resource evaluation methodology development appropriately.
 - a. Disaggregate and evaluate data system-wide, as well as by individual project, program or community.
 - b. Let the evaluation be led, guided and verified by marginalized communities and their lived experiences.
 - c. Ground truth evaluation results through engagement.
 - d. Utilize both qualitative and quantitative data in evaluation.

2. Be willing to use non-standard forms of evaluation. Clearly state assumptions and recognize what the method may be testing and the limitations of the evaluation.
3. Set up a long-term feedback loop of evaluation and monitoring; evaluate at each stage and monitor whether projected outcomes are coming to fruition and/or whether plans, policies, programs and strategies may need additional mitigations or a course correction.

Transportation Equity Policy 7. Create living-wage career pathways for people of color and women into the construction industry and support the growth and participation of women- and people-of-color-owned firms on capital projects throughout the transportation system.

The construction industry has seen tremendous growth in the last ten years and is one of the fastest-growing industries in recent years, outpacing the rest of the economy. The median wage for construction occupations is higher than the median wage across all sectors in the greater Portland region. It is one of the remaining sectors where workers can make a living-wage income without a higher education degree. At the same time the construction industry is grappling with costly workforce shortages driven by an aging workforce and reality that women and people of color face significant barriers in entering the industry and building their careers.

Construction has been a racially homogenous industry, yet labor market data indicates a shortage in skilled talent. Diversifying the construction workforce will not only help create a stronger supply of needed workers for the industry, but it will also directly address issues of poverty and economic mobility within communities of color and working families in the region.

Transportation infrastructure projects can have a big impact on promoting equitable growth in the region's economy by providing job opportunities for people of color in the construction trades. While federal and state laws have provisions which facilitate greater access for minority, women-owned and disadvantaged businesses (MWDBE) to be part of these contracting and construction opportunities, the construction industry has a workforce which is not reflective of demographics. Yet it remains a sector that provides access to living-wage careers for marginalized communities, particularly communities of color.

The RTP is a long-range transportation blueprint for the capital investments needed to accommodate existing needs and future population and employment growth. An emphasis on the construction workforce is relevant to building out the transportation system equitably and making progress towards reducing the disparities seen among marginalized communities in terms of living-wage career opportunities and longer-term income stability and affordability. By focusing public investments to advance contracting

and workforce equity in the construction trades, transportation infrastructure projects can help mitigate wealth disparity gaps experienced by marginalized communities.

Metro's [Construction Career Pathways](#) is a coordinated strategy for growing and diversifying the region's construction workforce.⁵ This effort centers on a shared policy framework that provides a roadmap for public agencies to work with labor unions, workforce development organizations and contractors to create opportunities for women and people of color in the construction workforce. As more public agencies in the region join the effort, each agency's individual workforce development efforts are better positioned to succeed in cultivating a labor pool that strengthens their community and reflects the populations they serve.

To implement Transportation Equity Policy 7 regional partners should take the following actions:

1. Use inclusive hiring practices, contracting opportunities and formalize reporting of minority, women-owned and disadvantaged businesses construction contracts on all Metro-funded transportation projects.
2. For transportation investments programmed within the MTIP, particularly as part of the construction phases, request from partners information about minority, women-owned and disadvantaged business contracting and workforce diversity utilization.
3. Through partnership with Metro's Diversity, Equity and Inclusion program, provide information and resources to partners on ways to support and advance equity in contracting and workforce.
4. Develop mechanisms to incentivize partners to pursue recruitment and retention strategies on transportation projects that help grow and diversify the construction workforce.
5. Encourage workforce diversity utilization through apprenticeships with marginalized communities as part of contracts.
6. Partner with workforce development organizations to improve outreach, share information and leverage resources that support and grow a diverse construction workforce and contracting community.

⁵ Link to Metro webpage on Construction Career Pathways <https://www.oregonmetro.gov/regional-leadership/diversity-equity-and-inclusion/construction-career-pathways>

3.2.3 Safety and Security Policies

Eliminating traffic related deaths and life changing injuries (often defined as fatalities and severe or serious crashes) and increasing the safety and security of the transportation system is a top priority of the RTP. The equity goals of the RTP center safety for people of color, people with low incomes, people with disabilities, youth, older adults, people walking, people bicycling and people on motorcycles.

Transportation safety is protection from death or bodily injury from a motor-vehicle crash while engaged in travel. Individual and public transportation security is protection from intentional criminal or antisocial acts while engaged in trip making.

3.2.3.1 Regional Transportation Safety Strategy (2018)

The [Regional Transportation Safety Strategy](#) (“Safety Strategy”) identifies data-driven strategies and actions to address the most common types of crashes and contributing factors.⁶ Key findings from the analysis of crash data from 2016-2020 are in RTP Chapter 4. Additional analysis can be found in the 2018 Metro State of Safety Report and the Safety Strategy.⁷

The Safety Strategy recommends six strategies to support achieving the region’s adopted Vision Zero target for 2035, shown in Figure 3.3. Each strategy includes specific actions, which can be found in the [Safety Strategy](#). The strategies and actions are evidence-based and were identified by a regional safety work group in response to analysis of crash data in the [2018 Metro State of Safety Report](#) and other sources. Refer to the Regional Transportation Safety Strategy for detailed information on each of the strategies and specific actions.

⁶ The Regional Transportation Safety Strategy, adopted in December 2018, is a topical plan of the Regional Transportation Plan. Link to the Safety Strategy <https://www.oregonmetro.gov/regional-transportation-safety-plan>

⁷ The 2018 Metro State of Safety Report is an appendix of the Safety Strategy. Link to the State of Safety Report <https://www.oregonmetro.gov/sites/default/files/2018/05/25/2018-Metro-State-of-Safety-Report-05252018.pdf>

Figure 3.3: Regional transportation safety strategies



3.2.3.2 Using the Safe System approach

The Safety Strategy employs a Safe System approach with the goal of zero fatal and severe injury traffic deaths. The Safe System approach originated in Sweden, and now other countries and many U.S. cities use the framework. Similar frameworks are Vision Zero (Sweden), Toward Zero Deaths (U.S.), Road to Zero Coalition (National Safety Council), Safe System (New Zealand) and Sustainable Safety (Denmark).

The Safe System approach involves a holistic view of the transportation system and the interactions among travel speeds, vehicles, road users and the road itself. It is an inclusive approach that prioritizes safety for all user groups of the transportation system - drivers, motorcyclists, passengers, pedestrians, bicyclists, and commercial and heavy vehicle drivers. Consistent with the region’s long-term safety vision, the Safe System approach acknowledges that people will make mistakes and may have road crashes and that the transportation system should therefore be designed so that crashes do not result in death or serious injury. Street design emphasizes managing speeds for safety, access management, median separation of traffic and maintaining separation between motor vehicles and people walking and bicycling.

Figure 3.4: Components of the Safe System approach



Governments using the Safe System approach focus on preventing all fatal and severe injury crashes and recognize that the responsibility for crash prevention resides not only with roadway users but with transportation professionals and decision makers. Agencies using the Safe System approach have been more effective in reducing traffic deaths and severe injuries than more traditional approaches that focus on all crashes.⁸ The Safe System approach focuses on the following key guiding principles that shape how stakeholders address transportation safety, shown in Figure 3.5. Refer to the Regional Transportation Safety Strategy for detailed information on the Safe System approach.

Figure 3.5: Guiding principles of the Safe System approach





⁸ Sustainable and Safe: A Vision and Guidance for Zero Road Deaths, World Resources Institute, Global Road Safety Facility (2017)


Figure 3.6

Regional High Injury Corridors and Intersections

- ◆ Top 1% high injury intersection
- ◆ Top 5% high injury intersection
- High injury corridor
- People of color equity focus area
- Limited english equity focus area
- Low income equity focus area
- - - County boundary
- - - Urban growth boundary
- - - Metropolitan planning area



See inset map



2023
REGIONAL
TRANSPORTATION
PLAN


Sources: ODOT and Metro

11/30/23


0 Mile 1

0 5 10 Miles


1. Forest Grove-Cornelius-Hillsboro area



2. Hillsboro-Aloha-Beaverton-Tigard area




3. Sherwood-Tigard-Tualatin-Wilsonville area




Legend


- ◆ Top 1% high injury intersection
- ◆ Top 5% high injury intersection
- High injury corridor
- People of color
- Limited english
- Low income
- County boundary
- Urban growth boundary
- Metropolitan planning area




4. Lake Oswego-Milwaukie-Oregon City area



5. Hollywood-Gateway-Rockwood area



6. Fairview-Wood Village-Troutdale-Gresham



The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

3.2.3.3 Regional high injury corridors and intersections

Figure 3.6 shows the map of regional high injury corridors overlapping with Equity Focus Areas. Metro and regional partners identify regional high injury corridors and intersections to help prioritize safety near-term investments. Metro updates this map every five years. In the interim, transportation agencies and stakeholders may identify other safety investments that warrant priority based on other data and analysis. The needs assessment in Chapter 4 provides more detail on how this map was created, along with other safety data.

3.2.3.4 Safety and security policies

Regional Transportation Safety and Security policies reflect the policy framework of the Regional Transportation Safety Strategy. Implementation of the policies supports achieving the regional Vision Zero target for 2035 and making travel in the region safer and more secure for all people.

Safety Policy 1	Focus safety efforts on eliminating traffic deaths and severe injury crashes to achieve Vision Zero.
Safety Policy 2	Prioritize safety investments, education and equitable enforcement on high injury and high-risk corridors and intersections with a focus on reducing speeds and speeding.
Safety Policy 3	Prioritize investments that benefit people with higher risk of being involved in a serious crash, including people of color, people with low incomes, people with disabilities, youth, older adults, people walking, people bicycling people on motorcycles and people working in the right-of-way.
Safety Policy 4	Increase safety for all modes of travel and for all people through the planning, design, construction, operation and maintenance of the transportation system with a focus on reducing vehicle speeds.
Safety Policy 5	Make safety a key consideration in all transportation projects and avoid replicating or exacerbating a known safety problem with any project or program.
Safety Policy 6	Employ a Safe System approach and use data and analysis tools and performance monitoring to support data-driven decision-making.
Safety Policy 7	Utilize safety and engineering best practices to identify low-cost and effective treatments that can be implemented systematically in shorter timeframes than large capital projects.

Safety Policy 8 **Prioritize investments, education and enforcement that increase individual and public security while traveling by reducing intentional crime, such as harassment, targeting and terrorist acts, and prioritize efforts that benefit people of color, people with low incomes, people with disabilities, women people walking, people bicycling and those taking transit.**

Safety Policy 9 **Make safety a key consideration when defining system adequacy (or deficiency) for the purposes of planning or traffic impact analysis.**

Safety Policy 1. Focus safety efforts on eliminating traffic deaths and severe injury crashes to achieve Vision Zero.

To reach the goal of eliminating deaths and severe injuries from traffic crashes, this policy directs safety-related efforts to focus on fatal and severe injury crashes as opposed to all crashes. Focusing on serious crashes is a key tenant of the Safe System approach. It entails:

- Identifying where serious crashes occur and focusing on those locations;
- Identifying the risk factors involved in serious crashes and addressing and eliminating those risks;
- Focusing enforcement and education on high-risk behaviors that lead to serious crashes; and
- Less or no enforcement or education on low-risk behaviors.

When communities use enforcement, precautions must be implemented to ensure equitable actions and outcomes.

Safety Policy 2. Prioritize safety investments, education and equitable enforcement on high injury and high-risk corridors and intersections with a focus on reducing speeds and speeding.

This policy prioritizes safety investments, education and equitable enforcement in the corridors where the most serious crashes have occurred or have a risk of occurring (due to identified risk factors such as lack of roadway separation or excessive speeding). Prioritizing corridors where deadly crashes are more likely to occur effectively uses limited resources to address areas with the most serious issues. Additionally, this policy emphasizes the systemic approach to safety to address known safety risk factors corridor wide to prevent serious crashes from occurring in the future.

Safety Policy 3. Prioritize investments that benefit people with higher risk of being involved in a serious crash, including people of color, people with low incomes, people with disabilities, youth, older adults, people walking, people bicycling, people on motorcycles, and people working in the right-of-way.

This policy is based on the Safe System approach of prioritizing safety efforts for people with the highest risk of dying in a traffic crash as a key strategy to eliminating serious crashes overall. This policy also helps implement Metro’s Strategic Plan for Advancing Equity, Diversity and Inclusion.

Safety Policy 4. Increase safety for all modes of travel and for all people through the planning, design, construction, operation and maintenance of the transportation system with a focus on reducing vehicle speeds.

This policy requires that stakeholders integrate transportation safety into every aspect of the transportation system. It is a key element of the Safe System Approach which takes a systemic and holistic view of safety. Safe travel speeds are a core element of achieving Vision Zero. Speed limits in Safe System approach are based on aiding crash avoidance and a human body’s limit for physical trauma. An unprotected pedestrian hit at over 20mph has a significant risk of death or life-changing injury. A car in a side-on collision can protect its occupants up to around 30 mph; a car in a head-on collision up to around 40mph. Establishing survivable speeds on streets where people using different modes at variable speeds and with different levels of physical protection are essential. Additionally, a diversity of users must be considered as the system is developed. For example, people of color, older adults and children may have different needs that must be addressed at every phase.

Safety Policy 5. Make safety a key consideration in all transportation projects and avoid replicating or exacerbating a known safety problem with any project or program.

While most policies are proactively focused on improving safety, this policy requires that transportation projects and programs clearly evaluate the impacts on all users of the transportation system. Transportation projects and program should not negatively impact any of those users by either replicating something which has been shown to increase safety problems for roadway users or making a current safety issue worse.

Safety Policy 6. Employ a Safe System approach and use data and analysis tools and performance monitoring to support data-driven decision-making.

Transportation agencies have proven that the Safe System approach reduces serious crashes. The approach is based on data driven strategies and actions. Collecting, maintaining and analyzing data on a regular basis is critical to focusing investments where they will be most effective. Additionally, monitoring progress and assessing the outcome of investments in safety is crucial to learning from the past and improving in the future.

Safety Policy 7. Utilize safety and engineering best practices to identify low-cost and effective treatments that can be implemented systematically in shorter timeframes than large capital projects.

Many solutions to improve safety are inexpensive. This policy prioritizes addressing safety problems on a corridor level sooner rather than later to prevent serious crashes. Rather than postponing safety interventions until a larger and more expensive project can be funded, this policy directs that low-cost and effective treatments be implemented first.

Safety Policy 8. Prioritize investments, education and equitable enforcement that increase individual and public security while traveling by reducing intentional crime (such as harassment, targeting and terrorist acts) and prioritizing efforts that benefit people of color, people with low incomes, people with disabilities, women, people walking, people bicycling and those taking transit.

Individual and personal security while traveling has an important relationship to transportation safety, especially for people of color. Fear of harassment or being targeted can deter people of color from walking, bicycling or using transit and may increase the use of motor-vehicle transportation. Though individual and public security can be challenging to address, a variety of approaches are needed to create a safe and welcoming transportation system, including:

- Collecting data;
- Utilizing crime prevention through environmental design;
- Considering a diversity of users when developing and operating the transportation system;
- Educating people to look out for and care for one another;
- Designing security into projects such as street lighting, visibility and call boxes);
- Equity training for public safety and transportation professionals; and
- Including a wide range of groups in design and decision making.

Safety Policy 9. Make safety a key consideration when defining system adequacy (or deficiency) for the purposes of planning or traffic impact analysis.

This policy specifies that safety data (including disparities in crash-related injuries and level of physical activity impacted by lack of safe places to walk and bicycle), analytical tools and metrics must be part of the evaluation when defining the adequacy of capacity on the transportation system.

3.2.4 Climate action policies and resilience policies

Climate change may be the defining challenge of this century. Global climate change poses a growing threat to our communities, our environment and our economy, creating uncertainties for the agricultural, forestry and fishing industries as well as winter recreation. The planet is warming, and there is less and less time to act. Greater Portland’s future climate is expected to include warmer winters with more intense rain events and hotter, drier summers with an increased frequency of high heat days. Other documented effects include rising sea levels, shrinking glaciers, changes to growing seasons and the distribution of plants and animals. While addressing the primary cause of climate change—carbon emissions—remains a crucial component of the region’s climate work, preparing for the impacts of a changing climate is also necessary.

Warmer temperatures will affect the service life of transportation infrastructure, and more severe storms will increase the frequency of landslides and flooding. Consequent damage to roads and rail infrastructure will compromise system safety, disrupt mobility and hurt the region’s economic competitiveness and quality of life. Our ability to respond will have unprecedented impacts on our lives and our survival.

In Oregon, transportation sources account for 35 percent of greenhouse gas emissions, largely made up of carbon dioxide (CO₂). Since 2006, the state of Oregon has initiated actions to respond, including directing the greater Portland region to develop and implement a strategy for reducing greenhouse gas emissions from cars and small trucks.

3.2.4.1 Climate Smart Strategy (2014)

The RTP is a key tool for the greater Portland region to implement the adopted Climate Smart Strategy and achieve greenhouse gas emissions reduction targets adopted by the Land Conservation and Development Commission in 2012, 2017 and 2022.

As directed by the Oregon Legislature in 2009, the Metro Council and the Joint Policy Advisory Committee on Transportation (JPACT) developed and adopted a regional strategy to reduce per capita greenhouse gas emissions from cars and small trucks by 2035 to meet state targets. Adopted in December 2014 with broad support from community, business and elected leaders, the Climate Smart Strategy relies on policies

and investments that have already been identified as local priorities in communities across the greater Portland region. Adoption of the strategy affirmed the region’s shared commitment to provide more transportation choices, keep our air clean, build healthy and equitable communities and grow our economy – all while reducing greenhouse gas emissions.

The analysis of the adopted strategy demonstrated that with an increase in transportation funding for all modes, particularly transit operations, the region can provide more safe and reliable transportation choices, keep our air clean, build healthy and equitable communities and grow our economy while reducing greenhouse gas emissions from light-duty vehicles as directed by the Legislature. It also showed that a lack of investment in needed transportation infrastructure will result in falling short of our greenhouse gas emissions reduction goal and other desired outcomes. The Land Conservation and Development Commission approved the region’s strategy in May 2015.

3.2.4.2 Climate mitigation policies

The Climate Smart Strategy is built around nine policies to demonstrate climate leadership by reducing greenhouse gas emissions from cars and small trucks while making our transportation system safe, reliable, healthy and affordable. The policies listed below complement other RTP policies related to equity, safety, transit, biking, walking, use of technology and system and demand management strategies. These policies aim to slow the effects of climate change by reducing greenhouse gas emissions (also known as “climate mitigation”), while also preparing for the impacts the region will experience.

Climate Policy 1	Implement adopted local and regional land use plans and strategies to reduce vehicle miles traveled per capita and related greenhouse gas emissions to meet regional targets.
Climate Policy 2	Prioritize transportation investments that make transit convenient, frequent, accessible and affordable to significantly increase transit ridership.
Climate Policy 3	Prioritize transportation investments that make biking and walking safe, accessible and convenient to achieve walking and bicycling system completion and mode share targets.
Climate Policy 4	Make streets and highways safe, efficient, reliable and connected.
Climate Policy 5	Prioritize use of technology to actively manage the transportation system and ensure that new and emerging technology affecting the region’s transportation system supports shared trips and other Climate Smart Strategy policies and actions.

Climate Policy 6	Provide information and financial incentives to expand the use of travel options and reduce vehicle miles traveled.
Climate Policy 7	Manage parking in mixed-use centers and corridors to (1) reduce the amount of land dedicated to parking, (2) encourage parking turnover, (3) increase shared trips, biking, walking and transit use, (4) reduce vehicle miles traveled, (5) increase housing and job production and (6) generate revenue.
Climate Policy 8	Support Oregon’s transition to cleaner fuels, more fuel-efficient vehicles and electric vehicles in recognition of the external impacts of carbon and other vehicle emissions.
Climate Policy 9	Secure adequate funding for transportation system investments necessary to implement the Climate Smart Strategy and increase the region’s preparedness for and resilience to climate change and natural hazard impacts.

3.2.4.3 Climate Smart Strategy actions

The Climate Smart Strategy includes a comprehensive toolbox of more than 200 specific actions that can be taken by the state of Oregon, Metro, cities, counties, transit providers and others to support implementation. These supporting actions are summarized in the [Toolbox of Possible Actions \(2015-2020\)](#) adopted as part of the Climate Smart Strategy.⁹ The actions support implementation of adopted local and regional plans and, if taken, will reduce greenhouse gas emissions and minimize the region’s contribution to climate change in ways that support community and economic development goals.

The Climate Smart Strategy’s *Toolbox of Possible Actions* was developed with the recognition that existing city and county plans for creating great communities are the foundation for reaching the state target. It also recognizes that some tools and actions may work better in some locations than others. As such, the toolbox does not mandate adoption of any policy or action. Instead, it emphasizes the need for many diverse partners to work together to begin implementation of the strategy while retaining the flexibility and discretion to pursue the actions most appropriate to local needs and conditions.

⁹ Climate Smart Strategy Toolbox of Possible Actions, 2014
https://www.oregonmetro.gov/sites/default/files/2015/05/27/CSC_toolbox-actions2014_12_09.pdf



Graphic depicting Climate Smart seven high and medium impact greenhouse gas reduction strategies.

Local, state and regional partners are encouraged to review the toolbox and identify actions they have already taken as well as any new actions they are willing to consider or commit to in the future. Updates to local comprehensive plans and development regulations, transit agency plans, port district plans and regional growth management and transportation plans present ongoing opportunities to consider implementing the actions recommended in locally tailored ways.

3.2.4.4 Climate Smart Strategy monitoring

The Climate Smart Strategy has performance measures and monitoring targets for tracking implementation and progress, which monitor and assess whether key elements or actions are being implemented and are achieving expected outcomes. If an assessment finds the region is deviating significantly from the Climate Smart Strategy performance monitoring targets, then Metro will work with local, regional and state partners to consider the revision or replacement of policies and actions to ensure the region remains on track to meet adopted targets for reducing greenhouse gas emissions.

Appendix J provides a progress report on implementation. Performance outcomes are included in Appendix J and Chapter 7. More investment, actions and resources are needed to achieve mandated greenhouse gas emissions reductions defined in OAR 660-044-0060.

3.2.4.5 Transportation preparedness and resilience policies

Preparedness and resilience have broad implications across all communities and sectors of the economy in the region. Natural disasters can happen anytime, affecting multiple jurisdictions simultaneously. The region needs to be prepared to respond quickly, collaboratively and equitably, and the transportation system needs to be prepared to withstand these events to provide needed transport for evacuation, fuel, essential supplies and medical transport. Planning for post-disaster recovery is critical to ensure that communities and the region recover and rebuild important physical structures, infrastructure and services, including transportation –it can make communities and the region stronger, healthier, safer and more equitable.

Resilience Policy 1	Designate, maintain and strengthen the resilience of regional emergency transportation routes that, in the case of a major regional emergency or natural disaster, would be prioritized for rapid damage assessment and debris-removal and will be critical to response and recovery of the region.
Resilience Policy 2	Consider climate and other natural hazard-related risks during transportation planning, project development, design and management processes.
Resilience Policy 3	Optimize operations and maintenance practices that can help lessen impacts on transportation from extreme weather events and natural disasters.¹⁰
Resilience Policy 4	Integrate green infrastructure into the transportation network to avoid, minimize and mitigate negative environmental impacts of climate change, natural disasters and extreme weather events.
Resilience Policy 5	Protect and avoid natural areas and high value natural resource sites, especially the urban tree canopy and other green infrastructure, to slow growth in carbon emissions from paved streets, parking lots and carbon sequestration and address the impacts of climate change and extreme weather events, such as urban heat island effects and increased flooding.
Resilience Policy 6	Avoid transportation-related development in hazard areas such as steep slopes and floodplains that provide landscape resiliency and which are also likely to increase in hazard potential as the impacts of climate change increase.

Climate change, natural disasters such as earthquakes, urban wildfires and hazardous incidents, and extreme weather events present significant and growing risks to the safety, reliability, effectiveness and sustainability of the region’s transportation infrastructure

¹⁰ Examples include more frequent cleaning of storm drains, improved plans for weather emergencies, closures and rerouting, traveler information systems, debris removal, early warning systems, damage repairs and performance monitoring.

and services. Flooding, extreme heat, wildfires and severe storm events endanger the long-term investments that federal, state and local governments have made in transportation infrastructure. Changes in climate have intensified the magnitude, duration and frequency of these events for many regions in the United States - a trend that is projected to continue. There is much work going on locally, regionally, statewide and across the country to address these risks.

Regional collaboration and disaster preparedness

The Regional Disaster Preparedness Organization (RDPO) is a partnership of government agencies, non-governmental organizations and private-sector stakeholders in the Portland metropolitan area collaborating to increase the region's resilience to disasters. RDPO's efforts span across Clackamas, Columbia, Multnomah and Washington counties in Oregon and Clark County in Washington.

According to the 2013 Oregon Resilience Plan, Oregon's buildings and lifelines (transportation, energy, telecommunications, water, and wastewater systems) would be damaged so severely by a large magnitude Cascadia subduction zone (CSZ) earthquake that it would take three months to a year to restore full service in areas such as the Portland region. More recently, a 2018 report from the Oregon Department of Geology and Mineral Industries (DOGAMI) on the Portland region describes significant casualties, economic losses and disruption in the event of a large magnitude Cascadia subduction zone (CSZ) earthquake.


While transportation infrastructure is designed to handle a broad range of impacts based on historic climate patterns, more planning and preparation for climate change, earthquakes and other natural disasters and extreme weather events is critical to protecting the integrity of the transportation system and improving resilience for future hazards.

In 2021 the Oregon Transportation Systems project assessed the resilience of Oregon's roadway, airport and maritime port transportation system to a Cascadia Subduction Zone (CSZ) earthquake and the ability of those system to support post-disaster response and recovery. A key finding is that very few airports and marine ports have conducted seismic vulnerability analyses of their facilities. More analysis is needed to better understand and enhance the resilience of these facilities to support incident response more efficiently and effectively.

Figure 3.7

Regional Emergency Transportation Routes

- Regional emergency transportation route
- Oregon state seismic lifeline route
- Urban center
- Industrial area
- Employment area
- County boundary
- Metropolitan planning area
- Urban growth boundary



See inset map

Inset map

0 Mile 1

0 5 10 Miles


Source: Metro

2023 REGIONAL TRANSPORTATION PLAN




11/30/23


1. Forest Grove-Cornelius-Hillsboro area



2. Hillsboro-Aloha-Beaverton-Tigard area



3. Sherwood-Tigard-Tualatin-Wilsonville area




Legend


(dotted lines are proposed projects and do not identify specific alignments)

- Regional emergency transportation route
- Oregon state seismic lifeline route
- Urban center
- Industrial area
- Employment area
- County boundary
- Metropolitan planning area
- Urban growth boundary


4. Lake Oswego-Milwaukie-Oregon City area



5. Hollywood-Gateway-Rockwood area



6. Fairview-Wood Village-Troutdale-Gresham



The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

Between 2019 and 2021, Metro and RDPO partnered to update the Regional Emergency Transportation Routes (RETR) for the five-county Portland-Vancouver metropolitan region (last updated in 2006). Over 300 miles of new routes were added. Regional Emergency Transportation Routes are travel routes that, in the case of a major regional emergency or natural disaster, would be prioritized for rapid damage assessment and debris-removal. These routes would be used to move people, resources and materials, such as first responders (e.g., police, fire and emergency medical services), patients, debris, fuel and essential supplies. These routes are also expected to have a key role in post-disaster recovery efforts.

The project developed a regionally accepted network that provides adequate connectivity to critical infrastructure and essential facilities, as well as the region's population centers and vulnerable communities. Over 75% of state and regional critical infrastructure and essential facilities are connected. Partners have established a comprehensive regional GIS database and online RETR viewer for current and future planning and operations. The data and on-line viewer provide valuable resources to support transportation resilience, recovery and related initiatives in the region. Figure 3.7 shows a map of the RETRs and State Seismic Lifeline (SSL) routes. Regional partners identified these routes to help prioritize them for near term investment.

In addition to implementing the resilience policies, potential opportunities for future regional collaboration in support of transportation preparedness and resilience include:

- Partnering with the RDPO on a second phase of the Regional ETR update to prioritize routes and develop operational guidelines for owners and operators. See Chapter 8 (Section 8.2.3.5) for more information.
- Conducting a vulnerability assessment for the region.
- Documenting climate and other natural hazard-related risks to the region's transportation system and vulnerable populations.
- Documenting potential investments, strategies and actions that the region can implement to reduce the vulnerability of the existing transportation system and proactively increase the transportation system's resiliency.
- Implementing the Climate Adaptation and Resilience Roadmap, accepted by the OTC in January 2023 and submitted to FHWA in August 2023. Developed in accordance with 23 U.S. Code 176(e) and incorporated herein by reference, the Roadmap serves as ODOT's statewide Resilience Improvement Plan (RIP), as defined in Section 11405 of the Federal Infrastructure Investment and Jobs Act (2021).

3.2.5 Pricing policies

Transportation pricing is a tool that can help our region reach its goals of better, faster transit, cleaner air, fewer hours sitting in traffic and more equitable access to jobs and opportunities. To realize these outcomes, pricing programs will need to be carefully designed to ensure the process to develop them is equitable, revenue is reinvested equitably and supports regional goals, diversion on local streets is mitigated and different pricing strategies work together.

What is transportation pricing?

Transportation pricing is the use of a pricing mechanism, such as tolls or parking fees, to:

- reduce traffic congestion and greenhouse gas emissions;
- encourage a shift to travel via different modes, a different route or a different time of day; and
- raise revenue for transportation investments and mitigation for impacts resulting from pricing.

The policies in this section apply to vehicle miles traveled fees, cordon pricing, and roadway pricing; parking pricing is addressed in the climate mitigation policies.

Section 3.2.4.2.

While parking pricing has proven to be an effective strategy in the region for many years, cordons, roadway pricing and other pricing strategies are only beginning to be discussed and implemented as a strategy in the greater Portland region. However, these strategies have been effective in cities around the world. Leaders and government agencies in the region recognized pricing as a needed, high-impact tool in the 2018 RTP and other plans.¹¹

Pricing Strategies

Pricing could include a range of tools, including:



VEHICLE MILES TRAVELED FEE

Drivers pay a fee for every mile they travel



CORDON PRICING

Drivers pay to enter an area, like downtown Portland (and sometimes pay to drive within that area)



ROADWAY PRICING

Drivers pay a fee or toll to drive on a particular road, bridge, or highway



PARKING PRICING

Drivers pay to park in certain area

Each of these pricing strategies could vary by time of day, by area, by types of drivers on the road, and by income levels. Pricing strategies can also take the form of a “program” (i.e. parking pricing) or a “project” (i.e. the I-205 toll project).

¹¹ Regional Transportation Plan (2018), TSMO Strategy (2021), Climate Smart Strategy (2014), the Federal Congestion Management Process, City of Portland Pricing Options for Equitable Mobility Final Report (2021),

Table 3.3 outlines which local, regional and state agencies could potentially implement various types of pricing strategies based on Oregon state law. Other federal, state or local laws may provide additional guidance or restrictions on the use of pricing and the use of pricing revenues.

Table 3.3: Pricing and implementing agency

Type of Pricing	Definition	Implementing Agency
Road Usage Charge / Vehicle Miles Traveled fee		State DOT, potentially local roadway authorities
Cordon pricing	Drivers pay a fee to enter an area, like downtown Portland (and sometimes pay to drive within that area)	City, county
Roadway pricing and tolling	Drivers pay a fee or toll to drive on a particular road, bridge or highway	Local roads: city, county
		Throughways: State DOT

Why is pricing an important strategy for our region?


Congestion is a problem in the Portland metro region as outlined in the Chapter 4 of the RTP. Changing travel patterns and a growing population mean more traffic and less freedom to travel reliably around the region. Congestion can also have significant economic, social and environmental impacts.

- Growing single occupancy vehicle miles traveled (VMT) leads to congestion.
- Greenhouse gas emissions are on the rise.
- Congestion impacts communities in RTP Equity Focus Areas most significantly.¹²
- Travel patterns for people and goods are unreliable due to congestion.
- Our region is growing.

Oregon Department of Transportation Value Pricing Feasibility Analysis (2018) and Oregon Transportation Plan (2023).

¹² Congestion impacts equity focus areas most significantly. In the Portland region, the 10 lowest income and 10 highest minority neighborhoods experience more exposure to toxic air than the average neighborhood." Source: 2012 Portland Air Toxics Solutions Committee Report and Recommendations, Oregon Department of Environmental Quality.

The Cycle of Congestion



How can pricing help our region?

Transportation investments in the greater Portland region have a long history of contributing to racial inequity and neighborhood displacement. Decades ago, public agencies planned and built new highways that cut through Black communities, splitting neighborhoods and contributing to poor air quality, noise pollution and safety issues. Transit investments have also been made without complementary affordable housing strategies, leading to gentrification and further displacement.

Today, while the region's residents all feel the impacts of congestion, historic inequities in the transportation system amplify impacts on people of color and low-income people:

- Housing costs are increasing faster than incomes, pushing those with lower incomes to seek housing further away from the center of the region and making travel distances longer for people of color and low-income people.
- Communities of color and low-income communities have longer commute times that are made slower and more unreliable when roadways are congested.
- Major roads and freeways often run through communities of color and low-income communities, resulting in disproportionately high rates of air pollution, chronic illnesses and traffic-related injuries and fatalities.

Pricing can be a key tool for jurisdictions as they seek to meet state, regional and local goals around mobility, climate, safety, equity and a thriving economy.

Pricing that is designed and implemented through an equity and climate change lens has the potential to transform transportation in our region in a variety of ways. While pricing

programs introduce new costs to users, they also lead to more efficient use of streets and highways and can help address current and historic inequities borne by people of color and people with low incomes.

Pricing has been shown to encourage use of transit or other modes and reduce overall vehicle miles traveled (VMT). Lower VMT results in decreased congestion, reduced travel times for personal vehicles, freight and buses, lower greenhouse gas emissions and localized air quality impacts. Pricing is more likely to be successful in areas where transit service elements are already well established and is improved in conjunction with pricing.

Pricing can also have positive impacts on safety by lowering VMT and investing pricing revenues in safety projects to prevent crashes and injuries in and around priced facilities or areas.

Additionally, for many jurisdictions, pricing may be identified as a tool to raise revenue for specific projects and be a key element of a funding plan. This could include, for example, replacement of an aging bridge or investments in multimodal infrastructure and transit-supportive elements or amenities. However, in addition to raising revenue for specific projects, a program can successfully meet state, regional and local goals by:

- **Reinvesting revenue where it matters most.** If designed thoughtfully, pricing programs that have built equity into the program can introduce progressive fee structures and reinvest revenue in the people and places that have historically been, and continue to be, the most negatively impacted.
- **Reinvesting revenue to support our region's goals.** Revenue collected from pricing programs can be reinvested to enhance transit service elements and access, safety improvements and walking and bicycling networks. It can also be used to provide incentives and subsidies to increase the number of people biking, walking and taking transit for more trips. With properly designed pricing programs, our region can have better, faster transit, cleaner air, fewer hours sitting in traffic and more equitable access to jobs and opportunities.

In the Portland region, average commute times for Black commuters are 13% longer than white commuters.



VS.



The lowest income households spend 35% of their income on transportation. Those with the highest income spend 13% or less.

Source: U.S. Bureau of Transportation Statistics

Benefits to freight and businesses

- Pricing strategies can help freight and businesses succeed by reducing congestion on highways and local roads.
- Pricing can benefit freight, especially truck transportation, as it supports a more reliable system.
- Pricing can encourage people to use other forms of transportation to travel and leave highways open for people and businesses, like freight, who do not have other options.
- Pricing can lower the cost of doing business through time-savings.

3.2.5.1 Best practices for revenue reinvestment

Equitable revenue reinvestment is a critical consideration from the outset of a pricing program. Reinvestment strategies should be guided by the purpose of the program, the expected costs and benefits and input from community members impacted by the program. Revenue reinvestment should be focused on neighborhoods that do not have or could lose access to the priced facility or area. Increasing access to the priced facility or area, especially for places with limited access today or places that would see reduced access without reinvested revenues, should be a focus. Part of the revenue from pricing may need to be spent on operations, maintenance and facility investment.

Key considerations related to revenue reinvestment include:

- Reinvestment should be prioritized in areas designated as Metro's Equity Focus Areas most affected by pricing programs.
- Revenues collected through the pricing program should be reinvested in a manner that helps meet state, regional and local goals related to reductions in greenhouse gas emissions and congestion while improving mobility and safety.
- Revenue should not be reinvested in infrastructure solely for single occupancy vehicles but should be invested to improve the entire multimodal transportation system.
- Revenue should be reinvested in the region.

After paying for the administration and/or operating costs of a pricing program, revenue could be reinvested in several ways, as shown in Table 3.4. Implementing agencies will need to consider any state constitutional restrictions to revenue reinvestment or other limitations based on federal or state funding or program approvals, based on the type of pricing program established. Agencies may use pricing to raise money for other things, like road improvements, seismic operations and operations and maintenance.

Table 3.4: Potential Options for Revenue Reinvestment

Category	Description	Target Area or Population
Transit		
Infrastructure, speed and reliability improvements	Improved facilities, stops, passenger amenities, transit priority treatments, express services, expanded routes and similar improvements	Regional
		Local communities, especially equity areas; for example, RTP Equity Focus Areas
Operation and maintenance	Operation and maintenance of existing and future transit assets and services	Regional
Active Transportation		
Access to priced facility or area	Improved bike, pedestrian or micromobility access to transit or priced facility or area directly	Regional
		From/to equity zones; for example, RTP Equity Focus Areas
Neighborhood access	Improved bike, pedestrian or micromobility access to transit or neighborhood activity centers such as shopping centers and employment hubs	From equity zones; for example, RTP Equity Focus Areas to transit or neighborhood activity centers
First/last mile to key employment hubs	Improved bike, pedestrian or micromobility access to employment hubs from transit	Regional
Diversion mitigation	Prioritize safety enhancements on the high crash network and transit service elements along areas impacted by diversion	Neighborhoods impacted by diversion
Mode Shift and Single Occupancy Vehicle Alternative Programs		
Commuter credits	Benefit to users of the pricing system who swipe their transit card during peak hours rather than drive	Regional; higher subsidy for transit deprived communities and vulnerable populations
Transit subsidy	Free or discounted transit pass or cash on transit card, i.e., TriMet's Fare Relief Program	Regional; higher subsidy for transit deprived communities and vulnerable populations
Other programs	Electric vehicle (EV) carshare subsidy, bikeshare subsidy, micromobility subsidy, carpool benefit, benefit to drivers of EV vehicles	Regional; higher subsidy for transit deprived communities and vulnerable populations
Priced Facility		
Operations and maintenance	Operations and maintenance of priced road	Priced facility
Infrastructure investment	For tolled facilities, designed to be paid for by the pricing revenue	Priced facility

Potential revenue opportunities and limitations

Depending on the pricing model, the use of revenue generated from a pricing program may be subject to legal limits, and Federal law and other requirements must be followed. For example, Oregon Constitution Article IX Section 3a limits the use of revenue from taxes on motor vehicle use and fuel. The principle underlying the Constitutional language is that special taxes paid only by drivers should be used only for roadway purposes. Whether a particular pricing model is subject to this constitutional restriction is determined by Oregon courts on a case-by-case basis. Recently, the Oregon Supreme Court concluded that Article IX section 3a’s limit on use of tax revenue does not apply to a privilege tax imposed on vehicle dealers for the privilege of engaging in the business of selling taxable motor vehicles at retail. The Court found that the privilege tax was not based on the status of motor vehicle ownership but rather on the activity of selling motor vehicles. Jurisdictions considering pricing should review all potential legal limits and structure the pricing model with these limits in mind.

Jurisdictions considering pricing should also be aware of strategies that could be used to offset the potential constitutional limitations on how revenues from roadway pricing might be used. For example, swapping pricing revenues with Federal dollars, which are often allowed to be used much more flexibly.

3.2.5.2 Pricing policies

Pricing policies apply to the planning, implementation, monitoring and evaluation of pricing programs and projects in the region, as defined in Section 3.1.

Pricing Policy 1	Use pricing to improve reliability and efficiency of the transportation network, reduce VMT per capita and increase transportation options.
Pricing Policy 2	Center equity and affordability into pricing programs and projects from the outset.
Pricing Policy 3	Address traffic safety and the safety of users of all travel modes, both on the priced system and in areas affected by diversion.
Pricing Policy 4	Minimize diversion impacts created by pricing programs and projects prior to implementation and throughout the life of the pricing program or project.
Pricing Policy 5	Reduce greenhouse gas emissions and vehicle miles travelled per capita while increasing access to low-carbon travel options.
Pricing Policy 6	Coordinate technologies and pricing programs and projects to make pricing a low-barrier, seamless experience for everyone who uses the transportation system and to reduce administrative burdens.

Pricing Policy 1. Use pricing to improve reliability and efficiency of the transportation network, reduce VMT per capita and increase transportation options.

The Metro Regional Congestion Pricing Study found that pricing has the potential to help the greater Portland region improve mobility and manage congestion. Pricing programs should be designed and implemented to maximize benefits related to improved access to jobs and community places, shifts to sustainable modes of travel and overall affordability.

Investments in transit and transit-supportive elements have been shown to improve regional mobility, especially in terms of access to jobs. Future transit investments and investments into other modal alternatives should take into consideration:

- the geographic distribution of low-income populations (who may have less automobile access);
- existing access to jobs via transit;
- people who commute outside of peak periods; and
- people who trip-chain, i.e. making multiple stops during one trip, such as dropping children off at school on the way to work.

Policymakers and future project owners and operators should consider how mobility improvements will be received by populations and areas that have been historically marginalized.

Mobility improvements can be measured by:

- reduced peak period travel times;
- reduced daily vehicle miles traveled (VMT);
- reduced percentage of total daily trips undertaken by drivers without passengers;
- increased number of total daily transit trips; and
- total vehicle hours of delay during peak PM periods.

To implement Pricing Policy 1, agencies developing pricing programs or projects should take the following actions:

1. Set rates for pricing at a level that will manage congestion, reduce VMT per capita and improve reliability on the priced facility and in areas affected by diversion. ORS 383 delegates authority to the Oregon Transportation Commission (OTC) to set pricing rates for state highways in accordance with state legislation.
2. Collaborate with relevant state, regional and local agencies and communities when setting, evaluating and adjusting program or project specific goals.
3. Reinvest a portion of revenues from pricing into modal alternatives both on and off the priced facility that encourage mode shift and VMT reduction per capita

consistent with Federal and State law. Examples include, but are not limited to, transit improvements, bicycle and pedestrian improvements and improvements to local circulation.

4. Identify opportunities to partner with other agencies to fund or construct transit, bike and pedestrian improvements. Work with transit agencies and other jurisdictional partners, including consideration of opportunities identified in the High Capacity Transit Strategy and Regional Transit Strategy, to: (a) determine additional revenue needs, (b) pursue funding needed to develop transit-supportive elements, (c) expand access to transit and (d) to ensure equitable investments, particularly in cases where such improvements cannot be funded directly by pricing revenues due to revenue restrictions.
5. Consider non-infrastructure opportunities to encourage mode shift and reduce VMT per capita, including: commuter credits, funding for transit passes, bikeshare and/or micromobility subsidies, partnerships with employer commuter programs and carpooling/vanpooling.
6. Consider higher benefits, subsidies, discounts or exemptions for people with low-income or other qualifying factors based on equity analysis.

Pricing Policy 2. Center equity and affordability into pricing programs and projects from the outset.

The Metro Regional Congestion Pricing Study found that pricing strategies have the potential to help the greater Portland region improve racial equity and benefit marginalized communities. Our current transportation funding system is inequitable. Regressive funding sources such as fixed tax rates and fees disproportionately impact low-income motorists. Additionally, negative health impacts from high automobile reliance disproportionately harm Black, Indigenous, and other people of color (BIPOC), federally recognized tribes and low-income communities.

Pricing programs with an equity framework should aim to increase access to opportunity, provide affordable options, create healthier and safer communities and reduce income inequality and unemployment. Pricing has the potential to offer a suite of affordability programs, such as rebates, exemptions or other investments. Reinvestment should be prioritized in areas designated as Metro’s Equity Focus Areas most affected by pricing programs.

Policymakers and future project owners and operators should carefully consider how the benefits and costs of pricing impact different geographic and demographic groups. If not conducted thoughtfully, pricing could compound past and present injustices and harm to Black, Indigenous, and other people of color (BIPOC), federally recognized tribes and low-income communities. By focusing engagement at every step in the process on the most

impacted residents, agencies can reduce harm and increase benefits. The policy illustrates how equity can be incorporated into pricing programs.

To implement Policy 2, agencies developing pricing programs or projects should take the following actions:

1. Conduct public engagement in a variety of formats, including formats that accommodate all abilities, all levels of access to technology and languages other than English. Begin engagement at an early stage and re-engage the public in a meaningful manner at multiple points throughout the process.
2. Engage equity groups, people with low-income and people of color in a co-creation process, beginning at an early stage, to help shape goals, outcomes, performance metrics and reinvestment of revenues.
3. Use a consistent methodology across implementing agencies for defining equity groups and equity areas for pricing programs and projects, including but not limited to the methodology used for establishing the Equity Focus Areas. A consistent methodology for documenting benefits and burdens of pricing for equity groups, people with low-income, people of color and equity areas should also be established across agencies. The methodology should consider a variety of factors, such as: implementing agency, costs to the user, travel options, travel time, transit reliability and access, diversion and safety, economic impacts to businesses, noise, access to opportunity, localized impacts to emissions, water and air quality and visual impacts.
4. Establish feedback mechanisms, a communication plan and recurring regular engagement over time with the public and with equity groups that were involved in the co-creation process.
5. Provide a progressive fee structure including elements such as exemptions, credits or discounts for qualified users. Base eligibility on inclusion in one or more population categories, such as low-income, and minimize barriers to qualification by building on existing programs or partnerships where applicable. Target outreach for enrollment in a discounts, credits or exemptions in equity areas and communities with higher-than-average shares of people with low income and people of color.
6. Create varied and accessible means of payment and enrollment, including options for people without access to the internet or banking services.
7. Reinvest a portion of revenues from pricing into communities with high proportions of people with low-income and people of color, and/or in Equity Focus Areas, consistent with Federal and State law. Use of these revenues should meet the transportation-related needs identified by the equity communities and people most impacted. Examples include commuter credits and free or discounted transit passes,

or improved transit facilities, stops, passenger amenities and transit priority treatments.

8. Enforcement of pricing and fine structures for non-payment should be designed to reduce the potential for enforcement bias and to minimize burdens on people with low incomes.
9. Create a process to measure how pricing programs achieve the actions items listed above to demonstrate accountability.

Pricing Policy 3. Address traffic safety and the safety of users of all travel modes, both on the priced system and in areas affected by diversion.

The Metro Regional Congestion Pricing Study found that pricing has a strong potential to help the greater Portland region improve safety outcomes and meet the safety priorities outlined in the Regional Transportation Plan. Pricing programs can improve safety by reinvesting revenue into locally supported traffic safety improvements. The study recommends focusing safety improvements on eliminating traffic deaths and serious injuries on city streets, or a Vision Zero approach.

Safety challenges vary across the region. Safety improvements should be assessed at a project scale and built into a pricing programs' definition to ensure that the core of the project addresses these community needs. Detailed project-scale analysis should provide insight into where safety investments are needed and should address any project-related safety concerns. Safety outcomes of a pricing program can be measured by the level of revenue reinvestment in improvements that address fatalities and serious injuries on high injury corridors or roadways.

To implement Pricing Policy 3, agencies developing pricing programs or projects should take the following actions:

1. Collaborate with relevant state, regional and local agencies and communities when identifying traffic safety impacts and selecting mitigations associated with pricing.
2. Use a data-driven approach to identify potential traffic safety impacts on the priced system and in areas affected by diversion both during and after implementation of pricing programs and projects; monitor with real-time data after implementation.
3. Context-specific monitoring and evaluation programs should be conducted by implementing agencies in coordination with partner agencies and be on-going and transparent. Establish feedback mechanisms, incident resources and a communication plan for the community and decision makers.
4. Adjust safety strategies in coordination with partner agencies based on monitoring and evaluation findings.

5. Reinvest a portion of revenues on the priced system and in areas affected by diversion to address safety issues caused by pricing programs and projects, consistent with Federal and State law. For example, through investments in transit, bike and pedestrian improvements or other investments in known crash reduction factors.
6. Pricing programs and projects should strive to reduce fatalities and serious injuries by aligning with local, state and regional safety and security policies.

Pricing Policy 4. Minimize diversion impacts created by pricing programs and projects prior to implementation and throughout the life of the pricing program or project.

Diversion is the movement of automobile trips from one facility to another because of pricing implementation. All trips that change their route in response to pricing are considered diversion, regardless of length or location of the trip or whether they divert to or from the priced facility.

The Metro Regional Congestion Pricing Study found that pricing programs have the potential to lead to diversion impacts as drivers shift from the freeway network to the arterials to avoid charges. Spillover or cut through traffic caused by a pricing program can exacerbate traffic safety concerns along other streets. Project designers should carefully consider the wide distribution of diversion impacts that may result from the program, particularly on regional high injury corridors. Implementing agencies can also look to high injury local streets and intersections for which to prioritize safety improvements. It is important for pricing programs to mitigate the negative impacts of diversion. Diversion onto nearby streets could be addressed with safety or transit improvements, for example. If pricing programs result in successful mode shift to transit, diversion impacts can be lessened.

To implement Pricing Policy 4, agencies developing pricing programs or projects should take the following actions:

1. Collaborate with relevant state, regional and local agencies and communities when identifying diversion impacts and selecting mitigations associated with pricing.
2. Use a data-driven approach to define and identify diversion impacts both during and after implementation of pricing programs and projects. Following implementation monitor with real-time data.
3. Evaluate localized impacts of diversion including factors such as VMT per capita, VMT per capita in defined equity areas, noise, economic impacts to businesses, localized emissions, water quality, air quality and the completeness of safety infrastructure and non-vehicular modal networks. This should include specific evaluation of diversion impacts in communities with people with low-income and people of color and/or in Equity Focus Areas.

4. Context-specific monitoring and evaluation programs should be conducted by implementing agencies in coordination with partner agencies and be on-going and transparent. Establish feedback mechanisms and a communication plan in advance for the community and decision makers and ensure reinvestment is still applicable when impacted area changes.
5. Adjust mitigation strategies based on monitoring and evaluation findings. Areas impacted may change as the pricing program is implemented and diversion mitigation strategies are put into place.
6. Reinvest a portion of revenues into areas affected by diversion caused by pricing programs and projects consistent with Federal and State law.

Pricing Policy 5. Reduce greenhouse gas emissions and vehicle miles travelled per capita while increasing access to low-carbon travel options.

The Metro Regional Congestion Pricing Study found that pricing has the potential to help the greater Portland region reduce greenhouse gas emissions and achieve Metro’s climate goals. All scenarios tested in the study showed reductions in greenhouse gas emissions through reducing overall VMT per capita. Pricing policies were found to be effective in encouraging drivers to change their travel behavior such as using more sustainable travel modes like transit, walking or biking. These changes in behavior are key to reducing greenhouse gas emissions in the region.

Pricing programs should be designed to meet climate goals without adversely impacting safety or equity. Climate improvements can be measured by percent reduction of greenhouse gasses per capita, percent reduction of criteria pollutants and transportation air toxics, percent reduction of vehicle miles traveled per capita and shifts in travel behavior. Implementing agencies should consider the geographic and demographic distribution of targeted climate improvements, particularly taking into consideration the health impacts of pollutants and transportation air toxics that disproportionately harm Black, Indigenous and other people of color and low-income communities.

To implement Pricing Policy 5, agencies developing pricing programs or projects should take the following actions:

1. Identify localized air pollutants and greenhouse gas emission impacts due to pricing and identify strategies for mitigation.
2. Set rates for pricing at a level that will reduce greenhouse gas emissions and improve air quality by managing congestion and reducing overall VMT per capita on the priced system and in areas affected by diversion. ORS 383 delegates authority to the Oregon Transportation Commission (OTC) to set pricing rates for state highways in accordance with state legislation.

3. Reinvest a portion of revenues from pricing into modal alternatives both on and off the priced facility consistent with Federal and State law to reduce overall emissions by encouraging mode shift and VMT per capita reduction, including transit improvements as well as bicycle and pedestrian improvements and improvements to local circulation.
4. Develop and implement pricing so that it addresses and supports the Climate Smart Strategy and regional climate policies, including through the Congestion Management Process (CMP).

Pricing Policy 6. Coordinate technologies and pricing programs and projects to make pricing a low-barrier, seamless experience for everyone who uses the transportation system and to reduce administrative burdens.

The Metro Regional Congestion Pricing Study describes a wide range of technologies available that can be used in pricing programs to create a seamless and low-barrier experience. Programs can use electronic toll collection systems, mobile applications, short-range communication systems embedded in new vehicles, OReGO technologies that wirelessly connect to a vehicle's diagnostic ports or online portals for self-reporting. The type of technology used will vary depending on the type of pricing program. Metro's study recommends a pilot phase for the region to trial one or more technologies before implementing a region-wide system.

There are several considerations to be taken when using technology in the implementation of a pricing program. First, emerging technologies can be more expensive than existing ones, yet existing technologies run the risk of becoming obsolete sooner. Second, some technologies (such as tolling systems) require a physical footprint that can take up limited physical space and create a visual aesthetic impact that may need design commission approval in some parts of the city. Further, technologies such as mobile apps or online portals that require users to take an action will likely be less accurate and reliable than automatic technologies. These technologies may also unfairly burden low-income travelers that do not have access to a cell phone, computer, internet or banking system. Technologies that enhance user experience while limiting barriers to use should be prioritized. Project designers should also consider a program's compatibility with existing pricing technologies used in the region (such as the Hop regional transit fare program or existing parking payment systems).

To implement Policy 6, agencies developing pricing programs or projects should take the following actions:

1. Coordinate technologies and user-friendly designs across pricing programs and projects to reduce burdens on the user and manage the system efficiently, including

setting rates, identifying tolling technology and payment systems, and establishing discounts and exemptions.

2. Create varied and accessible means of payment and enrollment, including options for people without access to the internet or banking services.
3. Consider the upfront costs of technology investment balanced with long-term operational and replacement costs compared with expected revenue generation.

3.2.6 Mobility policies

Within the greater Portland region, the State of Oregon and Metro have a shared goal of providing mobility so that people and businesses can safely, affordably and efficiently access the goods, services, places and opportunities they need to thrive by a variety of seamless and well-connected travel options and services that are welcoming, convenient, comfortable and reliable.



3.2.6.1 Mobility policy outcomes and policies

Policymakers and community partners have identified the following outcomes as critical for guiding how transportation agencies plan, manage, and operate the transportation system, and the mobility policy aims to achieve them.

Policy outcomes

- **Equity – Black, Indigenous and people of color (BIPOC) community members, federally recognized tribes, people with low incomes, youth, older adults, people living with disabilities and other marginalized and underserved communities experience equitable mobility.** BIPOC, federally recognized tribes and other marginalized communities have often experienced disproportionately negative impacts from transportation infrastructure as well as disparities in access to safe multimodal travel options. Addressing these disparities is a priority for ODOT and Metro. The regional transportation system should support access to opportunities for everyone, not just people in motor vehicles. Equity can be enhanced through providing strong multimodal networks with priority given to improvements benefitting marginalized and underserved communities.
- **Efficiency – Land use and transportation decisions and investments contribute to more efficient use of the transportation system – meaning that trips are shorter and can be completed by more travel modes, reducing space and resources dedicated to transportation.** Efficiency in this context means that transportation requires less space and resources. Efficiency can be improved by shortening travel distances between destinations. Shorter travel distances to destinations enhance the viability of using other more efficient modes of

transportation than the automobile and preserves roadway capacity for transit, freight and goods movement by truck and for longer trips. Efficiently using land and planning for key destinations in proximity to the where people live and work contributes to shorter trip lengths. The transportation efficiency of existing and proposed land use patterns and transportation systems can be measured by looking at “vehicle miles traveled (VMT) per capita” for home-based trips.¹³

- **Access and options – People and businesses can conveniently and affordably reach the goods, services, places and opportunities they need to thrive. People and businesses can choose from a variety of seamless and well-connected travel modes and services that easily get them where they need to go.** The viability of trips made by modes other than automobiles can be increased by investing in a connected, multimodal transportation system. Multimodal systems serve all people, not just those who have access to vehicles or the ability to drive them. They provide more route choices, increase safety and efficiency and increase reliability. Closing gaps in networks, particularly pedestrian and bicycle networks, and closing special and temporal gaps in transit networks can change travel preferences, reducing VMT per capita. Progress towards well-connected, multimodal networks can be measured as “system completeness” by travel mode.
- **Safety – People are able to travel safely and comfortably and feel welcome.** Unsafe transportation facilities can result in injury and loss of life. They can also place a strain on emergency responders. Real and perceived unsafe conditions both impact travel behavior, causing users to choose different routes or modes. Prioritizing investments that reduce the likelihood of future crashes and that improve safety and comfort for all users will increase mode choices and improve reliability. System completeness by travel mode is useful in identifying needs and investments that could enhance safety and comfort.
- **Reliability – People and businesses can count on the transportation system to travel where they need to go reliably and in a reasonable amount of time.** In a reliable transportation system, all users, including people in automobiles and using transit, can reasonably predict travel time to their destinations. Reliability is impacted by travel conditions, safety, street connectivity, congestion and availability of travel options. Investments in safety, street connectivity, transit, transportation system management and operations (TSMO) and demand management can yield significant benefits for managing congestion and increasing reliability for all travelers. System completeness can be used as a measure of the availability of reliable travel options, including walking and biking. Using average travel speed as a proxy measure of

¹³ See Chapter 8 (Section 8.2.3.9) and Appendix E for more information.

reliability allows the region to predict potentially unreliable locations. This includes looking at the number of hours a facility performs below a specified threshold and the percentage of the throughway system that performs below that speed threshold for multiple hours per day. Additionally, average travel speed analysis can help examine the total travel time between origin-destination pairs. This process can pinpoint bottlenecks that have the greatest impact on reliability along crucial travel routes for motor vehicle travel, encompassing freight and transit.

For throughways (freeways and signalized highways) shown in Figure 3.8 and Figure 3.21, the essential function is throughput and mobility for motor vehicle travel, including transit and freight vehicles, to maximize movement of people and goods. Throughways serve interregional and interstate trips where travel times play a critical role in people and businesses being able to make long-distance trips to and through the region and access destinations of regional and statewide significance in a reasonable and reliable amount of time.

For most arterials designated in Figure 3.21, depending upon the street design classification and freight network classification, the essential functions are transit, bicycle and pedestrian travel and access, while balancing motor vehicle travel and the many other functions of arterials in intensely developed areas. Within 2040 centers, pedestrian, bicycle, and public transportation facilities and services are prioritized and facilities are designed so people of all ages and abilities experience safe, low stress, and comfortable travel for within climate-friendly areas with minimal interference from motor vehicle traffic. Transit reliability on arterials can be improved with exclusive bus lanes, signal priority and other TSMO strategies. Improving automobile reliability through additional roadway capacity should follow the region's congestion management process and not come at the expense of non-motorized modes and achieving system completeness consistent with modal or design classifications identified in Chapter 3 of the RTP or achieving the VMT/capita target for the region.

The following policies aim to achieve these outcomes.

Mobility Policy 1	Ensure that land use decisions and investments in the transportation system enhance efficiency in how people and goods travel to where they need to go.
Mobility Policy 2	Provide people and businesses a variety of seamless and well-connected travel modes and services that increase connectivity, travel choices and access to low carbon transportation options so that people and businesses can conveniently and affordably reach the goods, services, places and opportunities they need to thrive.

Mobility Policy 3	Create a reliable transportation system that people and businesses can count on to reach destinations in a predictable and reasonable amount of time.
Mobility Policy 4	Prioritize the safety and comfort of travelers by all travel modes when planning and implementing mobility solutions.
Mobility Policy 5	Prioritize investments that ensure that Black, Indigenous and people of color (BIPOC) community members, federally recognized tribes, people with low incomes, youth, older adults, people living with disabilities and other marginalized and underserved populations have equitable access to safe, reliable, affordable and convenient travel choices that connect to key destinations.
Mobility Policy 6	Use mobility performance targets and thresholds for system planning and evaluating the impacts of plan amendments including: vehicle miles travelled (VMT) per capita for home-based trips, system completeness for all travel modes and travel speed reliability on the throughways.¹⁴


The regional mobility policies apply to:

- the State highway system within the greater Portland region for:
 - identifying state highway mobility needs and solutions during system planning and plan implementation; and
 - evaluating the impacts on state highways of amendments to transportation system plans, acknowledged comprehensive plans and land use regulations pursuant to the Transportation Planning Rule (OAR 660-12-0060).
- arterials and throughways (freeways and signalized highways) designated in Figure 3.21, which include state and local jurisdiction facilities, for identifying mobility needs and solutions during system planning and plan implementation.

This policy does not affect ODOT's use of Oregon Highway Plan (OHP) volume-to-capacity ratio (V/C) targets for operational decisions such as managing access and traffic control systems or identifying intersection improvements that would help reduce delay, improve the corridor average travel speed and improve safety. Local jurisdiction standards for their facilities still apply for evaluating impacts of amendments to transportation system plans (TSPs), acknowledged comprehensive plans and land use regulations pursuant to the Transportation Planning Rule (OAR 660-12-0060) and guiding operations decisions.

¹⁴ See Chapter 8 and Appendix E for more information.

Figure 3.8: Throughway classifications: Freeways and Signalized-Highways



Three performance targets and thresholds as described in Table 3.5 will be used to assess the adequacy of mobility in the Portland metropolitan area for the regional networks based on the expectations for each facility type, location and function. These measures will be the initial tools to identify mobility gaps and deficiencies (needs) and consider solutions to address identified mobility needs.

Table 3.5: Mobility performance targets and thresholds

Measure	Application	Targets and Thresholds	
VMT/capita for household-based trips (a)	System planning	OAR 660 Division 44 (Metropolitan Greenhouse Gas (GHG) Emissions Reduction rule) and OAR 660 Division 12 set VMT/capita reduction targets with which the RTP will need to comply. The VMT/capita targets are: 20% reduction by 2035, 25% reduction by 2040, 30% reduction by 2045 and 35% reduction by 2050 (from 2005 levels). (b) The RTP will establish 2045 baseline VMT/capita. All subsequent applications of this policy shall not increase VMT/capita above the future baseline.	
	Plan amendments (c)	The plan amendment will have equal to or lower forecast VMT/capita for household-based trips than the future baseline established in the RTP. (d)	
System completeness	System planning	Complete networks and systems for walking, biking, transit, vehicles, freight and implement strategies for managing the transportation system and travel demand (e) The planned system will be defined in the RTP and local TSPs. The RTP and local TSPs may not achieve system completeness for all modes to target levels but the RTP and local TSPs should identify future intent for all facilities given constraints and tradeoffs.	
	Plan amendments	100% of planned system OR reduced gaps and deficiencies (f)	
Throughway travel speed (reliability) (g)	System planning (h)	RTP motor vehicle designation	Thresholds (j)
		Throughways - Freeways (i) <ul style="list-style-type: none"> ○ I-5 ○ I-205 ○ I-84 ○ I-405 ○ US 26 (west of I-405) ○ OR 217 ○ OR 212-Sunrise Expressway 	Average speed not below 35 mph for more than 4 hours per day

Measure	Application	Targets and Thresholds	
		<ul style="list-style-type: none"> ○ OR 213 from Beavercreek Road to I-205 	
		<p>Throughways - Signalized Highways (e)</p> <ul style="list-style-type: none"> ○ US 26 south of OR 212 ○ US 30 ○ OR 47 ○ OR 99E Portland to OR 212 ○ OR 99E from south of Oregon City ○ OR 99W west of Sherwood ○ OR 212 ○ OR 213 south of Beavercreek Rd ○ OR 224 	Pending further review and analysis in coordination with the update to the Oregon Highway Plan and approval by the Oregon Transportation Commission
		Plan amendments	Same as system planning

Table notes:

- (a) See Chapter 8 (Section 8.2.3.9) and Appendix E for more information.
- (b) Meeting these targets in the RTP sets the region on a trajectory to meet state goals adopted in 2007 to reduce total GHG emissions from all sources to 75% below 1990 levels by 2050.
- (c) Plan amendments shall be found to not increase VMT/capita pursuant to the Transportation Planning Rule (OAR 660-12-0060).
- (d) See Chapter 8 (Section 8.2.3.9) and Appendix E for more information.
- (e) See Appendix E for draft guidance and system completeness elements by facility type.
- (f) See Appendix E of the RTP for draft guidance.
- (g) Application of the throughway travel speed mobility measure for use by ODOT is subject to adoption of the measure and threshold by the Oregon Transportation Commission as an amendment to the Oregon Highway Plan. The mobility targets in OHP Policy 1F, Action 1F.1 and Table 7 will continue to apply until the alternative mobility measure and thresholds are formally adopted by the OTC. This measure is used to identify transportation needs on throughways designated in the RTP. Other analysis that agencies may conduct at a more detailed scale, such as during development of a facility plan, refinement plan or TSP, may also be used to document the need for operational investment and other solutions to improve performance. When a need is identified using this measure, via observed data or traffic forecasting models, transportation agencies should then follow the adopted congestion management process and ODOT’s Oregon Transportation Plan Policy MO.2.1 and Oregon Highway Plan Policy 1G to evaluate the need using observed data and traffic forecasting tools and identify solutions to address the need.
- (h) Addressing motor vehicle congestion by increasing throughway capacity should follow the RTP congestion management process, Sections 3.08.220 and 3.08.510 of the [Regional Transportation Functional Plan](#) and OHP Policy 1G and should not come at the expense of achieving system completeness for non-motorized modes consistent with regional modal or design classifications or achieving the VMT/capita target for the region.

(i) Throughways are designated in the Regional Transportation Plan and generally correspond to Expressways designated in the Oregon Highway Plan. These are identified as Throughways-Freeways in RTP maps and policies. Some throughways designated in the RTP are not Expressways in the Oregon Highway Plan but serve an important statewide function; these throughways are identified as Throughway-Signalized Highways in RTP maps and policies. Figure 3.8 shows the Freeway and Signalized-Highway designations applied to throughways in the Portland region.

(j) The thresholds are used to identify areas of poor reliability where due to traffic volumes, average travel speeds drop below specified speed and duration thresholds. It will be used as a threshold to identify needs (deficiencies). It will not be applied as a standard that creates conflict with meeting OAR 660 Division 44 VMT per capita reduction targets. Solutions to address identified needs should follow the RTP congestion management process, Sections 3.08.220 and 3.08.510 of the [Regional Transportation Functional Plan](#) and OHP Policy 1G and should not come at the expense of achieving system completeness for non-motorized modes consistent with regional modal or design classifications or achieving the VMT/capita target for the region.

Ongoing bi-state coordination and cooperation between Metro, the Southwest Regional Transportation Council (SW RTC) and local, regional and state partners will inform future mobility policy implementation, performance monitoring and investment decisions for the I-5 and I-205 bridge areas as they cross the Columbia River.

How do the measures work together?

Vehicle miles traveled (VMT)per capita will be a controlling measure in both system planning and plan amendments to ensure that the planned transportation system and changes to the system support reduced VMT/capita by providing travel options that are complete and connected and that changes to land use reduce the overall need to drive from a regional perspective and are supportive of travel options.

- The RTP must meet the OAR 660 Division 12 and Division 44 VMT/capita reduction targets consistent with OAR 660-012-0160(6). For local system planning, the final planned system must support OAR 660 Division 44 (Metropolitan Greenhouse Gas (GHG) Emissions Reduction Rule) and OAR 660 Division 12 VMT/capita reduction targets consistent with OAR 660-012-0160.
- For local and regional plan amendments, VMT/capita will be used to determine whether the proposed plan amendment increases VMT/capita as provided for in OAR 660-012-0210 and needs to be mitigated.

System completeness and travel speed reliability on throughways (freeways and signalized highways) are secondary measures that will be used to identify needs and inform the development of the planned system. The policy requires that the RTP and TSPs define the planned system for each mode using a variety of guidance documents. Additional RTP and state policies also guide the development of individual modal systems. It is important to note that the Regional Mobility Policy is one of many policies that inform the development of the RTP and local TSPs in the Portland region.

The RTP and TSPs may not achieve system completeness for the regional and local “planned” system for all modes but should identify future needs and expectations for all facilities given constraints and tradeoffs. Similarly, reliability on throughways (freeways and signalized highways) will inform state and regional needs of the throughway system as defined in Table 3.5. Identifying solutions for locations that do not meet the throughways travel speed reliability threshold shall follow the RTP congestion management process¹⁵ and OHP Policy 1G¹⁶ and should not come at the expense of achieving the VMT/capita target.

Planned future work to support local and regional implementation

The timing and implementation of the mobility policy in local TSPs and local comprehensive plan amendments will be defined as part of the update to the RTFP that is planned to occur in 2024 and 2025. Mobility policy implementation work with local and state agency partners and practitioners will continue in 2024 in advance of and, in some cases, concurrent with the RTFP update described in Chapter 8 (Section 8.2.3.11). This work will be completed in coordination with the statewide CFEC implementation program and planned Oregon Highway Plan update that is anticipated to occur from 2024 to 2027). See Chapter 8 (Section 8.2.3.9) and Appendix E for more information.

More information about the regional mobility policy update can be found at: oregonmetro.gov/mobility. Information and the statewide CFEC implementation work can be found at: oregon.gov/odot/planning/pages/climate-transportation-planning.aspx. Information about the Oregon Highway Plan update can be found at: oregon.gov/odot/Planning/Pages/Oregon-Highway-Plan-Update.aspx.

¹⁵ Section 3.3.4 of the RTP states that “The RTP calls for implementing system and demand management strategies and other strategies prior to building new motor vehicle capacity, consistent with the Federal Congestion Management Process (CMP) and Oregon Transportation Plan policies (including Oregon Highway Plan Policy 1G). Appendix L to the RTP provides more detailed information. Sections 3.08.220 and 3.08.510 of the Regional Transportation Functional Plan (RTFP) further direct how Transportation System Plans implement the CMP.

¹⁶ Policy 1G (Major Improvements) has the purpose of maintaining highway performance and improving highway safety by improving system efficiency and management before adding capacity.

3.3 REGIONAL NETWORK VISIONS, CONCEPTS AND POLICIES


This section describes a network vision, concept and supporting policies for each component of the regional transportation system. The network vision, concepts and policies represent a complete urban transportation system that meets the plan goals and supports local aspirations for growth.



Rendering of a regional street showing a four-lane street with a planted median, crosswalks and buildings. One lane in each direction is a bus only lane. There is a bus and four cars. A painted green bikeway and sidewalk are separated from the roadway by a planted median. People are walking and crossing the street. Source: Metro Designing Livable Streets and Trails Guide

The network visions, concepts and policies provide define a seamless and well-connected regional system of throughways (freeways and highways) and arterial streets, freight networks, transit networks and services and bicycle and pedestrian networks. The network policies emphasize safety, access, mobility and reliability for people and goods and recognize the community-building and placemaking role of transportation. The network visions, concepts and supporting policies will guide the development, design and management of different networks of the regional transportation system. The transportation system components are shown in Figure 3.9.

Figure 3.9: Regional transportation system components




3.3.1 Regional mobility corridor concept

The regional mobility corridor concept envisions regional travel corridors defined by a central throughway and high capacity transit with a network of arterial streets, frequent bus routes, freight and passenger rail and bicycle parkways to provide for regional, statewide and interstate travel. The function of this system of integrated transportation corridors is metropolitan mobility —moving people and goods between different parts of the region and connecting the region with the rest of the state and beyond. Mobility corridors also have a significant influence on the development and function of the land uses they serve. Mobility corridors are defined by the major centers of the 2040 Growth Concept. The regional mobility corridor concept calls for the consideration of parallel and interconnected facilities, different travel modes and land use when identifying needs and solutions to improve mobility within a corridor. The concept of a regional mobility corridor is shown in Figure 3.10.

Since the 1980s, regional mobility corridors have had throughway travel supplemented by high capacity transit service that provides an important passenger alternative. Parallel arterial streets, heavy rail, bus service, bicycle parkways and pedestrian/bicycle connections to transit also provide additional capacity in the regional mobility corridors. The full array of regional mobility corridor facilities should be considered in conjunction with the parallel throughways for system evaluation and monitoring, system and demand management and phasing of physical investments in the individual facilities. Bicycle and pedestrian travel and access to transit are also important as we plan and invest in regional throughways and arterial streets. New throughway and arterial facilities, such as freeway interchanges or widened arterial streets, should be designed and constructed to support bicycling, walking and access to transit.

The Mobility Corridor Strategies can be found in the Appendix of the 2014 RTP, which provides a summary of the 24 corridors, describes their facilities, functions and land uses and documents transportation needs and strategies for addressing them.


Figure 3.10: Regional mobility corridor concept



Note: Idealized concept for illustrative purposes showing recommended range of system analysis for the evaluation, monitoring, management and phasing of investments to throughways, arterial streets and transit service in the broader corridor. The illustration is modeled after the Banfield corridor that links the Portland central city to the Gateway regional center.

Figure 3.11 shows the general location of mobility corridors in the region.

Figure 3.11: Mobility corridors in the Portland metropolitan region




3.3.2 Regional design and placemaking vision and policies

Over the next several decades, the challenges faced by communities in greater Portland and the burdens placed upon the transportation network will multiply in number and complexity. Greenhouse gas emissions from motor vehicles and serious traffic crashes are two of the most pressing transportation issues; addressing them will require a transportation system designed to serve multiple travel modes, especially public transit, walking and bicycling. Additionally, streets and trails must function, not only as corridors for moving people, goods and services, but also as stormwater management facilities, community gathering spots and public spaces to enhance community livability.

The regional transportation system design classifications and policies in this section address federal, state and regional transportation planning mandates and support implementation of the 2040 Growth Concept.

Figure 3.12: Metro’s Designing Livable Streets and Trails Guide¹⁷



¹⁷ Metro’s Designing Livable Streets and Trails Guide complements existing national, state and local requirements and guidelines, and its recommendations are allowable under national guidance, including guidelines developed by the American Association of State Highway and Transportation Officials, the Federal Highway Administration and the National Association of City Transportation Officials. The Designing Livable Streets and Trails Guide has been developed based on current design guidance, case studies, best practices for urban environments, research and evaluation of existing designs, and professional review and input. It integrates design guidance for regional streets, regional trails, stormwater management and green street treatments into one guide to encourage a holistic and comprehensive approach to designing a complete transportation system.

Metro’s [Designing Livable Streets and Trails Guide](#) provides design guidance depending on the intended functions of the arterial or throughway, the land uses the facility serves and adopted policy. In the design guidance, consideration is given to various arterial designs, designs for freight, trails, pedestrians, bicyclists and transit and the link between street design and stormwater management.¹⁸ Design decisions, especially trade-offs in situations of limited road right-of-way, should use performance-based design and flexibility in design to achieve desired outcomes.

The purpose of the guide is to support implementation of the 2040 Growth Concept and the Regional Transportation Plan. Along with other local and regional plans and policies, this guide is a resource for the agencies responsible for designing, constructing and maintaining the region’s transportation system. Metro intends the design guidance to assist in designing new and reconstructed streets and trails but may also be applied to maintenance projects that preserve and extend the service life of existing streets and structures when minor retrofits are needed.

3.3.2.1 Design and complete streets policies

Design Policy 1	Design the transportation system to implement the planned land uses and regional urban form envisioned in the 2040 Growth Concept.
Design Policy 2	Design a well-connected transportation system that serves all modes of travel.
Design Policy 3	Use regional street design classifications to guide development of streets that balance the needs of all users and functions of streets according to planned land use and desired outcomes.
Design Policy 4	Use transportation network and street design to help achieve regional goals and desired outcomes, including environmental and human health, climate action and resilience, a safe system, equitable transportation, mobility options, vibrant communities and a thriving economy.
Design Policy 5	Avoid, minimize and mitigate environmental impacts of the transportation system using Green Infrastructure design, street trees, wildlife habitat or waterway crossing improvements and other approaches.
Design Policy 6	Use a performance-based approach and decision-making framework to plan and design transportation projects and networks.


¹⁸ Find regional design guidelines and other resources here: <https://www.oregonmetro.gov/tools-partners/guides-and-tools/guidelines-designing-livable-streets-and-trails>

Design Policy 1. Design the transportation system to implement the planned land uses and regional urban form envisioned in the 2040 Growth Concept.

The 2040 Growth Concept directs most new development to mixed-use centers, corridors and main streets. Realization of the concept relies on a balanced transportation system that adequately serves planned uses while reducing vehicle miles traveled. Regional street design classifications support building and operating streets that are sensitive to the adjacent land use context, the roadway’s functional classifications and the different needs and abilities of people traveling.

Figure 3.13 illustrates how the design of transportation facilities should change in response to planned and surrounding land use.

Figure 3.13: Land use and transportation transect




Graphic image of an illustrative road running through different types of land use. To view the full size illustration see the Designing Livable Streets and Trails at <https://www.oregonmetro.gov/tools-partners/guides-and-tools/guidelines-designing-livable-streets-and-trails>

Design Policy 2. Design a well-connected transportation system that serves all modes of travel.

Consistent with the mobility corridor concept, a well-connected network of complete streets provides multiple and direct routes between destinations. Figure 3.14 illustrates a well-connected street network.

Figure 3.14: Street connectivity




Walking and biking are easier on a connected street network, which supports the 20-minute neighborhood concept where all daily necessities are within a 20-minute walk or bike ride. Even where less-connected street networks have been established by jurisdictions, trails, paths, bridges and midblock street crossings increase connectivity for people walking and bicycling. Emergency response also benefits from a well-connected street system.

Section 3.3.3.1 of the regional motor vehicle network policies provides regional street spacing standards. Environmental factors may impact street connectivity in some locations. Outside of centers, agencies should design street networks around, rather than through, environmentally sensitive lands and should mitigate impacts when they cannot be avoided. Street networks should allow for the preservation of continuous natural areas and parks.

Complete streets are transportation facilities that agencies plan, design, operate and maintain to enable safe, convenient and comfortable travel and access for users of all ages and abilities regardless of their mode of transportation. Complete Streets serve many functions and allow for safe travel by those walking, bicycling, driving automobiles, riding public transportation or delivering goods. Figure 3.15 illustrates the multiple functions that streets serve.

Figure 3.15: Livable streets and trails functions



Graphic image of an illustrative street with call out boxes describing the different functions of the street. To view the full size illustration see the Designing Livable Streets and Trails at <https://www.oregonmetro.gov/tools-partners/guides-and-tools/guidelines-designing-livable-streets-and-trails>


Design Policy 3. Use regional street design classifications to guide development of streets that balance the needs of all users and functions of streets according to planned land use and desired outcomes.

Regional street design classifications provide an overall approach to design regional roadways based on its functional classification, the planned land use context and achieving desired outcomes and community needs.

Table 3.6 summarizes typical design elements, including the planned number of motor vehicle travel lanes and target and design speed, for different travel modes for each of the regional street design classifications and illustrates how street design corresponds to 2040 land use design types and motor vehicle functional classifications. Figure 3.16 shows design classifications for arterials and throughways.

Figure 3.16:
Regional Design Classifications

- Freeway
- Highway
- - - Freeway (planned)
- - - Highway (planned)
- Industrial street
- - - Industrial street (planned)
- Regional boulevard
- - - Community boulevard
- - - Community boulevard (planned)
- Regional street
- - - Regional street (planned)
- Community street
- - - Community street (planned)
- Urban center
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area



Source: Metro

Table 3.6: Planned regional transportation system and typical design components of regional design classifications

2040 Land Use Design Type	Design Classification	Street Connections	Prioritized Travel Modes	Motor vehicle Functional Classification	Target and Design Speed	Number of Lanes	Medians and Turn Lanes	Flex Zone Uses	Pedestrian Design	Bikeway Design	Transit Design	Freight Design	Green Streets/ Stormwater Management
Any	Freeways	Limited Grade-separated	Motor vehicle, freight, transit	Throughway	45 to 60 mph	Up to six with auxiliary lanes in some places	Center barrier, no turn lanes	Shoulder for emergency use, bus on shoulder or carpool	Parallel facility, crossings on over- or underpasses; crossings every 200 to 1,200 ft.	Multituse path, crossings on over- or underpasses	Bus on shoulder, express bus, light rail	Enhanced mobility	Vegetated landscaping and green streets treatments to manage stormwater
Any	Highways	Limited Some grade-separated, signalized	Motor vehicle, freight, transit	Throughway	35 to 50 mph	Up to six with auxiliary lanes in some places	Median, limited turn lanes in some locations	Shoulder for safety, emergency use, bus on shoulder or carpool	Parallel facility or buffered sidewalks; crossings on over- or underpasses; crossings every 200 to 1,200 ft.	Multituse path or separated bikeway; crossings on over- or underpasses	Bus on shoulder, express bus, light rail	Enhanced mobility	Vegetated landscaping and green streets treatments to manage stormwater
Centers, station communities and some main streets	Regional and community boulevards	Many access management emphasized	Pedestrian, transit, bicycle, access for all modes	Major arterial (regional boulevard) Minor arterial (community boulevard)	20 to 25 mph	Two to four lanes	Median desired, some turn lanes; minimize additional crossing width at intersections	None, or separated bikeway enhanced bus, parking, green streets	Buffered sidewalks, enhanced crossings and access to transit; crossings every 200 to 530 ft. (1 to 2 blocks)	Separated bikeway; enhanced crossings	Accessible stations, priority bus treatments as appropriate	Access, loading and unloading	Vegetated landscaping and green streets treatments to manage stormwater
Corridors, neighborhoods, some main streets and employment and industrial areas	Regional and community streets	Some to many; access management as possible	Balanced and modal network priorities	Major arterial (regional street) minor arterial (community street)	20 to 30 mph	Two to four lanes	Median desired; some turn lanes; minimize additional crossing width at intersections	None, or separated bikeway enhanced bus, parking, green streets	Buffered sidewalks, enhanced crossings and access to transit; crossings every 200 to 530 ft. (1 to 2 blocks)	Separated bikeway; enhanced crossings	Accessible stations, priority bus treatments as appropriate	Mobility on freight corridors; access, loading and unloading	Vegetated landscaping and green streets treatments to manage stormwater
Employment and industrial areas	Industrial streets	Some access management emphasized	Freight, motor vehicle, transit	Major or minor arterial	20 to 40 mph	Two to four lanes	Median in some instances; some turn lanes	None, separated bikeway or multituse path, enhanced bus, parking, green streets	Sidewalk with buffer or multituse path; enhanced crossings and access to transit; crossings every 200 to 530 ft. (1 to 2 blocks)	Separated bikeway or multituse path; enhanced crossings	Accessible stations, priority bus treatments as appropriate	Priority freight treatments, wider lanes and intersections	Vegetated landscaping and green streets treatments to manage stormwater

To view the full size table see the Designing Livable Streets and Trails at <https://www.oregonmetro.gov/tools-partners/guides-and-tools/guidelines-designing-livable-streets-and-trails>

Regional design classifications apply to local transportation system plans throughout greater Portland. Cities or counties may adopt the classifications into their plans or provide a cross-reference if they use different terms. Regional street design classifications are assigned to all throughways and major and minor arterials in the regional transportation system as shown in Table 3.6 and Figure 3.16.

Regional street design concepts promote community livability and reliable travel by balancing all modes of travel and addressing the function and character of adjacent land uses. Linking land use and the physical design of transportation facilities is crucial to achieving state goals to limit reliance on any one mode of travel and to encourage increased walking, bicycling, carpooling, vanpooling and use of transit.

Throughways - freeways and signalized highways



Throughways are designated as either freeways or signalized highways in the RTP. These facilities connect major activity centers, including the central city, regional centers, industrial and employment areas and intermodal facilities such as the Port of Portland. Freeways and signalized highways provide intercity, interregional and interstate connections. This design classification prioritizes long-distance and higher speed freight, motor vehicle and transit mobility. Freeways are grade separated expressways, while signalized highways have a mix of grade-separated and signalized at-grade intersections. Freeways and signalized highways cross all types of land uses, and buildings are not typically oriented to these facilities.

Regional and community boulevards



Regional and community boulevards serve the multimodal travel needs of the region's most intensely developed and developing activity centers, including the central city, regional centers, station communities, town centers and some main streets. Adjacent land uses and buildings should orient directly to the boulevard with ground-floor commercial activity, contributing to a pedestrian and bicycle-friendly environment. Buildings typically have designs, such as a storefront or arcade, which provide transition space from the street and support pedestrian access. Agencies design boulevards to prioritize pedestrian, bicycle and transit travel.

Regional and community streets



Regional and community streets balance the multimodal travel and access needs of corridors, neighborhoods and some main streets, along with employment and industrial areas. Regional and community streets can be located within residential neighborhoods as well as more densely developed corridors and employment centers. Development can be set back from the street. Regional and community streets can also serve as main streets with buildings oriented toward them at major intersections and transit stops.

Design Policy 4. Use transportation network and street design to help achieve regional goals and desired outcomes, including environmental and human health, climate action and resilience, a safe system, equitable transportation, mobility options, vibrant communities and a thriving economy.

Transportation agencies can design facilities to achieve desired outcomes and support the health, safety and economic and environmental sustainability of communities in the region. Practitioners refer to this approach as performance-based design. Table 3.7 illustrates how design characteristics of urban arterials can either promote or hinder desired outcomes.

Table 3.7: Design characteristics of healthy urban arterials¹⁹

Health promoting design	Unhealthy design
Neighborhood asset for access and commerce	Physical barrier that divides neighborhoods
Supports neighborhood social and cultural connections	Exhibits neglect and physical decay
Safe travel speeds for all users	Traffic speeds too high to be safe for all users
Comfortable for all users to cross	Difficult to cross because of design and traffic
Link within pedestrian and bicycle networks	Barrier within pedestrian and bicycle networks
Designed to mitigate noise	Source of noise
Designed to mitigate air pollution	Near-roadway air pollution
Accessible to users of all abilities	Inaccessible to users with disabilities
Supports green infrastructure systems	Impervious paving materials, lack of shade
Contributes to revitalization without displacement	Location of residential and business gentrification

Design principles to achieve desired outcomes:

- Design with a safe system approach:** Use the safe systems approach in street design, managing speeds for safety, lowering speeds in areas where people are walking, bicycling and accessing transit and separating users. Separation means creating physical barriers between people moving at different speeds. As speed differentials increase, so should the level of separation. Medians, access management treatments, protected bicycle lanes and other street design elements can minimize crashes.
- Design for safe speeds:** Design streets to encourage safe speeds for all users—the safe target speed. Evaluating minimum sight distance, horizontal curvature, vertical curves and other design factors is based on the design speed. To achieve a safe target speed, the design speed should align with the target speed. Ultimately, posted speed should also align. Transportation agencies can achieve a desired target speed by street design elements. Wider, more open roadways encourage higher operating speeds. Conversely, a roadside with street-facing buildings, wide, buffered sidewalks, separated bikeways, on-street parking and street trees can lead to lower speeds.
- Design for all users:** Design for people of all ages and abilities, as well as the design vehicle for a specific facility. Before developing a design, practitioners should consider each type of user and how they will navigate the street. Agencies should design streets keeping the green transportation hierarchy in mind. The hierarchy prioritizes functions for a typical street in this order: (1) walking, (2) bicycling, (3) transit, (4) freight, (5) carshare/ taxi/commercial transport and (6) private automobiles. The selection of a design vehicle is an essential part of developing street and intersection

¹⁹ Understanding and Improving Arterial Roads to Support Public Health and Transportation Goals, American Journal of Public Health, August 2017.

designs. The design vehicle is the largest vehicle expected to use the street or intersection regularly. Because the selection of a design vehicle influences street dimensions such as turning radii, which in turn can impact safety and operating speeds, practitioners should choose the smallest possible design vehicle. Occasional larger vehicles can still be accommodated in the design by encroaching on opposing lanes or using multiple point turns. Likewise, agencies can use design features such as speed cushions or truck aprons to accommodate emergency vehicles and large trucks while providing speed management treatments that reduce overall traffic speeds.

- **Design for personal security and equity:** Use design to create streets where people of all races, genders, ages and abilities feel safe from crime and harassment. Because street design has been used to oppress and criminalize Black communities, communities must be engaged in the design process. Streets should be intuitive and easy to use regardless of race, income, age, ability, cultural background or language.
- **Design to protect the environment:** Use green infrastructure design to avoid, minimize and mitigate harmful environmental impacts of transportation facilities and achieve a healthier, more resilient landscape.
- **Design for the future:** Factor in rapid technological change and innovation. Agencies should consider allocating street space to the functions that matter most and not necessarily to the newest technology. Street designs should also be flexible enough to support piloting new innovations.
- **Design with fiscal stewardship in mind:** Use innovative and creative design approaches to reduce costs and conserve resources for construction and life cycle costs, including operation, maintenance and replacement costs. Include external costs, such as climate change impacts, to capture the full cost of specific design treatments.

Design Policy 5. Avoid, minimize and mitigate environmental impacts of the transportation system using Green Infrastructure design, street trees, wildlife habitat or waterway crossing improvements and other approaches.

The negative effect that transportation infrastructure has on the health of the natural environment, particularly urban waterways and habitat connectivity, is well documented. Transportation infrastructure has the potential to degrade water quality, create barriers to corridors for animal travel and increase air, noise and light pollution. Projects also have the potential to negatively impact cultural and historical resources if not planned and implemented carefully.

Projects should be designed to avoid or minimize impact, or, if avoidance is not possible, to maximize enhancement, protection and improvement of natural, community and

cultural resources through the application of green infrastructure design treatments.²⁰ The avoid, minimize or mitigate approach is known as sequencing and involves understanding the affected environment and assessing transportation effects throughout the project development process.

The sequencing for projects follows this order:

- Avoiding the impact altogether by not taking a certain action or parts of an action.
- Minimizing impacts by limiting the degree or magnitude of the action and its implementation.
- Rectifying the impact by repairing, rehabilitating or restoring the affected environment.
- Reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action or project.
- Compensating for the impact by replacing or providing substitute resources or environments.

All streets and trails must manage stormwater by treating runoff to reduce pollution and infiltrate water into the ground and limiting how much stormwater and pollutants eventually make their way into vulnerable natural waterways. By incorporating green infrastructure treatments such as vegetated medians, planters, curb extensions and street trees, streets and trails can function as urban green corridors that not only manage stormwater but mitigate the harmful impacts of transportation on air, water, and wildlife habitat and connectivity. This function of streets and trails is imperative to human and environmental health.

One of the distinct advantages of having streets and trails function as green streets over “grey infrastructure” for stormwater management is their superior treatment of pollutants running off from roadways. While grey infrastructure options may have smaller footprints, they are typically more expensive to maintain and fail if not

²⁰ Refer to Appendix F for examples of mitigation strategies for different environmental resource areas. For example, street trees, vegetated swales and other green street treatments can intercept rainwater and convey stormwater in the public right-of-way, following best practices to minimize light pollution, installing appropriate wildlife crossings, screening sensitive habitats from noise and light, enhancing vegetation associated with wetlands and waterways for wildlife, limiting fill within wetlands, constructing bridges or open bottom culverts, creating new wetland areas, and restoring or rehabilitating damaged wetlands and waterways, using pervious materials and preserving, maintain or enhancing tree canopy. Refer to Metro’s handbooks “Green Streets: Innovative Solutions for Stormwater and Stream Crossings” and “Wildlife Crossings: Providing safe passage for urban wildlife for more information on these designs”.

maintained. In addition, separate grey infrastructure elements are almost always needed to manage runoff quality and quantity.

Street trees and other green streets infrastructure provide a wide array of benefits in addition to stormwater management, including:

- offering wildlife habitat;
- improving air quality;
- providing shade;
- reducing the urban heat island affect;
- beautifying the surroundings;
- promoting human well-being; and
- calming traffic.

On streets with high levels of walking and bicycling, street trees provide buffers from traffic and air pollution. Green streets can be further supported by using dark skies approaches to minimize the impact of street lighting on wildlife, human health and the natural environment. Designing streets and trails for stormwater management can also incorporate and enhance other functions, such as placemaking. Agencies can use green street elements to create a stronger sense of place and make walking and biking more enjoyable.

Transportation agencies typically consider the following types of environmental, tribal, cultural and historical data during development of projects:

- High value fish and wildlife habitat areas and biodiversity corridors
- Threatened and endangered species, including vertebrate species and plants
- Vegetation and wildlife
- Fisheries
- Wetlands and waterways
- Flood hazard areas/floodplains
- Historic resources
- Tribal lands and legacies
- Air quality and greenhouse gas emissions

Figure 3.17: Examples of how green infrastructure can help achieve regional goals

RTP goal	Examples of how Green Infrastructure can help achieve regional goals
Thriving economy	<p>Green infrastructure can promote economic growth as a valued public amenity, create construction and maintenance jobs, add to property value, support walkable and bikeable communities, businesses and commercial districts and lower the costs associated with climate change.</p> <p>Protecting the environment and natural resources today can save money for the future and reduce infrastructure construction and maintenance costs.</p>
Mobility options	<p>Green streets can promote active travel and access to transit by providing enjoyable routes that are shaded and buffered from traffic. Green infrastructure treatments, such as access management and medians with bioswales, can be designed to support reliability and efficiency by reducing crashes and conflicting movements.</p>
Safe system	<p>Street trees and other green infrastructure can help calm traffic to desired speeds, provide welcoming places that increase security and improve resiliency and reduce impacts of major storm events.</p>
Climate action and resilience	<p>Trees and green infrastructure can support climate adaptation by cooling streets, parking lots and buildings, better managing stormwater and reducing the urban heat island effect. Trees and vegetation can be managed to sequester greenhouse gases to help mitigate climate change.</p> <p>Green infrastructure can enhance and protect the natural environment by supporting clean air and water, filtering stormwater runoff, reducing erosion and protecting, creating and connecting habitat for birds, fish and other wildlife.</p>
Equitable transportation	<p>Clean air and water and access to nature can be improved and habitat can be preserved and enhanced when green infrastructure is provided in marginalized communities.</p> <p>Green infrastructure can reduce water, air, noise and light pollution, encourage active lifestyles and link people to trails, parks and nature that enhance human health and well-being.</p> <p>All potentially affected can be represented, including those that cannot speak for themselves—wildlife and the natural environment. Performance-based planning includes considering environmental effects throughout the planning process.</p>

Design Policy 6. Use a performance-based approach and decision-making framework to plan and design transportation projects and networks.


As the demands on the transportation system increase, so does the need for flexibility in how roadways are designed. Performance-based planning and design expands design parameters to be more flexible. Performance-based planning and design incorporates many performance measures to assess how well a project will achieve desired outcomes. Measures and related goals may be weighted to ensure that a project supports priority outcomes, for example, reducing serious traffic crashes identified in adopted plans and policies and through community engagement.

A performance-based design decision-making framework helps practitioners and stakeholders track decisions throughout the life of a project, as illustrated in Figure 3.18. This documentation process provides flexibility to choose the best design for a given context, while providing an effective way to manage risk when designing new or reconstructed roadways. The framework includes documenting the design considerations and alternatives that were evaluated based on clearly outlined project goals and meaningful stakeholder engagement.

Performance-based planning and design starts with a well-defined project need accompanied by goals and related objectives. It then works to align design decisions with the project objectives and desired systemwide outcomes. This approach relies on developing and comparing design alternatives, using performance measures and analysis to assess progress toward achieving project objectives and applying engineering judgment informed by a multidisciplinary team to reach a preferred design. Refer to Chapter 6 of the [Designing Livable Streets and Trails Guide](https://www.oregonmetro.gov/tools-partners/guides-and-tools/guidelines-designing-livable-streets-and-trails)²¹ for a step-by-step guide and tools to address trade-offs and constraints.

²¹ Designing Livable Streets and Trails Guide <https://www.oregonmetro.gov/tools-partners/guides-and-tools/guidelines-designing-livable-streets-and-trails>

Figure 3.18: The performance-based design decision-making framework



3.3.3 Regional motor vehicle network vision and policies

While the greater Portland region has changed dramatically over the past century, the shape of the major road network has not. Most regional streets were once farm-to-market roads, established along Donation Land Claim Act boundaries at half-mile or one-mile spacing. The region's throughway system evolved from the mid-1930s when the first highway was built from Portland to Milwaukie, to the completion of I-205 in the early 1980s. Most of the throughway system was built along the same Donation Land Claim grid that shapes the regional street network, with most throughways following older farm-to-market routes or replacing major streets.

This inherited network design has proven to be an adequate match for accommodating the changing travel demands of our growing region. The Regional Motor Vehicle Network Concept applies this proven network design to developing and undeveloped areas in the region, while seeking opportunities to bring existing urban areas closer to this ideal when possible.

3.3.3.1 Regional motor vehicle network concept

The Regional Motor Vehicle Network Concept shown in Figure 3.19 illustrates policies for developing a complete and well-connected motor vehicle network that is safe and reliable, provides adequate capacity and supports all modes of travel.

Defining terms

Donation Land Claim Act

The Donation Land Claim Act of 1850 was a statute enacted by Congress to promote homestead settlements in the Oregon Territory. The act allowed white settlers who had arrived in Oregon before 1850 to work on a piece of land for four years and legally claim the land for themselves. This act discriminated against nonwhite settlers and had the effect of dispossessing land from Native Americans.

Figure 3.19: Regional motor vehicle network concept




Image shows a conceptual network of streets, illustrating multimodal transportation corridors and showing ideal spacing of arterial streets. Most of the region’s travel occurs off the throughway network, on a network of multimodal arterial streets that are further complemented by a well-connected network collector and local streets. The RTP policy places an emphasis on ensuring that arterial networks are fully developed as the region grows, providing both local circulation and preserving throughway capacity for regional and statewide travel.

3.3.3.2 Regional motor vehicle network policies

The planned motor vehicle network is defined by the roadway capacity defined in Table 3.8 (also see Table 3.6 in Section 3.3.1). The planned motor-vehicle network, by functional classification, is shown in Figure 3.21. Adding motor vehicle capacity beyond the planned system is subject to the regional Congestion Management Process defined in Section 3.3.4.

Table 3.8: Planned motor vehicle network capacity

Motor Vehicle Functional Classification	Typical Number of Planned Travel Lanes
Throughway-Freeway	Up to 6 through lanes with auxiliary lanes in some places Spaced no less than one mile apart in urban areas
Throughway -Signalized Highway	Up to 6 through lanes with auxiliary lanes in some places Spaced no less than one mile apart in urban areas
Major arterial	Up to 4 through lanes with turn lanes and median Spaced about one mile apart
Minor arterial	2 to 4 through lanes with turn lanes and median Spaced about one mile apart

The regional motor vehicle concept and policies call for adequately maintaining the motor vehicle network, applying the congestion management process (Section 3.3.4) and regional mobility policy (Section 3.2.6) and data to identify needs and solutions; managing and optimizing throughway capacity to serve regional, statewide and interstate travel; and implementing a well-connected network of local, collector and arterial streets that is tailored to fit local geography, respect existing communities and planned development, and protect the natural environment. Increased network connectivity improves travel reliability and expands travel options.

Motor Vehicle Policy 1	Preserve and maintain the region’s motor vehicle network in a manner that improves safety, security and resiliency while minimizing life cycle cost and impact on the environment.
Motor Vehicle Policy 2	Use the Congestion Management Process, Regional Mobility Policy, safety and bike and pedestrian network completion data to identify motor vehicle network needs and solutions.
Motor Vehicle Policy 3	Actively manage and optimize capacity on the region’s throughway network of freeways and highways to maintain mobility and accessibility and improve reliability for longer, regional, statewide, and interstate travel.
Motor Vehicle Policy 4	Complete the region’s planned throughway network of freeways and highways up to six travel lanes (three lanes in each direction) as envisioned in the 2040 Growth Concept.
Motor Vehicle Policy 5	Prior to adding new throughway capacity beyond the planned system of motor vehicle through lanes, demonstrate that system and demand management strategies, including access management, transit and freight priority, pricing, transit service and multimodal connectivity improvements cannot adequately address identified needs consistent with the Congestion Management Process and Regional Mobility Policy.
Motor Vehicle Policy 6	When enhanced review of select roadway projects is required under OAR 660-012-0830, including auxiliary lanes, the project will first be analyzed using established statewide methods for determining whether it increases capacity and, if so, then a facility plan, refinement plan, TSP amendment or similar documentation that demonstrates need, function, impacts and alternative options evaluated to address the identified need will be prepared and publicly adopted consistent with the OTP, OHP, Congestion Management Process, and OAR 660-012-0830; or a qualifying exception will be documented.

Motor Vehicle Policy 7	Actively manage and optimize arterials according to their planned functions to improve reliability and safety and maintain mobility and accessibility for all modes of travel.
Motor Vehicle Policy 8	Complete a well-connected network of arterial streets ideally spaced at approximately 1-mile apart and planned for up to four travel lanes to maintain transit and freight mobility and accessibility and prioritize safe pedestrian, bicycle and transit access for all ages and abilities using Complete Street design approaches.²²
Motor Vehicle Policy 9	Complete a well-connected network of collector and local streets that provide for local circulation and direct vehicle, bicycle and pedestrian access to adjacent land uses and to transit for all ages and abilities.
Motor Vehicle Policy 10	Prior to adding new arterial street capacity beyond the planned system of motor vehicle through lanes, demonstrate that system and demand management strategies, including access management, transit and freight priority, transit service, and multimodal connectivity improvements cannot adequately address identified needs consistent with the Congestion Management Process and Regional Mobility Policy.

Motor Vehicle Network connectivity

A well connected network of complete streets is critical to achieving the 2040 Growth Concept vision. In general, the roadway network should be designed to provide for trips through or across the region on throughways (freeways and highways), shorter trips on arterial streets and the shortest trips on collector and local streets.

This approach results in a street hierarchy of:

- throughways (for example controlled-access freeways such as I-84, US 26, I-5, I-205 and I-405 and other signalized highways such as OR 99E, US 30, OR 212)
- arterial streets (for example, Cornell Road in Washington County, 82nd Avenue in the City of Portland and Sunnyside Road in Clackamas County)
- collector streets
- local streets

The traditional street classifications for throughways (freeways and highways), arterial streets and other streets are a good starting point for distributing traffic in communities

²² The number of through lanes may vary based on right-of-way constraints or other factors. Some places in the region may require additional lanes due to a lack of network connectivity. Major and minor arterial streets can either be 2 or 4 lanes with turn lanes as appropriate.

to avoid bottlenecks on overburdened routes or avoid the need to build overly wide streets as a community grows.

Throughways serve as longer-distance mobility routes, often with limited access, and an emphasis on connecting major destinations. Arterial streets provide both mobility, moving traffic, goods and people within the region, and access to property along the street.

Building a regional motor vehicle network to accommodate all motor vehicle traffic during peak travel periods is not feasible or practical nor would it be desirable considering the environmental, climate and community impacts.

By developing a well-connected network, the region can spread traffic across the entire network, reducing the need to overburden a few facilities. This will help reduce bottlenecks and congestion hotspots, decreasing the need to widen roads and intersections beyond their typical design. Connectivity also supports transit, biking and walking by making trip distances shorter and more direct and convenient. Improved travel reliability is a key overall outcome of all connectivity-oriented strategies. Refer to Section 3.3.2 for street design policies and principles.

Typical spacing and planned capacity for arterial streets

The regional motor vehicle network concept calls for one mile spacing of major arterial streets, with minor arterial streets or collector streets at half-mile spacing, recognizing that existing development, streams and other natural features may interfere with this spacing. Major and minor arterial streets can be either 2 or 4 lanes with turn lanes as appropriate. Streets with 4 or more lanes should include medians, where possible, with appropriate median openings for turning movements and turn lanes. Access management strategies should be used on arterial streets and all streets with 4 or more lanes.

Shown in Figure 3.19, the illustrative arterial street network is complemented by a well-connected network of collector streets. This network of arterial and collector streets is multi-modal in design, serving automobiles, motorcycles, trucks, transit, bicycles and pedestrians. The regional arterial street design with a median reflects an accepted design that can support safe travel by all modes, accommodating urban levels of traffic, while also providing for bicycle and pedestrian travel and safe crossings at major intersections.

Traffic speeds, access and level of street connectivity vary depending on the function of the street. The design of transportation facilities should consider the facility's traffic function, all modes of travel and community development goals. As identified in the Regional Active Transportation Plan and Metro's livable street design guidelines, traffic speeds, traffic volumes and the volume of heavy trucks should be considered in the design of pedestrian and bicycle facilities on streets on the regional network.

Research and experience have shown that there are optimal street designs for various types of roadways. Street design, combined with connectivity help reduce congested hot spots and improve reliability. Local streets and collectors are planned to consist of 2-lanes with turn lanes where needed, major arterials are planned to consist of up to 4-lanes with medians and with turn lanes and access management strategies. Therefore, before adding additional through lanes beyond the planned system, plans and studies must demonstrate that the additional lanes beyond the planned system do not compromise the function of the roadway for all modes and that the planned system of through lanes, transit service, bike, pedestrian and other parallel arterial, operational, system and that demand management solutions do not adequately address transportation needs.

Throughways and auxiliary lanes

Throughways (freeways and highways) typically span several jurisdictions and often are of statewide importance linking the greater Portland area with neighboring cities, other parts of the state, other states, and Canada and Mexico. Throughways are planned to consist of six through lanes (three lanes in each direction) with grade-separated interchanges or intersections, and serve regional, statewide, and interstate travel.

Throughways typically carry between 50,000 to 100,000 vehicles a day, providing higher-speed travel for longer motor vehicle trips and serving as primary freight routes, and sometimes transit routes, with an emphasis on mobility. Throughways help serve the need to move both freight trucks and autos through the region. Throughways connect major activity centers within the region, including the central city, regional centers, industrial areas and intermodal facilities.

The RTP Throughway-Freeway functional classification generally corresponds to the Expressways functional classification in the Oregon Highway Plan. Some throughways designated in the RTP are not Expressways in the Oregon Highway Plan but serve an important statewide function; these facilities are identified as Throughway-Highway on RTP maps and design classifications.

These two types of Throughways are listed in Table 3.8. Freeways are limited access and completely grade separated interchanges. Highways include a mix of separate and at-grade access points. Throughway interchanges that are designated as Freeways in the OHP should be spaced no less than one mile apart in urban areas.²³

An auxiliary lane is the portion of the roadway adjoining the through lanes for speed change, turning, weaving, truck climbing, maneuvering of entering and leaving traffic and

²³ One mile is the minimum interchange spacing distance identified for Freeways in urban areas in Oregon. See <https://secure.sos.state.or.us/oard/viewAttachment.action?ruleVrsnRsn=183660> for more information.

other purposes supplementary to through-traffic. The lane separates slower traffic movements from the through traffic, helping smooth the flow of traffic and reduce the potential for crashes and is not intended to function as a general purpose travel lane. Auxiliary lanes typically add motor vehicle capacity for the purpose of serving shorter, more local trips and allowing through lanes to serve longer, regional trips. Auxiliary lanes can be used to keep regional trips on the throughway system. These system-to-system interchange connections currently exist on I-5 between OR 217 and I-205. The intention is not to “add capacity” to the six through lanes, it is rather to serve trips that are traveling from one interchange to another and can stay in the same lane without merging with through traffic.

Enhanced review of throughway and auxiliary lanes

Additional throughway travel lanes, as well as auxiliary lanes and other special purpose lanes, may be warranted in some locations, including those with:

- a high number of serious or fatal crashes;
- excessive demand from a facility important to regional and state economic performance;
- substandard interchange spacing;
- connecting throughway systems that are relatively close but not directly linked, geometric constraints, slope; and
- limitations or constraints that prevent creation of a well-connected street network due to topography, existing neighborhoods, or natural resource areas.

Prior to adding new throughway capacity beyond the planned system of motor vehicle through lanes (see Table 3.8), or adding or extending an auxiliary lane of more than one-half mile in length, or re-striping an auxiliary lane to serve as a general purpose through lane, transportation agencies must demonstrate that system and demand management strategies, including access management, transit and freight priority, pricing, transit service, and multimodal connectivity improvements cannot adequately address identified needs consistent with the Congestion Management Process and Regional Mobility Policy.

When a series of auxiliary lanes are added in the same corridor or one or more existing auxiliary lanes are extended through one or more interchanges, the auxiliary lanes may begin to function more like a general purpose travel lane. Therefore, prior to adding or extending an auxiliary lane of more than one-half mile, transportation agencies must determine whether the new individual auxiliary lane alone or in combination with auxiliary lanes in the same corridor will collectively influence capacity and measurably increase vehicle miles traveled, or alternatively whether each of the auxiliary lanes are operate independently and only address localized safety issues. Appendix V defines the

parameters for future corridor refinement planning work specific to each regional mobility corridor, consistent with the Congestion Management Process and Regional Mobility Policy.

Auxiliary lane projects that meet the exemption criteria of OAR 660-012-0830 are not subject to further review. That exemption will be documented in accordance with the details in Appendix L, using ODOT’s Analysis Procedures Manual. Otherwise, auxiliary lanes will be evaluated to determine whether they would add additional vehicular capacity beyond the existing general purpose travel lanes, documented in accordance with the details in Appendix L. If an auxiliary lane will not add capacity, no further review is required. If an auxiliary lane is not exempt and would add capacity, then enhanced review will be conducted through a TSP amendment, refinement plan or facility plan, documented in accordance with the details in Appendix L.

Arterial streets

Arterial streets are intended to provide general mobility for travel within the region and provide connections to the throughway network. Arterial streets connect major commercial, residential, industrial, and institutional centers with each other and link these areas to the throughway network. Arterial streets are usually spaced about one mile apart and are designed to accommodate motor vehicle, truck, bicycle, pedestrian and transit travel.

Arterial streets carry between 10,000 and 40,000 vehicles per day. Desired travel speeds vary depending on the surrounding and planned land use. Major arterial streets accommodate longer-distance trips and serve a regional traffic function. Minor arterial streets serve shorter trips that are localized within a community. As a result, major arterial streets usually carry more traffic than minor arterial streets. Research has highlighted the important role of major arterial streets in achieving regional goals for equity, safety, land use, economic development, and mobility, especially for transit.²⁴ Many funding, design and policy challenges exist to improving them.

Streets designated with an arterial functional classification are shown in Figure 3.21 and include Boulevard and Streets described in Table 3.6.

Safety on arterial streets

Safety is a primary concern on the regional arterial system, where approximately 60 percent of the region’s fatal and severe injury crashes occur. For this reason, achieving

²⁴ Metro “Safe and healthy urban arterials 2023 RTP policy brief”, September 8, 2022
<https://www.oregonmetro.gov/sites/default/files/2022/10/24/Safe%20and%20healthy%20urban%20arterials%20policy%20brief.pdf>

the region's Vision Zero target will largely focus on improving safety on arterial streets. More attention to designs and operational strategies that have been demonstrated to improve the safety of the arterial system could reduce the number of people killed and injured, using national best practices as a guide. Efforts to substantively improve transportation safety in the region must give arterial roadways high priority, with a focus on the region's high injury corridors, and may include:

- proven designs and strategies such as medians, speed management, access management, improved pedestrian crossings and street lighting, replacing intersections with roundabouts, reducing speeds to levels which are safe for pedestrians, and road diets; and
- enforcement actions targeting high-risk behaviors, such as speeding, aggressive driving, driving under the influence, red-light running, and failure-to-yield at bike and pedestrian crossings; and
- education initiatives intended to promote safer behavior among all users of the transportation system.

Meeting regional safety targets requires ongoing, concerted efforts to continue to make the region's arterial roadways (also referred to as urban arterials) safer, especially for pedestrians. Serious injury crash rates are used to prioritize corridor safety efforts.

Collector and local street connectivity

Collector and local streets are general access facilities that provide community and neighborhood circulation. They are not usually part of the regional transportation system except when located within designated 2040 areas or when they are part of the Regional Bicycle Network or Regional Pedestrian Network. Collector and local streets play an important role in the design and optimization of the regional transportation system. When local travel is restricted by a lack of connecting routes, local trips are forced onto the arterial and/or throughway networks, in some cases causing congestion on the regional system.

Local jurisdictions are responsible for defining the network of local and collector streets within the one-mile spacing grid of arterial streets. The [Regional Transportation Functional Plan](#) (RTFP) which implements the Regional Transportation Plan (RTP) and establishes the requirements for Transportation System Plans requires local street spacing of no more than 530 feet in new residential and mixed-use areas, and cul-de-sacs are limited to 200 feet in length to distribute vehicle movements and provide direct

bicycle and pedestrian routes.²⁵ More frequent bike and pedestrian connections are required where collector and local streets cannot be constructed due to existing development or other topographic or environmental constraints.

A goal of the requirements is to encourage local traffic to use local and collector streets to minimize local traffic on regional arterial streets. Local street connectivity also benefits emergency response and access to schools and transit stops. Designs should retain the neighborhood character and livability along these local routes.

Shown in Figure 3.20, the collector and local street network concept provides for bicycle and pedestrian travel and allows for direct access from local street networks to community destinations and transit on regional arterial streets.

Figure 3.20: Collector and local street network concept




Image shows an idealized concept for illustrative purposes showing desired spacing for collectors and local streets in residential and mixed-use areas to serve local circulation, walking/rolling and bicycling. The illustration is modeled after neighborhoods in Southeast Portland.

Collector streets

Collector streets provide both access and circulation. As such, collectors tend to carry fewer motor vehicles at lower travel speeds than arterial streets. Collectors may serve as freight access routes, providing connections from industrial or commercial areas to the arterial network. Collector streets serve neighborhood traffic. Collectors provide local

²⁵ Regional Transportation Functional Plan <https://www.oregonmetro.gov/regional-transportation-functional-plan>

circulation alternatives to arterial streets. Collectors provide both circulation and access within residential and commercial areas, helping to disperse traffic that might otherwise use the arterial network for local travel.

Collectors may also serve as local bike, pedestrian, and freight access routes, providing connections to the arterial and transit network. Collectors usually carry between 1,000 and 10,000 vehicles per day, with volumes varying by jurisdiction. Collector streets are ideally spaced at half-mile intervals, or midway between arterial streets. Auto speeds and volumes on collector streets are moderate.

Local streets

Local streets primarily provide direct access to adjacent land uses, and usually between 200 and 2,000 vehicles per day, with volumes varying by jurisdiction. Vehicle speeds on local streets are relatively low, which makes them good candidates for people biking, walking/rolling traveling to and within centers, to schools and to transit stops and stations.

While local streets are not intended to serve through traffic, the local street network serves an important role for supporting bicycle and pedestrian travel. As a result, regional local street connectivity policies require communities to develop a connected network of local streets to increase access to designated centers, to schools and to transit stops and stations on the regional transit network by people biking and walking or rolling.


3.3.3.3 Regional motor vehicle network classifications and map

The Regional Motor Vehicle Network is shown in Figure 3.21.


This page intentionally left blank.

Figure 3.21
Regional Motor Vehicle Network


- Throughway
- - - Throughway (planned)
- Major arterial
- - - Major arterial (planned)
- Minor arterial
- - - Minor arterial (planned)
- Throughway outside UGB
- - - Arterial outside UGB
- Urban center
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area




See inset map




1. Forest Grove-Cornelius-Hillsboro area



2. Hillsboro-Aloha-Beaverton-Tigard area



3. Sherwood-Tigard-Tualatin-Wilsonville area




Legend


(dotted lines are proposed projects and do not identify specific alignments)

- Throughway
- - - Throughway (planned)
- Major arterial
- - - Major arterial (planned)
- Minor arterial
- - - Minor arterial (planned)
- Throughway outside UGB
- Arterial outside UGB
- - - Arterial outside UGB (planned)
- Urban center
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area


4. Lake Oswego-Milwaukie-Oregon City area



5. Hollywood-Gateway-Rockwood area



6. Fairview-Wood Village-Troutdale-Gresham



The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

3.3.4 Congestion management process

This section outlines the policy for implementing system and demand management strategies and other strategies prior to building new motor vehicle capacity, consistent with the Federal Congestion Management Process (CMP) and Oregon Transportation Plan (OTP) policies (including Oregon Highway Plan Policy 1G). Section 3.08.220 of the [Regional Transportation Functional Plan](#) (RTFP) implements the Regional Transportation (RTP) and establishes the requirements for Transportation System Plan.²⁶ In some parts of the greater Portland region the transportation system is generally complete, while in other parts of the region, especially those where new development is planned, significant amounts of infrastructure will be added. In both contexts, management strategies have great value. Where the system is already built out, such strategies may be the only ways to manage congestion and achieve other goals. Where growth is occurring, system and demand management strategies can be integrated before and during development to efficiently balance capacity with demand. New technologies are reducing the cost of demand management and new possibilities are emerging with autonomous and connected vehicles.

One component of the Congestion Management Process (CMP) is a toolbox of congestion reduction and mobility strategies, as shown in Table 3.9. This toolbox identifies a suite of strategies to manage congestion and address mobility needs prior to utilizing traditional roadway widening and other capacity projects. Prior to adding single occupant vehicle (SOV) capacity, agencies and jurisdictions should consider the various strategies identified in this section, consistent with FHWA direction and RTP and OTP policies. Usually, multiple strategies are applicable within a corridor, while other strategies are intended to be applied region wide.

The CMP toolbox strategies were assembled to provide a wide range of strategies that could be used to manage congestion region-wide or within congested mobility corridors. They are arranged so that the strategies are considered in order from first to last. Even with the addition of capacity, many of the strategies can be implemented with the project to ensure the long-term management of a capacity project.

The CMP toolbox of strategies is shown in Table 3.9.

²⁶ Regional Transportation Functional Plan <https://www.oregonmetro.gov/regional-transportation-functional-plan>

Table 3.9: Toolbox of strategies to address congestion in the region

<p>1</p>		<p>Community design strategies</p> <ul style="list-style-type: none"> • Walkable communities and job centers facilitated by compact land use in combination with walking, biking and transit connections • Mixed-used areas and transit-oriented development • Parking management and pricing
<p>2</p>		<p>Travel Information and Incentives strategies</p> <ul style="list-style-type: none"> • Commuter travel options programs • Household individualized marketing programs • Car-sharing and eco-driving techniques • Safe Routes to School programs • Ridesharing (carpool, vanpool) services
<p>3</p>		<p>System management and operations strategies</p> <ul style="list-style-type: none"> • Real-time variable message signs and speed limits • Signal timing and ramp metering • Transit signal priority, bus-only lanes, bus pull-outs • Incident response detection and clearance • Access management (e.g., turn restrictions, medians)
<p>Emerging</p>		<p>Congestion pricing strategies</p> <ul style="list-style-type: none"> • Peak period pricing • Managed lanes • High occupancy toll (HOT) lanes
<p>4</p>		<p>Active Transportation strategies</p> <ul style="list-style-type: none"> • New biking and walking connections to schools, jobs, downtowns and other community places • Bicycle infrastructure (e.g., bicycle racks, lockers and other bicycle amenities at transit stations and other destinations) • Separated pathways and trails
<p>5</p>		<p>Transit strategies</p> <ul style="list-style-type: none"> • High capacity transit • Expanded transit coverage • Expanded frequency of service • Improvements in right-of-way to increase speed and reliability of buses and MAX • Community and job connector shuttles • Park-and-ride lots in combination with transit service
<p>6</p>		<p>Street and throughway capacity strategies</p> <ul style="list-style-type: none"> • Local and arterial street connectivity to spread out travel • Addition of turn lanes at intersections, driveway restrictions and other geometric designs such as roundabouts • Road widening to add new lane miles of capacity (e.g., adding auxiliary lanes, additional general-purpose lanes); pricing is considered when adding new throughway capacity in the region

The intent of the CMP Toolbox follows FHWA’s direction to consider all available solutions before recommending additional roadway capacity in transportation system planning, corridor refinement planning and subarea studies. Appendix L describes how this information is used in the region’s process and RTP updates to identify needs and inform consideration and prioritization of multimodal strategies and investments to address congestion in the region.

3.3.5 Regional transit network vision and policies

With continued regional growth, come challenges including more congestion, higher housing prices and constrained access to employment and daily needs. Increased transit service is a critical part of the overall solution to regional challenges. But the COVID-19 pandemic disrupted both transit use and service in the greater Portland region. To achieve the regional vision in the 2040 Growth Concept and Climate Smart Strategy, transportation agencies and partners must meet the needs of people using transit today, while continuing to realize the Regional Transit Vision²⁷ to increase transit use and make transit more convenient, accessible, affordable, and frequent for everyone, especially those who rely on it.

Make transit more frequent by aligning frequency and type of transit service to meet existing and projected demand in support of local and regional land use and transportation visions. Frequent transit service is defined as service that operates at a maximum of 15-minute intervals, but this isn't the only type of service. Regional and local transit service provides basic service and ensures that most of greater Portland's population has transit service available to them; service span and frequencies vary based on the level of demand for the service. Because of limited resources, it is important to ensure that service meets demand. Frequency therefore means aligning the frequency and type of service to meet existing and/or projected demand for an area.

Make transit more convenient, and competitive with driving, by improving transit speed and reliability using transit priority treatments and other strategies. Improve transit rider experience with seamless connections between transit providers, including transfers, information, and payment. Additionally, road authorities can partner with the transit agencies to implement transit priority treatments.

Make transit more accessible by promoting transit-oriented development of station areas and ensuring safe and direct biking and walking routes and crossings that connect to stops, as well as improve accessibility for seniors and persons with disabilities to ensure transit is accessible for everyone. Accessibility could also include park and ride facilities and drop off/pick up areas. Expand the system to improve access to jobs and essential destinations and daily needs.

Making transit affordable is the cornerstone of the other components of our vision. Frequency, convenience and accessibility are meaningless if transit is not affordable. Additionally, affordability ensures that the transit system is equitable for low-income populations, communities of color and those who rely on transit services rather than private automobiles to meet their daily transportation needs.

3.3.5.1 Regional transit network concept

The regional street system has carried public transit for more than a century, beginning with the streetcars of the late 1800s and evolving into a combination of vans, buses, streetcars, and light rail trains today. The Tri-County Metropolitan Transportation District of Oregon (TriMet) is the primary public transportation provider for greater Portland.

²⁷ Link to 2018 Regional transit strategy <https://www.oregonmetro.gov/regional-transit-strategy>

The South Metro Area Regional Transit (SMART) in Wilsonville provides regional transit service connecting Wilsonville to Portland and communities in Washington and Clackamas counties. In 2017, the state legislature, through HB 2017, designated Clackamas, Multnomah and Washington counties as Public Transit Service Providers. The counties receive funding from the Statewide Transportation Improvement Fund to implement transit services to meet goals established by HB 2017, including providing services in areas not well-served by fixed route transit.

Bus service in other surrounding areas, all with connections to the regional network, is also provided by C-TRAN (Clark County, WA), Ride Connection, South Clackamas Transit District (SCTD), Cherriots (Salem, OR), Tillamook County Transportation District (Tillamook, OR), and Yamhill County Transit Area (Yamhill County, OR). Just outside of the greater Portland region, Sandy Area Metro (SAM) and Canby Area Transit (CAT) provide transit service for Sandy and Canby.

Transit is key to supporting the 2040 Growth Concept, which calls for focusing future growth in regional and town centers, station communities and 2040 corridors. A regional transit network, coupled with transit-supportive development patterns and policies that support taking transit, biking and walking, will be necessary to help the region meet growing needs, including:

- becoming less dependent on automobiles;
- more equitably serving communities of color and other marginalized communities;
- reducing overall transportation and housing costs;
- leading healthier lives;
- reducing greenhouse gas emissions.

As part of the 2040 Growth Concept, transit is critical to connecting centers.

Figure 3.22 shows how the regional transit system concept would connect the 2040 centers.

Figure 3.22: Regional transit network concept




Image shows a graphic concept of the regional transit network with different levels and types of transit routes connecting centers and places in the greater Portland region. The 2040 Growth Concept set forth a vision for connecting the central city to regional centers like Gresham, Clackamas and Hillsboro with high capacity transit. The High Capacity Transit Strategy expands this vision to include town centers like Milwaukie, Troutdale, and Sherwood along corridors to build onto that vision. The RTP goes further to include a complete network of regional transit along most arterial streets to better serve existing and growing communities. Existing land use mixes and future transit-oriented development potential should be considered and incorporated into service and station location decisions.

It is important for cities and counties to ensure land uses are transit-supportive and support local and regional land use and transportation plans and visions to leverage and protect transit investments.

Adjacent land uses, block size, street connectivity, and parking management affect the success of transit service. Policies and investments that support transit best can be found in Table 3.10.

Table 3.10: Effects of land use on transit service

Characteristic	Supportive	Not Supportive
Density		Low
Street layout	Small blocks Grid system	Long, winding streets Cul-de-sacs, dead-end
Mix of uses	Mixed use (e.g., commercial, residential, and office uses)	Single use (e.g., all residential, all industrial)
Pedestrian and bicycle environment		Narrow or no sidewalks Fast moving traffic Poor lighting No intersection markings and long pedestrian wait times
Site design	Buildings front the street and entrances	Buildings set back from the street and surrounded by surface parking
Parking	Limited Fee-based parking	Abundant Free

Source: TriMet

Transit-supportive development patterns include:

- A compact urban form that places destinations near transit.
- A mix of uses, and a balance of jobs and housing, which creates a place where activity occurs at least 18 hours a day.
- Locating a mix of services near transit, including grocery stores and medical clinics.
- Locating affordable housing options, particularly for older adults, seniors and people with disabilities, near frequent transit.
- Well-designed streets and buildings that encourage pedestrian travel.
- Streets that can accommodate 40-foot buses.
- Safe and efficient multi-modal interactions at transit stops and stations.
- Safe, direct and convenient pedestrian and bicycle access, within communities and to transit stops and stations.

- Street connectivity with good pedestrian and bike connections to extend the effective coverage of bus and rail service.
- Managed on-street and off-street parking.

Areas with low population and/or employment densities, abundant free parking, and with difficult access to transit generate fewer riders than areas with transit-supportive development. When fewer riders are generated, it costs more per ride to provide transit service than it does in transit-supportive areas. Ridership productivity is a key criterion in assessing the benefits of service improvements and new transit investments.

3.3.5.2 Regional transit network functional classifications and map

Shown in Figure 3.24, the Regional Transit Network Map includes future regional and local buses, better bus corridors, high capacity transit and intercity rail to reflect the future transit vision as identified by the High Capacity Transit Strategy (2023), Portland Streetcar System Concept Plan, TriMet’s Service Enhancement Plans, SMART’s Transit Master Plan, as well as local Transportation System Plans. The map also highlights areas planned to be served by community-job connector shuttles, including current and planned routes identified in Clackamas and Washington County’s transit development plans.

Shown in Figure 3.25, the Regional High Capacity Transit Vision map includes existing and future high capacity transit connections envisioned in the 2023 High Capacity Transit Strategy.


The existing and planned system includes a variety of transit modes, each with a special function in the overall system. Local, regional, and frequent service bus lines are the workhorses of our transit system. The transit providers plan for improving and expanding transit service through service enhancement plans, master plans and through annual service planning.

The bus system operates in mixed traffic and provides service across greater Portland. Alongside our bus system, we have implemented streetcar and corridor-based rapid buses. These services, along with frequent bus service, can and do include a variety of transit priority treatments. These tend to be more frequent and carry more transit riders than the regional and local bus system. The better bus program, new to the region, provides that transit priority to help improve transit speed and reliability above traditional transit service.

The high capacity transit system operates with most of the service in exclusive right-of-way, consisting of six lines over a 75-mile network that serves more than 130 stations in the city of Portland, and the communities of Beaverton, Clackamas, Gresham, Hillsboro,


and Milwaukie, and Portland International Airport. The high capacity transit system is the backbone of the transit network, meant to connect to regional centers and carry more transit riders than the local, regional, and frequent service transit lines. Figure 3.23 shows the broad transit spectrum that exists or is planned for regional transit system.

Figure 3.23: Regional transit spectrum




Many variables impact decisions about what type of transit mode and frequencies are most appropriate, including existing and future land uses, transit demand and opportunities and constraints.


Figure 3.24:
Regional Transit Network




1. Forest Grove-Cornelius-Hillsboro area




2. Hillsboro-Aloha-Beaverton-Tigard area




3. Sherwood-Tigard-Tualatin-Wilsonville area




4. Lake Oswego-Milwaukie-Oregon City area



5. Hollywood-Gateway-Rockwood area



6. Fairview-Wood Village-Troutdale-Gresham




Legend

(dotted lines are proposed projects and do not identify specific alignments)

- Transit center
- Major bus stop
- Bus station
- Intercity rail terminal
- Air terminal
- Inter-city passenger rail
- Future high speed rail
- Light rail
- Commuter rail
- Streetcar
- High capacity transit rapid bus
- Frequent bus
- Regional bus
- Better bus corridor
- High capacity transit (planned)
- Bus transit outside UGB
- Community job connector
- Station community
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area

The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

CLARK COUNTY
Figure 3.25:
Regional High Capacity Transit Vision



Tier	Map ID	Corridor Name
1	C7	TV Highway
	C16	82nd Ave
	C28	Montgomery Park Streetcar
	C29	Southwest Corridor
	C30	Interstate Bridge Replacement
2	C14	Central City Tunnel
	C19	Portland to Gresham via Burnside
	C20	St. Johns to Milwaukie via Cesar Chavez
	C21	Hayden Island to Downtown Portland via MLK
	C23	Bethany to Beaverton via Farmington/SW 185th
	C24	Swan Island to Parkrose via Killingsworth
	C25	Beaverton to Portland via Hwy 10 (BH Hwy)
3	C11	NW Lovejoy to Hollywood via Broadway/Weidler
	C1	Portland to Gresham in the vicinity of Powell Corridor
	C5	Sunset Transit Center to Hillsboro via Hwy 26/ Evergreen
	C17S	Oregon City to Downtown Portland via Hwy 43
	C4	Beaverton - Tigard - Lake Oswego - Milwaukie - Clackamas Town Center
	C27	Park Ave MAX Station to Oregon City in the vicinity of McLoughlin Corridor
	C6	Beaverton - Tigard - Tualatin - Oregon City
	C22S	PCC Sylvania to Downtown Portland via Capitol Hwy
	C18E	Hollywood to Troutdale
	C8	Gateway to Clark County in the vicinity of I-205 Corridor
4	C10	Gresham to Troutdale LRT extension
	C12	Clackamas Town Center to Happy Valley
	C15	Happy Valley to Columbia Corridor via Pleasant Valley
	C26	Clackamas Town Center to Oregon City
	C2	Tigard to Sherwood via Hwy 99W Corridor
	C9	Hillsboro to Forest Grove LRT extension
	C3	Beaverton to Wilsonville in the vicinity of WES

Existing HCT Network
 Metro HCT Regional Vision

- Tier 1: Near-Term Corridors** (Orange dashed line)
- Tier 2: Next Phase Corridors** (Yellow dashed line)
- Tier 3: Developing Corridors** (Blue dashed line)
- Tier 4: Vision Corridors** (Purple dashed line)

● Central city
 ● Regional center
 ● Town center

0 1 2 4 Miles

This page intentionally left blank.


Implementation of the regional transit vision

The Regional Transit Vision will be implemented through improving service, investing in infrastructure, collaborating between transit providers and local jurisdictions and expanding transit-supportive elements:

- **Transit service improvements:** local and regional transit service improvements designed to meet current and projected demand in line with local and regional visions and plans.
- **Capital investments in transit:** enhanced transit strategies that make Better Bus including signal priority and/or dedicated lanes, high capacity transit options such as bus rapid transit, light rail, commuter rail or high speed rail and other elements including transit stops and stations, first/last mile connections and multi-modal hubs, and transit-oriented development and affordable housing.
- **Transit-supportive elements:** including programs, policies, capital investments and incentives such as travel demand management and physical improvements such as sidewalks, crossings, and complementary land uses.

Figure 3.26 shows the relationships between these different types of investments.

Figure 3.26: Service improvements, capital investments and transit-supportive elements



Public agencies and transit providers must collaborate in prioritizing transit investments throughout greater Portland. With the passage of House Bill 2017, the Oregon Legislature identified transit improvements and service expansion as a priority for the state, providing funding to significantly increase and expand transit service, though not at levels needed to meet the ridership and climate change mitigation goals identified in the RTP. This only highlights the need to collaborate between transit providers.

3.3.5.3 Regional transit network policies

Regional transit priorities are informed by the following policies which aim to provide transit as an attractive, convenient, accessible, and affordable travel option for all people in the greater Portland region, optimize existing transit system operations and ensure transit-supportive land uses are implemented to leverage current and future transit investments. Together, these policies support regional goals.

Transit Policy 1	Provide a high-quality, safe and accessible transit network that makes transit a convenient and comfortable transportation choice for everyone to use.
Transit Policy 2	Ensure that the regional transit network equitably prioritizes service to those who rely on transit or lack travel options; makes service, amenities, and access safe and secure; improves quality of life (e.g., air quality); and proactively supports stability of vulnerable communities, particularly communities of color and other marginalized communities.
Transit Policy 3	Meet state, regional, and local climate goals by creating a transit system that encourages people to ride transit rather than drive and transitioning to a clean fleet with net zero greenhouse gas emissions.
Transit Policy 4	Maintain the region’s transit infrastructure in a manner that improves safety, reliability and resiliency while minimizing life-cycle cost and impact on the environment. Additional collaboration and funding are needed to support the development of this level of service.
Transit Policy 5	Complete a well-connected network of local and regional transit on most arterial streets – prioritizing expanding all-day frequent service along corridors and main streets linking town centers to each other and neighborhoods to centers.
Transit Policy 6	Continue to build out and strengthen a well-connected high capacity transit network to serve as the backbone of the transportation system. Prioritize transit speed and reliability to connect regional centers with the Central City, link regional centers with each other, and link regional centers to major

town centers. Additional collaboration and funding are needed to support the development of this level of service.

Transit Policy 7

Make capital, technical, and traffic operational treatments to improve transit speed, efficiency, and reliability for frequent service.

Transit Policy 8

Support expanded commuter rail and intercity transit service to neighboring communities and other destinations outside the region.

Transit Policy 9

Increase access to transit by improving pedestrian and bicycle access to and bicycle parking at transit stops and stations. Use new mobility services to improve connections to high-frequency transit when walking, bicycling or local bus service is not an option.

Transit Policy 10

Use technology to provide better, more efficient transit service, including meeting the needs of people for whom conventional transit is not an option.


Transit Policy 11

Make transit affordable, especially for people with low incomes.

Transit Policy 1. Provide a high quality, safe and accessible system that makes transit a convenient and comfortable transportation choice for everyone to use.

Greater Portland’s economic prosperity and quality of life depend on a transportation system that provides every person and business with access to safe, efficient, reliable, affordable, and healthy travel options. But recovering from the pandemic-era ridership slump and meeting the region’s transit ridership goals will require broader action, potentially including rethinking how transit serves regional centers, finding resources to increase service, and redesigning streets to keep buses moving.

Figure 3.27: Tools for building a high-quality transit system



Rapid streetcar has less stops and more street priority for regional mobility between centers. Streetcar extends the reach of the high capacity transit network by facilitating mobility as a circulator within major centers.

An effective and seamless transit system provides frequent and reliable bus and rail transit service during all times of the day, every day of the week. This goes far beyond the responsibility of the transit agencies; it requires actions on behalf of the greater Portland region and all the jurisdictions. Preferential treatments, such as transit signal priority, bus shelters, curb extensions, lighting, enhanced sidewalks, protected crosswalks and bikeways, are fundamental to making the transit network, especially frequent bus and high capacity transit, function at its highest level. To provide frequent and reliable service, regional partners must commit to investing in transit priority treatments and high capacity transit to ensure that transit can take people where they need to go on time.

Safe and comfortable access to the stations is critical to the rider’s experience and convenience, but also makes transit fully accessible to people of all ages and abilities. Similarly, typical fixed route transit service may not make sense for everyone throughout the region. People often rely on demand-response transit as well. New shared mobility models like microtransit could provide better service at lower cost in these situations and in increasing access to high-demand corridors.

Intelligent transportation systems and services help improve the speed and reliability of transit. It also means taking advantage of the growth in personal technology to efficiently communicate information about transit options and leverage electronic, integrated ticketing systems. This could include supporting use of mobile apps and services by

providing wifi and/or charging ports on buses and trains or at stops and stations. As tolling and congestion pricing moves forward in greater Portland, discounts or exemptions should be considered to incentivize multimodal travel behavior and reduce impacts, including exemptions for public transit and reduced pricing for higher occupancy vehicles such as shuttles, vanpools, and carpools (Oregon Highway Plan Policy 6.10).

Safety and security onboard transit is important. Actions to make transit safer should be identified with communities, transit riders, and transit employees. TriMet's Reimagining Public Safety process and report identifies needs and actions to address safety concerns.²⁸

Transit Policy 2. Ensure that the regional transit network equitably prioritizes service to those who rely on transit or lack travel options; makes service, amenities, and access safe and secure; improves quality of life (e.g., air quality); and proactively supports stability of vulnerable communities, particularly communities of color and other marginalized communities.

The transit and broader transportation system should provide every person and business with equitable access to have the same opportunity to thrive, regardless of their race or ethnicity. Ridership during the pandemic held steadier on routes that have more people of color and people with low incomes and routes that serve arterials with a mix of jobs, housing, shops and other destinations. Making these trips more convenient and reliable means that people who are more likely rely on transit will have better travel options. A regional transit system focused on mobility and access that addresses the transportation disparities faced by communities of color has the ability to open opportunities which can dramatically improve outcomes for people of color. By addressing the barriers faced by communities of color, outcomes for other disadvantaged communities will improve as well.

Using equity as a lens to guide decisions more broadly will ensure that the transit system benefits those who rely on it the most. An equity lens can also address disparities in:

- **Access:** New development and gentrification can lead to displacement, of which disproportionately affects people of color and people with low incomes. As housing and transportation costs increase, households are being forced to move to areas with less transit service. To address this, projects should be prioritized in equity focus areas.
- **Safety and security:** People with low-income and people of color across the country disproportionately suffer from well-documented racial bias in and bear the burden of policing. Racial disparities exist in enforcing transportation laws and rules and issuing

²⁸ Reimagining Public Safety, TriMet: <https://trimet.org/publicsafety/>

penalties for violations. Further, fines are not based on an individual's ability to pay, meaning that the penalty has greater impact for people with low-income and could lead to compounding consequences such as debt. At the same time, people of color are increasingly likely to be concerned for their safety when traveling due to fear of harassment and discrimination. Agencies should continue to pursue alternatives to policing (e.g., TriMet's Safety Response Team) that discourage harassment without enforcement.

- **Technology:** As more transit fare collection systems embrace contactless payment, accessibility challenges can arise for people, especially people with low incomes or who are undocumented, underbanked or unbanked. Agencies should continue to monitor and pursue strategies to reduce barriers to accessing digital fare systems.

Offering ample opportunities for meaningful public engagement and input is critical to hearing diverse perspectives on goals, policies and projects. Continuing to strengthen existing partnerships with local community organizations can provide more individuals whose voices may not have had the platform to be heard. Any transit planning effort should directly incorporate community in the decision-making process.

Further, major infrastructure investments have implications within the communities they are located. Historic data shows that high capacity transit investments such as light rail contribute to both positive and negative outcomes for the communities they serve. The potential displacement from the economic pressures that these investments bring undermines long-term effectiveness. It is critical during planning for a new major transit investment that a strategy be developed that considers both the positive and negative impacts, particularly as it applies to the most at-risk populations who also tend to be the most transit dependent. Key focus areas should include affordable transit-oriented housing opportunities and contracting and job training benefits and opportunities for displaced and marginalized populations.

Transit Policy 3. Meet state, regional, and local climate goals by creating a transit system that encourages people to ride transit rather than drive and transitioning to a clean fleet with net zero greenhouse gas emissions.

Transit is a critical part of meeting regional goals for climate leadership and clean air, and an integral part of implementing the Climate Smart Strategy. Improving and expanding the transit system and use of transit in greater Portland will continue to play a significant role in reducing transportation-related air pollutants, including greenhouse emissions. For people to choose transit over driving, transit must be at least as convenient and reliable. A transit trip needs to get people to their destination at the scheduled time, consistently, and it must be easy to use. The route would ideally be a one-seat ride or have seamless connections and fares between trains, buses, shuttles, streetcar, or active

transportation options, regardless of the provider. It should be a short walk or bicycle ride via a safe, comfortable connection that is easy to find and navigate. Information about schedules, transfers and real time arrivals would be readily available and easy to access both on-board and at stops and stations. Most importantly, travel times need to be competitive with other forms of travel. Regional partners should continue to pursue strategies that prioritize transit travel times with signal priority and bus lanes, integrate service, information, trip planning, and payment platforms across transit agencies, improve sidewalk, crossing and bicycle facilities, and adopt technology to make transit more predictable and user-friendly such as electronic fare and real-time monitoring systems. By providing both more and better transit connections between where people live and where they need to go, more people who drive today will be more likely to choose to use transit to travel instead.

Ongoing efforts to convert bus fleets to low and zero-emissions vehicles will further reduce emissions in greater Portland. Electric trains and hybrid diesel/electric buses have been part of the regional fleet for many years and battery-electric buses have been added more recently. Both House Bill 2017 and the Low or No Emissions Buses and the federal Bus Facilities Grant Program funded by the 2021 Bipartisan Infrastructure Law have provided an opportunity to further invest in clean vehicles. As transit agencies move toward a fleet without emissions, many are switching to renewable biodiesel fuel to reduce emissions in the interim. Further, renewable electricity from natural resources like sun and wind can be used to power both transit vehicles and facilities. Cleaner alternative fuels are the future of transit, and the region should continue to support the transition to a clean transit fleet and facilities. As more people are encouraged to ride on an improved and expanded transit network using clean vehicles, greater Portland will see emissions reduced for the transportation system more broadly as well.

Transit Policy 4. Maintain the region’s transit infrastructure in a manner that improves safety, reliability and resiliency while minimizing life-cycle cost and impact on the environment. Additional collaboration and funding are needed to support the development of this level of service.

While the transit system is still relatively new, it needs repairs and replacements to buses, streetcars, trains, and their infrastructure as they age. It will become increasingly important to invest in upkeep as elements of the system begin to reach the end of their useful life to maintain a state of good repair and efficiency. The Federal Transit Administration’s State of Good Repair program for rail and bus rapid transit systems that are at least seven years old includes incorporating industry best practices and recommendations related to reliability and safety to help transit agencies maintain bus and rail systems as part of the federal transportation performance management implementation.

It is also important to plan for future capacity needs of the transit system. As greater Portland and ridership grows, the region is starting to push the limits of what our existing infrastructure can handle. This creates transit bottlenecks, increasing congestion and decreasing reliability. Some lines already have many buses running behind schedule due to heavy traffic, which leads to unpredictable service. Other lines suffer from overcrowding. Popular lines will always have crowded buses and trains, but some trips have such high ridership that at times, riders are unable to board and must wait for another vehicle. To make transit more reliable and convenient, these factors must also be addressed.

Transit Policy 5. Complete a well-connected network of local and regional transit on most arterial streets – prioritizing expanding all-day frequent service along corridors and main streets linking town centers to each other and neighborhoods to centers.

Improve local service transit

The local transit network provides basic service and access to local destinations and the frequent and high capacity transit network. It is designed to provide full transit service coverage to greater Portland, ensuring that most people have transit service available to them—varying in type, frequency, and span based on needs and demand. Transit preferential treatments and passenger facilities are appropriate at higher ridership locations.

Providing community and job connector shuttles increases the convenience of transit, particularly for areas without frequent service transit or where traditional transit service is not viable. Community and job connector shuttles also expand the reach of transit service, which improves access to jobs and community places and can help facilitate first/last mile connections where business and or homes are spread out and regional fixed-route bus service is not cost effective.

One foundational support of the regional transportation system is the availability of demand-response services. These services provide access to transportation that “fills in the gaps” where fixed-route transit, complementary paratransit, or deviated fixed-route “last mile” shuttle services are not the appropriate or most cost-effective tool to meet the need of low-income individuals, seniors, or people with disabilities. They provide a lifeline of service to people who experience barriers to accessing the transportation system. Current service is still not enough to meet the existing demand or projected growth in demand concurrent with greater Portland’s growing population.

Expand regional and local frequent service transit

Providing regional transit along most arterial streets is another key piece of a high-quality network better serving existing and growing communities. Frequent service transit is

defined as wait times of 15 minutes or less from the early morning to late in the evening, seven days a week. Frequency is especially important for making transit more competitive with driving for riders who take short, local trips, because the time riders spend waiting for a bus to take a short trip is a proportionately larger component of the total travel time than it is for longer trips. Frequent bus service is appropriate when high ridership demand is demonstrated or projected, the streets are pedestrian-friendly, there are high proportions of transit-dependent residents, the lines connect to existing or proposed HCT corridors, and/or it serves multiple centers and major employers.


Transit Policy 6. Continue to build out and strengthen a well-connected high capacity transit network to serve as the backbone of the transportation system. Prioritize transit speed and reliability to connect regional centers with the Central City, link regional centers with each other, and link regional centers to major town centers. Additional collaboration and funding are needed to support the development of this level of service.

High Capacity Transit (HCT) investments help greater Portland concentrate development and growth in its centers and corridors. High capacity transit is the backbone of the transportation network, connecting people to the central city, regional centers and major town centers with fast, frequent, safe and reliable service. Linking activity centers and station communities connects people with essential jobs, services, commerce and other major destinations, including colleges, hospitals, and affordable housing. High capacity transit serves regional routes where the most people travel, often with relatively long trip lengths, to provide a viable alternative to driving in terms of convenience and travel time.

Investments in high capacity transit further develop already strong transit connections. These investments include accessibility improvements and prioritizing transit on the roadway and at signals. These investments also elevate opportunities for improvements in safety, access and livability for along the corridor. This type of service carries more transit riders more quickly, efficiently and comfortably than local, regional and frequent service transit lines through both a level of enhanced amenities and transit priority. Enhanced amenities refer to features that make high capacity transit more efficient, convenient, and comfortable: vehicles that are larger and allow boarding from all doors, transit centers and stations with near-level boarding, and frequent service (striving for frequencies of 10 minutes or better during the peak hours and 15 minutes during off peak hours). It also refers to transit centers and stations with covered waiting shelters, benches, schedule and real-time bus and train arrival information and special lighting. Other amenities could include ticket machines, restroom facilities, bicycle parking (e.g., bicycle stations or bike & rides), civic art and commercial services. Enhanced priority investments refer to dedicated tracks or lanes in the street that improve speed and/or reliability, getting people to destinations faster and on-time. High capacity transit

operates on a fixed guideway or within an exclusive right-of-way on tracks or in the street, to the greatest extent possible.

High Capacity Transit...



The region should continue to pursue coordinated partnerships in planning for and investing in these major capital improvements that prioritize transit over other modes, construct features that improve speed, reliability, and access to transit, and address community needs and gaps. Adopted transit-supportive land use and transportation policies and strategies, such as high-density and mixed-use zoning, reduced parking requirements, and affordable housing incentives are critical to ensuring a corridor is ready for high capacity transit investment. To optimize and leverage transit-supportive land uses, alignments and station locations should be oriented towards existing and future high density, mixed-use development and connect intermodal passenger facilities. To this end, urban form and connectivity, redevelopment potential, market readiness, public incentives and infrastructure financing should all be considered during the corridor refinement and alternatives analysis phases of project development.

Transit Policy 7. Make capital, technical, and traffic operational to improve transit speed, efficiency, and reliability for frequent service.

To meet environmental, economic, livability and equity goals as greater Portland grows over the next several decades, the region needs to invest more to improve the efficiency of our system, particularly the more congested corridors in the frequent service bus network, to better support transit riders. More reliable, higher quality transit connections would better connect low-income and transit-dependent riders to jobs, school, and services. A more fine-grained network of higher-quality transit service complements high capacity transit investments to help relieve transit congestion and grow ridership.

There are many ways to increase transit speed and reliability throughout our system to make the bus better and reduce time spent traveling by transit for people riding.

Improving the speed and reliability of our frequent service network could be implemented at the regional scale, along corridors or at “hot spot” locations. Table 3.11 describes the different types of treatments that have the potential to improve reliability that are part of the enhanced transit toolbox. Providing transit priority on the roadway and/or at signals that help buses avoid delay and/or bypass traffic mean trips on these routes stay on schedule and/or are faster. These features, combined with other preferential treatments, such as covered bus shelters, special lighting, enhanced sidewalks and bicycle facilities, and protected crosswalks, are fundamental to making the frequent bus network function at its highest level. The region should pursue these opportunities as they arise.

Table 3.11: Better Bus treatments to enhance frequent transit service

Regional	Hotspot
Bus on shoulder	Dedicated bus lane
Transit signal priority and signal improvements	Business access and transit (BAT) lane
Headway management	Intersection queue jump/right turn except bus lane
Corridor	Transit-only aperture
Level boarding	Pro-time (peak period only) transit lane
All door boarding	Multi-modal interactions
Bus stop consolidation	Curb extension at stops/stations
Rolling stock modification	Far-side bus stop placement
Transit signal priority and signal improvements	Street design traffic flow modifications

The Better Bus program employs public partnerships to implement treatments that increase capacity and reliability, yet are relatively low-cost to construct, context-sensitive, and able to be deployed quickly throughout greater Portland where needed. Coordinated investments by multiple partners have the potential to provide major improvement over existing frequent service while being less capital-intensive and quick to implement than large-scale high capacity transit. Investments could serve our many growing mixed-use centers, corridors, and employment areas that demand a higher level of transit service but are not seen as short-term candidates for light rail or rapid bus (those identified as Developing or Future corridors in the 2023 High Capacity Transit Strategy and Figure 3.25 of this chapter). This creates a potential path for growing better bus into high capacity transit over time—starting with incremental, smaller-scale improvements that can be leveraged later when implementing a large-scale capital infrastructure investment.

Transit Policy 8. Support expanded commuter rail and intercity transit service to neighboring communities and other destinations outside the region.

Intercity passenger rail and bus service to communities outside of greater Portland provides an important connection to the regional transit network. Current travel patterns are showing a rising demand for intercity transit service solutions for improving

passenger rail in the future, while also balancing similarly increasing freight service needs. The following corridors have a high likelihood to support intercity or commuter rail service in the future: Portland-Newberg, Portland-Astoria, Portland-California and Chicago to Seattle via Salt Lake City and Portland (formerly Amtrak Pioneer). Metro, regional partners and corridor communities should consider right-of-way preservation for these corridors and consider land use planning activities that focus on transit-supportive development around potential future station areas.

Portland-Salem/Keizer-Eugene is the most promising corridor for expanding commuter rail and intercity transit service travel times, reliability, frequency and connectivity with and accessibility of regional and local transit, bicycle and pedestrian networks. There is existing Amtrak passenger rail service on a more highly used freight corridor (Union Pacific Mainline) and there is the potential for an alignment either extending or tying into WES commuter rail service on a lightly used freight corridor (Oregon Electric Line) from to Wilsonville to Salem, currently served by Wilsonville's SMART and Salem's Cherriots today. All were evaluated in the 2010 Oregon Rail study as potential solutions for improving intercity rail service on the corridor, but the alignment tying into WES attracted more riders (by one to four percent). When developing inter-regional rail service, this corridor alignment should take priority for improving passenger rail service between Eugene and Portland in the nearer-term future.

In the future, a fast, frequent, reliable and environmentally responsible high-speed transit connection could serve as a catalyst to transform the Pacific Northwest. The Pacific Northwest Corridor is an important intercity rail connection between Eugene, Oregon and Vancouver, British Columbia. It is one of eleven corridors shown in Figure 3.28 identified for improved inter-city rail connections and potential high-speed rail investments to better connect communities across the U.S. Ultra-high-speed rail on the corridor should complement and bolster the broader intercity passenger rail system—for instance, Amtrak Cascades could connect smaller cities (including Salem and Eugene nearer-term) to the corridor and the regional hubs connected by it.

Figure 3.28: U.S. High speed intercity passenger rail network



Source: U.S. Department of Transportation (April 2016)

More work is needed to determine what partnerships, infrastructure investments and finance strategies are needed to support improved intercity passenger service to communities outside the region more broadly. Additional collaboration and funding are needed to support the development of this level of service.

Transit Policy 9. Increase access to transit by improving pedestrian and bicycle connections to and bicycle parking at transit stops and stations. Use new mobility services to improve connections to high-frequency transit when walking, bicycling or local bus service is not an option.


Improve pedestrian and bicycle access to and bicycle parking at transit stops and stations

People access transit via walking, bicycling, bus, rail, carpools, shared mobility (like Uber and Lyft or Biketown) and private automobiles. In 2040 corridors, main streets and centers, transit is supported by providing transit-supportive development and well-connected street systems to allow convenient bicycle and pedestrian access. Providing safe and direct walking and biking routes and crossings that connect to transit stops ensures that transit services are fully accessible to people of all ages and abilities and helps the transit network function at its highest level. At some point in their trip, all transit riders are pedestrians first whether it is walking to the station, parking their bike and walking to vehicle or walking from the park-and-ride to the bus or rail. The

environment where people walk to and from transit facilities is a significant part of the overall transit experience. An unattractive or unsafe walking environment discourages people from using transit, while a safer and more appealing pedestrian environment may increase ridership. Likewise, high quality local and regional bicycle infrastructure extends the reach of the transit network, allowing more people to access transit from longer distances. Further, transit, pedestrian and bicycle travel benefit as improvements are made to each of the modes.

Figure 3.29 depicts the region’s priorities for providing multi-modal access to the transit system. It prioritizes walking and biking to transit and deemphasizes driving to transit. In select locations, park-and-ride facilities may provide vehicular access to the high capacity or even frequent service network for areas that cannot be well-served by local transit due to topography, street configuration, or lack of density.

Figure 3.29: Regional transit access priorities



Improving pedestrian and bicycle access to transit stops and stations is accomplished through filling sidewalk gaps within a mile and bicycle and trail network gaps within three miles, integrating trail connections and shade trees, and providing pedestrian and bicycle protected crossings. Additionally, amenities at stops and stations further support people walking and bicycling to transit, including shelters, shade trees and seating; bicycle repair stations, lockers, secured, covered bicycle parking and/or Bike and Rides; and co-located bike and scooter sharing facilities. Allowing bicycles on board transit also

helps expand active transportation connections, particularly the use of apps to let bicycle riders know if a bus or train has bicycle space available.

Additionally, managing or pricing parking spaces and reducing the number of spaces that developments near transit provide a safer, more active transportation-oriented environment near stations. The Climate Friendly and Equitable Communities (CFEC) rules require many cities in greater Portland to reduce or eliminate parking requirements and manage or price parking in areas with high levels of transit service).

Explore new ways to improve connections to high frequency transit

Advances in technology have given rise to new transportation services that make it easier for people to share vehicles and have the potential to work alongside transit to significantly extend the range and convenience of car-free trips. Many of these options, including ride-hailing and bike, e-bike, scooter, and car sharing, are available and widely used in certain parts of greater Portland. These new services can help bridge the gap to first and last-mile high frequency and, particularly, high capacity transit access. Improving connections and interactions between shared mobility and transit can be accomplished by:

- Ensuring designated transit streets are designed and managed to prioritize transit and shared travel. Ride-hailing and e-commerce delivery vehicles are using an increasing amount of curb space in some congested areas. Agencies can manage the curbside to prioritize ride-hailing services carrying more than one passenger and avoid conflicts with transit vehicles.
- Dedicating space for shared mobility at transit stations. Accommodating bike share stations or pods of car share vehicles at transit stops makes it easy for transit riders to use these options. Setting aside space for pickups and drop-offs near stations can make it more convenient for people to access options to transit, as well as improve safety by reducing conflicts between modes. At stations with parking, reserving premium spaces for carpools or shared vehicles can provide an incentive for travelers to share trips instead of driving alone.
- Coordinating with shared mobility companies to support shared connections to transit stations. Several communities already fund vanpools or operate shuttles to and from transit stations. Similarly, public agencies can partner with microtransit or carsharing, pooled ride-hailing services or dockless bike/scooter sharing companies to subsidize or promote trips via these modes to transit stations. The City of Portland's Transportation Wallet, which offers credits that people can use to pay for transit and a variety of new mobility services to residents in Parking Districts, affordable housing sites, and new multi-family buildings. These programs allow people access to a suite of

options that can complement existing options or connect them to transit when the bus or train only covers part of their journey.

Transit Policy 10. Use technologies to provide better, more convenient and efficient transit service, including meeting the needs of people for whom conventional transit is not an option.

People commuting to employment centers in more suburban areas rely on slower, often infrequent buses or may not be served by existing bus service. Similarly, greater Portland is home to many people with disabilities who require specialized vehicles and point-to-point service, as well as people who depend on transit but live in communities where fixed-route service does not make sense. These people often rely on demand-response transit or infrequent buses that provide slow service and are costly to operate.

New shared mobility models like microtransit could provide better service at lower cost where we need to enhance service on high-ridership lines while piloting new ways to provide transit (like microtransit or using new mobility services to connect to stations) in communities that are challenging to serve with large buses traveling on fixed routes. As these options continue to mature, agencies should look for opportunities to supplement demand response and underperforming service with shared mobility. This could provide better service for underserved and transit-dependent residents and increase resources available to serve high-demand corridors. The growth in new mobility technologies also includes new real-time fleet management and route optimization tools as well as trip planning services and ride matching services that can help people identify a transportation service that meets their needs or someone with whom they can share a ride. These technologies can be used to increase the quality and/or productivity of infrequent or high-cost services, or to help people find a service that meets their needs when conventional transit isn't available to them.

Making it easy to plan, book, and pay for trips, including across agency and even shared mobility platforms, is one way to make transit more convenient for people riding. Smartphone apps are now the most common way for people in greater Portland to access information about their transportation options and are well-suited to provide the type of real-time information that people need to coordinate trips while accounting for potential transit delays. This is especially true for people accessing transit through amidst the changing landscape of new mobility services in the region. TriMet's Open Trip Planner integrates data on transit routes, schedules and real-time arrivals and tracking; bicycling and walking travel times; and shared mobility options to make it easy to plan multimodal trips on an interactive map platform optimized for smartphones.

Other private travel information apps offer similar services; transit agencies can make schedule and route information available in the format that these tools use to allow their

services to how up in these apps. There are two important issues to consider when integrating transit and shared mobility data:

- Ensuring that third-party apps use that data in a way that supports transit. The companies that develop these apps often monetize transit data by showing advertisements for ride-hailing services that show how much quicker a rider could reach a destination by paying extra for those services. These advertisements can draw people away from taking transit, and agencies should consider whether they want to place conditions on the use of transit data by third parties.
- Maintaining access for the many people who can't or don't access apps or make online payments, which can include many of the same travelers who rely on transit. These travelers often need to overcome both cultural barriers (for example, limited English proficiency and concerns about personal safety when traveling in public) and technological ones (such as a lack of access to smart phones or data plans that allow for easy online access to information from anywhere) in order to access the increasing number of online travel information and services.

Transit Policy 11. Make transit affordable, especially for people with low incomes.

Ensuring that transit is affordable alleviates the cost of and encourages alternatives to owning automobiles. It is therefore important to ensure that transit is affordable, particularly for the riders that rely on it the most. The cost of transportation burdens many households in greater Portland and is usually the second largest share of household costs (after housing).

People of color, with limited English proficiency, with low-income, with disabilities, age 65 or older and 18 or younger are those most affected by transportation costs. C-TRAN and TriMet offer reduced fares for youth, seniors, people on Medicare, and people with low incomes. Most SMART buses are free—there is a fee for Dial-a-Ride service and for the 1X to Salem which also offers a reduced fare. Broadening these programs to further reduce or even eliminate some fares or offering other financial assistance that could be applied to costs of fees would help alleviate cost-burden for those who rely on transit. One way to do that is by making transit free for youth—a clear community priority identified during the Get Moving 2020 transportation funding measure process.

Research has shown that people form opinions about transit early on, with early use being a key indicator of ridership in the future. Removing barriers to acquiring reduced or free transit fares can make it possible for individuals with limited access to documents, identification, or internet to receive these benefits. Fare capping, an approach utilized by TriMet's Hop Fastpass, allows people to pay for a reduced monthly pass by the ticket

rather than all at once up front. Programs like TriMet’s Access Transit, which provide fares to non-profit and community-based organizations at lower to no cost to distribute to clients, help to further increase the reach and accessibility of reduced fare programs. The region should build partnerships with non-profit and human service providers to support expanding these types of programs, disseminate more information about reduced fare programs and work through ways in which these programs can be more effective. The City of Portland’s BIKETOWN for All program is one example of how to increase integration of free or reduced fare programs by including students receiving federal aid (FAFSA) and people receiving food assistance (Oregon Trail Card, SNAP). This should also include advocating in the state legislature and to the voters to increase, deepen, and sustain long-term funding for programs which support keeping transit affordable for riders.

3.3.6 Regional freight network concept, vision and policies

Informing the regional framework for freight policy is the understanding that the Portland-Vancouver region is a globally competitive international gateway and domestic hub for commerce. The multimodal freight transportation network is a foundation for economic activities, and we must strategically maintain, operate and expand it in a timely manner to ensure a vital and healthy economy.

The Regional Freight Strategy addresses the needs for freight through-traffic as well as regional freight movements, and access to employment and industrial areas, and commercial districts. The Regional Freight Network Concept contains policy and strategy provisions to develop and implement a coordinated and integrated freight network that helps the region's businesses attract new jobs and remain competitive in the global economy. The transport and distribution of freight occurs via the regional freight network, a combination of interconnected publicly and privately owned networks and terminal facilities. The concept in Figure 3.30 shows the components of the regional freight system and their relationships.

Figure 3.30: Regional freight network concept




Image shows a conceptual graphic of the freight network with different freight route classifications connecting key freight hubs.

Rivers, mainline rail, pipeline, air and truck routes and arterial streets and throughways connect the region to international and domestic markets and suppliers beyond local boundaries. Inside the region, throughways and arterial streets distribute freight moved by truck to air, marine and pipeline terminal facilities, rail yards, industrial areas, and commercial centers. Rail branch lines and heavy vehicle corridors connect industrial areas, marine terminals and pipeline terminals to rail yards and truck terminals. Pipelines transport petroleum products to and from terminal facilities.

3.3.6.1 Regional freight network policies

The Regional Freight Network Policies reflect the policy framework of the Regional Freight Strategy. Specific actions that Metro, in partnership with cities, counties, agencies and other stakeholders can take to implement the policies are identified in Chapter 8 of the Regional Freight Strategy.

Freight Policy 1	Plan and manage our multimodal freight transportation infrastructure using a systems approach, coordinating regional and local decisions to maintain seamless freight movement and access to industrial areas and intermodal facilities.
Freight Policy 2	Manage the region’s multimodal freight network to reduce delay, increase reliability and efficiency, improve safety and provide shipping choices.
Freight Policy 3	Better integrate freight issues in regional and local planning and communication to inform the public and decision-makers on the importance of freight and goods movement issues.
Freight Policy 4	Pursue a sustainable multimodal freight transportation system that supports the health of the economy, communities and the environment through clean, green and smart technologies and practices.
Freight Policy 5	Protect critical freight corridors and access to industrial lands by integrating freight mobility and access needs into land use and transportation plans and street design.
Freight Policy 6	Invest in the region’s multimodal freight transportation system, including road, air, marine and rail facilities, to ensure that the region and its businesses stay economically competitive.
Freight Policy 7	Eliminate fatalities and serious injuries caused by freight vehicle crashes with passenger vehicles, bicycles and pedestrians, by improving roadway and freight operational safety.

**Freight
Policy 8**

Adapt future freight system investments to emerging technologies and shifts in goods movement, including the emergence of e-commerce and automated delivery systems.

Freight Policy 1. Plan and manage our multimodal freight transportation infrastructure systems approach, coordinating regional and local decisions to maintain seamless freight movement and access to industrial areas and intermodal facilities.

A comprehensive, systems approach is central to planning, managing, and using the region’s multimodal freight transportation infrastructure. This approach provides a strong foundation for addressing core throughway bottlenecks, recognizing and coordinating both regional and local decisions to maintain the flow and access for freight movement that benefits all. The transport and distribution of freight occurs via a combination of interconnected publicly and privately-owned networks and terminal facilities.

Freight Policy 2. Manage the region’s multimodal freight network to reduce delay and increase reliability and efficiency, improve safety and provide shipping choices.

The 2005 Cost of Congestion to the Economy of the Portland Region Study reported that the greater Portland region has a higher-than-average dependency on traded sector industries, particularly computer and electronic products, wholesale distribution services, metals, forestry, wood, and paper products, and publishing; business sectors that serve broader regional, national, and international markets and bring outside dollars into the region’s economy. These industries depend on a well-integrated and well-functioning international and domestic transportation system to stay competitive in a global economy.

As an international gateway and domestic freight hub, the region is particularly influenced by the dynamic trends affecting distribution and logistics. As a result of these global trends, U.S. international and domestic trade volumes are expected to grow at an accelerated rate. The value of trade in Oregon is expected to double by 2040, to \$730 billion.²⁹ The region’s forecasted population and job growth—an additional 917,000 residents and 597,000 jobs to be added between 2010 and 2040³⁰—along with the associated boost in the consumption of goods and services are significant drivers of projected increases in local freight volume.

²⁹ Federal Highway Administration, Freight Analysis Framework version 3.4, 2013

³⁰ Metro 2040 growth forecast. Represents forecasted population and jobs within 4-county area (Multnomah, Clackamas, Washington and Clark counties).

This policy is the first step to improved freight and goods movement operations on the existing system and includes preservation, maintenance and operations-focused projects and associated planning and coordinating activities. It focuses on using the system we have more effectively.

It is critical to maximize system operations and create first-rate multimodal freight networks that reduce delay, increase reliability, maintain, and improve safety and provide cost-effective choices to shippers. In industrial and employment areas, the policy emphasizes providing critical freight access to the interstate highway system to help the region's businesses and industry in these areas remain competitive. Providing access and new street connections to support industrial area access and commercial delivery activities and upgrading main line and rail yard infrastructure in these areas are also emphasized.

To carry out an overall policy of reducing delay and increasing reliability, it will be necessary to expand the types of programs and amounts of funding for freight transportation infrastructure to adequately fund and sustain investment in the region's multimodal freight transportation network to ensure that the region and its businesses stay economically competitive.

Freight Policy 3. Better integrate freight issues in regional and local planning and communication to inform the public and decision-makers on the importance of freight and goods movement issues.

To gain public support for projects and funding of freight initiatives, and to better inform elected officials when making land use and transportation decisions, a program that informs the public is required.

Freight impacts should be considered in all modal planning and funding, policy and project development, implementation, and monitoring. This also means better informing the region's residents and decision makers about the importance of freight movement on daily life and economic well-being. Metro will work with its transportation partners to improve the level of freight information available to decision-makers, the business community, and the public.

Freight Policy 4. Pursue a sustainable multimodal freight transportation system that supports the health of the economy, communities and the environment through clean, green and smart technologies and practices.

This policy deals with traditional nuisance and hot spot issues associated with “smokestack and tailpipe” problems, but it also recognizes the many current contributions and new opportunities for the evolving green freight community to be part of the larger environmental and economic solution set required in these times, including reducing greenhouse gas emissions.

It is important to ensure that the multimodal freight transportation network supports the health of the economy and the environment by pursuing clean, green and smart technologies and practices. Details of the most promising innovations and technologies have been developed as part of the Regional Freight Strategy’s Technology for Sustainable Freight Transport, as identified in Chapter 6 of the strategy.

Freight Policy 5. Protect critical freight corridors and access to industrial lands by integrating freight mobility and access needs into land use and transportation plans and street design.

This policy targets land use planning and design issues that can affect the ability of freight, goods movement and industrial uses to live harmoniously with their neighbors. Freight-sensitive land use planning includes everything from long-range aspirations for freight and industrial lands to short-term and smaller scale design and access issues.

It is important to integrate freight mobility and access needs in land use decisions to ensure the efficient use of prime industrial lands, protection of critical freight corridors and access for commercial delivery activities. This includes improving and protecting the throughway interchanges that provide access to major industrial areas, as well as the last-mile arterial connections to both current and emerging industrial areas and terminals.

Freight Policy 6. Invest in the region’s multimodal freight transportation system, including road, air, marine and rail facilities, to ensure that the region and its businesses stay economically competitive.

This policy focuses on planning and building capital projects and developing the funding sources, partnerships, and coordination to implement them.

It is important to look beyond the roadway network to address needs of the multimodal and intermodal system that supports the regional economy. As described in the Regional Freight Strategy, freight rail capacity is adequate to meet today’s needs but as rail traffic increases additional investment will be needed in rail mainline, yard and siding

capacity.³¹ Whenever right-of-way is considered for multiple uses such as freight rail, passenger rail and trails, analysis must include long-term needs for existing freight and freight rail expansion to ensure that necessary future capacity is not compromised.

In addition, navigation channel depth on the Columbia River continues to be the limiting factor on the size, and therefore the number, of ships that call on the Portland-Vancouver Harbor.

Freight Policy 7. Eliminate fatalities and serious injuries caused by freight vehicle crashes with passenger vehicles, bicycles and pedestrians, by improving roadway and freight operational safety.

This policy and the potential design solutions focuses on addressing the issue of eliminating fatalities and serious injuries due to freight vehicle crashes with passenger vehicles, bicycles and pedestrians.

Freight Policy 8. Adapt future freight system investments to emerging technologies and shifts in goods movement, including the emergence of e-commerce and automated delivery systems.

This policy is focused on addressing the continued growth in e-commerce and delivery trips and the need for industrial land that provides for an increase in distribution centers and fulfillment centers.


















3.3.6.2 Regional freight network classifications and map



The Regional Freight Network map, shown in Figure 3.31, applies the regional freight network concept on the ground to identify the transportation networks and facilities that serve the region and the state's freight mobility needs.

The regional freight network has a functional hierarchy like that of the regional motor vehicle network. To show the continuity of the freight system in both Oregon and Washington state, the map shows the freight routes in Clark County, north of the Columbia River and rural freight routes designated by Clackamas and Washington counties that connect to the regional freight network designated within the metropolitan planning area boundary. The Regional Freight Network map also includes six inset maps (brown dotted line boxes) that focus on the key intermodal facilities (marine terminals, rail yards and pipeline facilities) and rail lines to highlight the importance of the rail network and have better visibility for the rail lines.


³¹ Port of Portland, Port of Portland Rail Plan, 2013.

Figure 3.31:
Regional Freight Network


-  Main railroad
-  Branch railroad
-  Main roadway
-  Main roadway (planned)
-  Main roadway outside MPA
-  Intermodal connector
-  Roadway connector
-  Roadway connector (planned)
-  Roadway connector outside MPA
-  Railyard
-  Marine facility
-  Urban center
-  Industrial area
-  Employment area
-  County boundary
-  Urban growth boundary
-  Metropolitan planning area




1. North Portland Marine Terminals



2. NW Industrial and Swan Island



3. Portland International Airport




Legend


(dotted lines are proposed projects and do not identify specific alignments)

- Main railroad
- Branch railroad
- Main roadway route
- Roadway connector
- Main roadway route
- Roadway connector
- Freight routes outside MPA boundary
- Intermodal connector
- Marine facility
- Railyard
- Urban center
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area


4. Kenton Rail Line/Columbia Corridor



5. Clackamas Industrial Area



6. Beaverton Industrial Area



The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

The different functional elements of the regional freight network are:

- **Main line rail** – Class I rail lines (e.g., Union Pacific and Burlington Northern/Santa Fe).
- **Branch line rail** – Non-Class 1 rail lines, including short lines (e.g., Portland and Western Railroad).
- **Main roadway routes** – Designated freight routes that are freeways and highways that connect major activity centers in the region to other areas in Oregon or other states throughout the U.S., Mexico, and Canada.
- **Regional Intermodal Connectors** – Roads that provide connections between major rail yards, marine terminals, airports and other freight intermodal facilities, and the freeway and highway system. Marine terminals, truck to rail facilities, rail yards, pipeline terminals, and air freight facilities are the primary types of intermodal terminals and businesses that the tier 1 and NHS intermodal connectors are serving in the Portland region. Marine Drive between the marine terminals (Terminal 5 and 6) and I-5, is an example of a NHS intermodal connector. In 2014, Marine Drive had over 4,100 average daily trucks. Another NHS intermodal connector is Columbia Boulevard between I-5 and OR 213 (82nd Avenue) which had over 3,500 average daily trucks and is a vital freight connection between the air-freight terminal at Portland International Airport and both I-5 and I-205. These Regional Intermodal Connectors are carrying many more trucks than the typical road connectors on the Regional Freight Network map. They are also of critical importance for carrying commodities that are exported from and imported into the state and across the country.
- **Roadway connectors** – Roads that connect other freight facilities, industrial areas, and 2040 centers to a main roadway route.
- **Marine facilities** – A facility where freight is transferred between water-based and land-based modes.
- **Rail yards** – A rail yard, railway yard or railroad yard is a complex series of railroad tracks for storing, sorting, or loading and unloading, railroad cars and locomotives. Railroad yards have many tracks in parallel for keeping rolling stock stored off the mainline, so that they do not obstruct the flow of traffic.

3.3.7 Regional active transportation network vision

A complete and welcoming active transportation network allows people of all ages, abilities, income levels and backgrounds to access transit as well as walk and bike easily and safely for many of their daily needs. The Regional Active Transportation Network vision was developed in the Regional Active Transportation Plan and starts with the understanding that integrated, complete and seamless regional pedestrian, bicycle and transit networks are necessary to achieve local and regional transportation goals, aspirations and targets.

Active transportation is human-powered transportation that engages people in healthy physical activity while they travel from place to place. People walking, bicycling, using strollers, wheelchairs or mobility devices, skateboarding, and rollerblading are active transportation.

Active transportation supports public transportation because most trips on public transportation include walking or bicycling. Many people in the region incorporate walking, transit and riding a bicycle into daily travel. The regional active transportation network concept focuses on the integration of bicycle, pedestrian and transit travel and connecting local pedestrian and bicycle networks into a coordinated and complete regional network.

The regional active transportation network is composed of pedestrian-bicycle districts and regional bikeways and walkways that connect to and serve high capacity and frequent transit. Pedestrian-bicycle districts are urban centers and station communities. The following ten guiding principles were developed in the Regional Active Transportation Plan to guide development of the regional active transportation network.

1. Bicycling, walking, and transit routes are integrated and connections to regional centers and regional destinations are seamless.
2. Routes are direct, form a complete network, are intuitive and easy-to-use and are always accessible.
3. Routes are safe and comfortable for people of all ages and abilities and welcoming to people of all income levels and backgrounds.
4. Routes are attractive and travel is enjoyable.
5. Routes are integrated with nature and designed in a habitat and environmentally sensitive manner.
6. Facility designs are context sensitive and seek to improve safety and balance the needs of all transportation modes.
7. Increases corridor capacity and relieves strain on other transportation systems.

8. Ensures access to regional destinations for people with low incomes, people of color, people living with disabilities, people with low-English-proficiency, youth and older adults.
9. Measurable data and analyses inform the development of the network and active transportation policies, including metrics for air quality and safety.
10. Implements regional and local land use and transportation goals and plans to achieve regional active transportation modal targets.

Developing the regional active transportation network according to the guiding principles will provide a well-connected network of complete streets and off-street paths integrated with transit and prioritizing safe, convenient and comfortable pedestrian and bicycle access for all ages and abilities. This will help make walking and bicycling the most convenient and enjoyable transportation choices for short trips and provide access to regional destinations, jobs, regional and town centers, schools, parks and essential daily services. It will also increase walking and bicycling access for underserved populations and ensures that the regional active transportation network equitably serves all people.³²

3.3.7.1 Regional Active Transportation Plan (2014)

The Regional Active Transportation Plan (ATP) and the Designing Livable Streets and Trails Guide provides recommended design guidance for trails/multi-use paths, and low volume and high-volume streets. The appropriateness of each design is based on adjacent motor vehicle speeds and volumes. While it may be difficult for transportation agencies to provide a comfortable facility on some arterial streets these routes should be improved over time, through better designs and lower auto speeds accompanying a more compact urban form. In the short-term providing low-volume routes for bicycle travel will help increase the number of people riding bicycles.

Arterial streets typically provide direct routes that connect to centers and daily destinations. Cyclists tend to travel on arterial streets when they want to minimize travel time or access destinations along them. Oregon State statutes and administrative rules establish that bicycle facilities are required on all collector and higher classification arterial streets when those roads are constructed or reconstructed.

Low-volume streets often provide access to centers and daily destinations as well as residential neighborhoods, complementing bicycle facilities located on arterial streets. Though these routes are often less direct than arterials, attributes such as slower speeds and less noise, exhaust and interaction with vehicles, including trucks and buses, can

³² Underserved populations include low income, low-English proficiency, minority, older adults (over 65) and youth (under 18).

make them more comfortable and appealing to many cyclists. Recent research suggests that providing facilities on low-volume streets may be a particularly effective strategy for encouraging new bicyclists, which helps increase bicycle mode share in the region.

Regional trails typically provide an environment removed from vehicle traffic and function as an important part of the larger park and open space system in a community and in the region. Trails often take advantage of opportunities for users to experience natural features such as creeks, rivers, forests, open spaces and wildlife habitats, as well as historic and cultural features, with viewpoints and interpretive opportunities. In the highest use areas, regional trails should be designed to provide separation between bicyclists and pedestrians.

Off-street facilities also complement on-street bikeways, providing access to 2040 Target Areas while providing a travel environment with fewer intersecting streets than on-street bikeways, thereby allowing for faster travel times. This makes off-street facilities especially attractive for serving long distance bicycle trips. Similar to low-volume streets, off-street facilities provide an environment more removed from vehicle traffic, which is appealing to families and new or less confident cyclists.

3.3.8 Regional bicycle network concept and policies

Residents in the region have long recognized bicycling as an important form of transportation. The RTP elevates the importance of supporting bicycle travel because of the mobility, economic, environmental, health and land use benefits it provides.

Sidewalks, trails, bicycle facilities and transit cannot achieve their full potential if they are treated as stand-alone facilities—they must be planned and developed as part of a complete network.

Section 3.08.140 of the RTFP, the implementing plan of the RTP, requires that local jurisdictions include a bicycle plan to achieve the following:

- An inventory of existing facilities that identifies gaps and deficiencies in the bicycle system
- An evaluation of needs for bicycle access to transit and essential destinations, including direct, comfortable and safe bicycle routes and secure bicycle parking.
- A list of improvements to the bicycle system
- Provision for bikeways along arterials, collectors and local streets, and bicycle parking in centers, at major transit stops, park-and-ride lots and institutional uses.
- Provision for safe crossing of streets and controlled bicycle crossing on major arterials.

3.3.8.1 Regional bicycle network concept

The regional bicycle network concept is organized around a spine of Bicycle Parkways. Bicycle Parkways are the highest functional class for bicycle routes and provide safe, comfortable, and efficient bicycle travel within and between centers, allowing for long distance travel by bicycle. Facility design may vary, but they must provide separation and protection. The regional bicycle network concept includes:

- A bicycle parkway in each of the region's Mobility Corridors (see Section 3.3.1) providing high-quality bicycle transportation options in these corridors.
- A network of bicycle parkways spaced approximately every two miles, that connects to and/or through every town and regional center, many regional destinations and to most employment and industrial land areas and regional parks and natural areas (all areas are connected by regional bikeways, the next functional class of bicycle routes).
- A network of regional bikeways that connect to the bicycle parkways, providing an interconnected regional network. Local bikeways connect to bicycle parkways and regional bikeways.

- Regional bicycle districts. Regional and town centers and station communities were identified as bicycle districts, as well as pedestrian districts.
- Connections to local bikeways and transit, including signage and bicycle parking.
- Supportive elements such as bicycle signals, intersection treatments, bicycle parking, access to transit and transit vehicles.
- Implementation of bicycle supportive polices which support safe, efficient and easy bicycle travel.

Figure 3.32 shows the components of the regional bicycle network concept and their relationship to adjacent land uses. A region-wide bicycle network would be made up of on-street and off-street routes with connections to transit and other destinations.

Figure 3.32: Regional bicycle network concept




Image shows a graphic of bicycle routes connecting key regional destinations and centers. The 2040 Growth Concept sets forth a vision for making bicycling safe, convenient and enjoyable to support riding a bicycle as a legitimate travel choice for all people in the region. The Regional Transportation Plan supports this vision with a region-wide network of on-street and off-street bicycle facilities integrated with transit and regional destinations.

3.3.8.2 Regional bicycle network policies

This section describes the policy framework of the Regional Bicycle Network Concept. Specific actions that Metro, in partnership with cities, counties, agencies and other stakeholders can take to implement the policies are identified in the Regional Active Transportation Plan.

Bicycle Policy 1	Make bicycling the most convenient, safe and enjoyable transportation choice for short trips of less than three miles.
Bicycle Policy 2	Complete an interconnected regional network of bicycle routes and districts that is integrated with transit and nature and prioritizes seamless, safe, convenient and comfortable access to urban centers and community places, including schools and jobs, for all ages and abilities.
Bicycle Policy 3	Complete a green ribbon of bicycle parkways as part of the region’s integrated mobility strategy.
Bicycle Policy 4	Improve bike access to transit and community places for people of all ages and abilities.
Bicycle Policy 5	Ensure that the regional bicycle network equitably serves all people.

Bicycle Policy 1. Make bicycling the most convenient, safe and enjoyable transportation choice for short trips of less than three miles.

The average length of a bicycle trip in the region is about three miles.³³ Nearly 45 percent of all trips made by car in the region are less than three miles, and 15 percent are less than one mile.³⁴ With complete networks, education, encouragement and other programs, many short trips made by car could be replaced with bicycle or pedestrian trips, increasing road capacity and reducing the need to expand the road system. Technologies such as bike-sharing provide a new toolkit to make bicycling even easier for short trips.

In 2011, the Federal Transit Administration (FTA) established a formal policy on the eligibility of pedestrian and bicycle improvements for FTA funding and defined the catchment area for pedestrians and bicyclists in relation to public transportation stops and stations. The policy recognized that bicycle and pedestrian access to transit is critical

³³ 2011 Oregon Household Activity Survey.

³⁴ 2011 Oregon Household Activity Survey. Vehicle trips by length for trips wholly within Clackamas, Multnomah, Washington and Clark Counties.

and defined a three mile catchment area for bicycle improvements and a half mile catchment area for pedestrian improvements.³⁵

Bicycle travel holds huge potential for providing transportation options that can replace trips made by auto, especially for short trips. Bicycle trips made in the region for all purposes grew by 190 percent since 1995.³⁶ When bicycling is safe, comfortable, convenient and enjoyable, people have the option of making some of those short trips by bicycle.

Actions to implement this policy can be found in Chapter 12 of the 2014 Regional Active Transportation Plan.

Bicycle Policy 2. Complete an interconnected regional network of bicycle routes and districts that is integrated with transit and nature and prioritizes seamless, safe, convenient and comfortable access to urban centers and community places, including schools and jobs for all ages and abilities.

A well-connected bicycle network does not have gaps and is comfortable and safe for people of all ages and abilities. Regional bicycle routes connect to and through urban centers increasing access to transit, businesses, schools, and other destinations. Regional trails and transit function better when they are integrated with on-street bicycle routes. Wherever possible, routes should connect to and through nature and include trees and other green elements. Designing the network for universal access will make the regional bicycle network accessible and comfortable for all ages and abilities. The RTFP requires local transportation system plans to include an interconnected network of bicycle routes.

Bicycle Policy 3. Complete a green ribbon of bicycle parkways as part of the region's mobility strategy.

Regional bicycle parkways form the backbone of the regional bicycle system, connecting to 2040 activity centers, downtowns, institutions and greenspaces within the urban area while providing an opportunity for bicyclists to travel efficiently with minimal delays. In effect, the bicycle parkway concept mainstreams bicycle travel as an important part of the region's integrated mobility strategy. This concept emerged from work by the Metro Blue Ribbon Committee for Trails as part of the broader Connecting Green Initiative in 2007-09 and further developed in the Regional Active Transportation Plan adopted in 2014.

³⁵ Final Policy Statement on the Eligibility of Pedestrian and Bicycle Improvements Under Federal Transit Law

³⁶ 2011 Oregon Household Activity Survey.

Key experiential aspects that bike parkways embody:

- A green environment with natural features such as trees or plantings (some will already be green, while others will be made greener as part of bike parkway development).
- Comfort and safety provided by protection from motorized traffic.
- Large volumes of cyclists traveling efficiently with minimal delays.

The bicycle parkway also connects the region to neighboring communities, other statewide trails, and natural destinations such as Mt. Hood, the Columbia River Gorge, and the Pacific Ocean.

Figure 3.33 illustrates this policy concept in the context of the regional bicycle parkway concept.

Figure 3.33: Bicycle parkway concept




Image shows a graphic illustrating bicycle parkways connecting key destinations. A bicycle parkway serves as a green ribbon connecting 2040 activity centers, downtowns, institutions, and greenspaces within the urban area.

The experience of the cyclist will be optimized to such a high level that people will clearly know when they are riding on a bicycle parkway. The specific design of a bike parkway will vary depending on the land use context within which it passes through. The facility could be designed as an off-street trail along a stream or rail corridor, a cycle track, protected, or physically separated bicycle lane along a main street or town center, or a bicycle boulevard through a residential neighborhood. Priority treatments will be given to

cyclists (e.g., signal timing) using the bike parkway when they intersect other transportation facilities, and connections to/from other types of bicycle routes will be intuitive. The Regional Active Transportation Plan provides design guidance on the development of bicycle parkways.

Bicycle Policy 4. Improve bike access to transit and to community places for people of all ages and abilities.

Public transit and bicycling are complementary travel modes. Effectively linking bicycling with transit increases the reach of both modes. It allows longer trips to be made without driving and reduces the need to provide auto park-and-ride lots at transit stations.

Transit provides a fast and comfortable travel environment between regional destinations that overcomes barriers to bicycling (hills, distance, and streets without bikeways); while bicycling provides access from the front door to a transit station, is faster than walking and can sometimes eliminate the need to transfer between transit vehicles.

A key component of the bike-transit connection is bicycle parking at transit stations and stops. Bike-transit facilities provide connections between modes by creating a “bicycle park-and-ride.” Both TriMet and SMART currently provide bicycle parking and storage at many transit stations and stops. TriMet, with input from regional stakeholders, has developed Bicycle Parking Guidelines. The guidelines consider station context and regional travel patterns and are focused on three major factors for parking: location, amount and design. The guidelines will help TriMet, and local jurisdictions determine the appropriate location, size and design of large-scale bike-parking facilities, including Bike-Transit Facilities. The RTFP requires that local transportation system plans evaluate the needs for bicycle access to transit, including secure bicycle parking.

Bicycle Policy 5. Ensure that the regional bicycle network equitably serves all people.

All people in the region, regardless of race, income level, age or ability should enjoy access to complete and safe walking, bicycling and transit networks and the access they provide to essential destinations, including schools and jobs. Currently the regional active transportation network is incomplete in many areas of the region, including areas with low-income, minority and low-English proficiency populations. Transportation is the second highest household expense for the average American. Providing transportation options in areas with low-income populations helps address transportation inequities. Future planning, design and construction of the networks must include consideration of the benefits and burdens of transportation investments to underserved and environmental justice populations. In addition to infrastructure, technologies such as bike sharing increase opportunities for all residents to bicycle. In Portland, the “Biketown for

All” program provides discounted memberships, free helmets and bike safety education to low-income people.

3.3.8.3 Regional bicycle network functional classifications and map

This section describes the regional bicycle network functional classifications shown on Figure 3.34, the Regional Bicycle Network.

The regional bicycle network is composed of on-street and off-street bikeways that serve the central city, regional centers, town centers and other 2040 Target Areas —providing a continuous network that spans jurisdictional boundaries. Figure 3.34 is a functional classification map illustrating how regional bicycle routes and districts work together to form a comprehensive network that would allow people to bike to transit, schools, employment centers, parks, natural areas, and shopping.

The regional bicycle network has a functional hierarchy like that of the regional motor vehicle network. Figure 3.34 provides a vision for a future bicycle network and is used to identify gaps in the regional network. For a map of current bicycle facilities and gaps in the region, refer to Chapter 4.

The different functional elements of the regional bicycle network are:

- **Regional Bicycle Parkways** are spaced approximately every two miles in a spiderweb-grid pattern, and connect to and through every urban center, many regional destinations and to most employment and industrial land areas, regional parks and natural areas. Each Mobility Corridor within the urban area has an identified bicycle parkway. Bicycle parkways were identified as routes that currently serve or will serve higher volumes of bicyclists and provide important connections to destinations.
- **Regional Bikeways** provide for travel to and within the Central City, Regional Centers, and Town Centers. Regional bikeways can be any type of facility, including off-street trails/multi-use paths, separated in-street bikeways (such as buffered bicycle lanes) and bicycle boulevards. On-street Regional Bikeways located on arterial and collector streets are designed to provide separation from traffic.
- **Local Bikeways** are not identified as regional routes. However, they are very important to a fully functioning network. They are typically shorter routes with less bicycle demand and use than regional routes. They provide for door-to-door bicycle travel.
- **Bicycle Districts (and Pedestrian Districts)** include the Portland Central City, Regional and Town Centers and Station Communities. A bicycle district is an area with a concentration of transit, commercial, cultural, educational, institutional and/or

recreational destinations where bicycle travel is intended to be attractive, comfortable and safe. Bicycle districts are also areas with current or planned high levels of bicycle activity. All bicycle routes within bicycle districts are considered regional and are eligible for federal funding. Bicycle facilities in bicycle districts should be developed consistent with regional design guidelines.

Which areas are designated as bicycle districts should be considered further in future Regional Transportation Plan and ATP updates. For example, areas around bus stops with high ridership should be evaluated as potential bicycle districts (light rail station areas are currently identified as bicycle districts); some Main Streets on the regional network may be considered for expansion as bicycle districts, as well as other areas.


- **Bike-Transit Facilities** are often referred to as Bike & Rides and are generally located at transit centers and stations and provide secure, protected large-scale bike parking facilities. Some facilities may include additional features such as showers, lockers, trip planning and bicycle repair. These facilities have been built at transit centers and MAX stations throughout the region—including in Wilsonville, Hillsboro, Beaverton, Portland, and Clackamas County.

Bicycle Parkways and Regional Bikeways typically follow arterial streets but may also be located on collector and low-volume streets. On-street bikeways should be designed using a flexible “toolbox” of bikeway designs, including bike lanes, cycle tracks, protected and physically separated bicycle lanes, on-shoulder bikeways, shared roadway, wide outside lanes and bicycle priority treatments such as bicycle boulevards, also known as Neighborhood Greenways.

Figure 3.34:

Regional Bike Network

- Bicycle parkway
- - - Bicycle parkway (planned)
- Regional bikeway
- - - Regional bikeway (planned)
- Bicycle district
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area



2023
REGIONAL
TRANSPORTATION
PLAN

Metro


0 Mile 1

0 5 10 Miles


Source: Metro

11/30/23


1. Forest Grove-Cornelius-Hillsboro area



2. Hillsboro-Aloha-Beaverton-Tigard area



3. Sherwood-Tigard-Tualatin-Wilsonville area




Legend


(dotted lines are proposed projects and do not identify specific alignments)

- Bicycle parkway
- Bicycle parkway (planned)
- Regional bikeway
- Regional bikeway (planned)
- Pedestrian district
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area


4. Lake Oswego-Milwaukie-Oregon City area



5. Hollywood-Gateway-Rockwood area



6. Fairview-Wood Village-Troutdale-Gresham



The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

3.3.9 Regional pedestrian network concept and policies

Walking contributes to a healthy lifestyle and supports vibrant local economies. Every trip begins or ends with at least a short walk, transit is integrated with walking. However, walking is not a safe or convenient option for everyone in the region. Traffic crashes involving people walking often end in death or severe injury, and pedestrian deaths are rising.

Many streets are not ADA-compliant, sidewalk gaps remain on busy arterial roadways and along bus routes, safe places to cross the street can be few and far between, and lack of street lighting and other gaps make it dangerous and difficult to walk, especially for older adults, children and people with disabilities. In marginalized communities, lack of safe walking routes can be worse.

In the Regional Pedestrian Network Vision, walking is safe and convenient. Section 3.08.130 of the RTFP requires that local jurisdictions include a pedestrian plan to achieve the following:

- Sidewalks along all arterials, collectors and most local streets.
- Direct and safe pedestrian routes to transit and other essential destinations.
- Provision of safe crossings of streets and controlled pedestrian crossings on major arterials.
- Safe, direct and logical pedestrian crossings at all transit stops where practicable.
- Crossings over barriers such as throughways, active rail-lines and rivers provided at regular intervals following regional connectivity standards.
- Regional multi-use trails and walking paths are completed.

3.3.9.1 Regional pedestrian network concept

The Regional Pedestrian Network Concept describes a well-connected grid of streets and multi-use paths connecting to and intersecting through regional and town centers, employment areas, station communities, parks and natural areas and connecting to transit and essential destinations.

Figure 3.35 shows the components of the regional pedestrian network and their relationship to adjacent land uses.

Figure 3.35: Regional pedestrian network concept




Image shows a graphic of pedestrian routes connecting key regional destinations and centers. The 2040 Growth Concept sets forth a vision for making walking safe, convenient, and enjoyable to support walking as a legitimate travel choice for all people in the region. The Regional Transportation Plan supports this vision with a region-wide network of on-street and off-street pedestrian facilities integrated with transit and regional destinations.

3.3.9.2 Regional pedestrian network policies

Regional pedestrian policies help achieve the Regional Pedestrian Network Vision. Specific actions that Metro, in partnership with cities, counties, agencies and other stakeholders, can take to implement the policies are identified in the Regional Active Transportation Plan.

Pedestrian Policy 1	Make walking the most convenient, safe and enjoyable transportation choice for short trips of less than one mile.
Pedestrian Policy 2	Complete a well-connected network of pedestrian routes and safe street crossings that is integrated with transit and nature that prioritize seamless, safe, convenient and comfortable access to urban centers and community places, including schools and jobs, for all ages and abilities.
Pedestrian Policy 3	Create walkable downtowns, centers, main streets and station communities that prioritize safe, convenient and comfortable pedestrian access for all ages and abilities.
Pedestrian Policy 4	Improve pedestrian access to transit and community places for people of all ages and abilities.
Pedestrian Policy 5	Ensure that the regional pedestrian network equitably serves all people.

Pedestrian Policy 1. Make walking the most convenient, safe and enjoyable transportation choice for short trips of less than one mile.

In addition to being the most basic form of transportation, walking is an important form of exercise and is the most popular recreational activity in Oregon.³⁷ The average length of a walking trip in the region is about half a mile. Today 15 percent of trips made in an auto are less than one mile.³⁸ Many of these trips could be made by walking if it were convenient, safe and enjoyable. Fully implementing regional and local plans will help make this possible.

In 2011, the Federal Transit Administration (FTA) established a formal policy on the eligibility of pedestrian and bicycle improvements for FTA funding and defined the catchment area for pedestrians and bicyclists in relation to public transportation stops and stations. The policy recognized that bicycle and pedestrian access to transit is critical

³⁷ Oregon's 2017 Statewide Outdoor Recreation Survey shows that 83 percent of Oregonians walk on local streets and sidewalks for recreation, making this the most popular recreational activity in the state.

³⁸ 2011 Oregon Household Activity Survey.

and defined a three-mile catchment area for bicycle improvements and a half mile catchment area for pedestrian improvements.³⁹

Ensuring all gaps and deficiencies on the regional pedestrian network have projects identified in the Regional Transportation Plan and including wayfinding, street markings, lighting and other elements that enhance connections and make the pedestrian network consistent, integrated and easy to navigate are key elements to implementing this policy. The RTFP includes specific requirements in the Pedestrian and Transit System Design sections. Actions to implement this policy can be found in Chapter 12 of the 2014 Regional Active Transportation Plan.

Pedestrian Policy 2. Complete a well-connected network of pedestrian routes, including safe street crossings, integrated with transit and nature that prioritize seamless, safe, convenient and comfortable access to urban centers and community places, including schools and jobs, for all ages and abilities.

A well-connected high-quality pedestrian environment facilitates walking trips by providing safe and convenient access to essential destinations. The Regional Pedestrian Network provides the plan for well-connected pedestrian routes and safe street crossings to provide access to transit and essential daily needs. The RTFP requires that local Transportation System Plans include an interconnected network of pedestrian routes.

Section 3.08.130 of the RTFP includes the requirements to provide a well-connected pedestrian system, and Oregon State statutes and administrative rules establish that pedestrian facilities are required on all collector and higher classification streets when those roads are built or reconstructed. Exceptions are provided where cost is excessively disproportionate to need or where there is an absence of need due to sparse population or other factors. Priority should be given to filling gaps and providing safe crossings of the busiest streets with transit and other essential destinations. Deficient facilities in areas of high walking demand are considered gaps.

Pedestrian Policy 3. Create walkable downtowns, centers, main streets and station communities that prioritize safe, convenient and comfortable pedestrian access for all ages and abilities.

All centers and station areas are Regional Pedestrian Districts. The central city, regional and town centers, main streets and light rail station communities are areas where high levels of pedestrian activity are prioritized. In these areas, sidewalks, plazas and other public spaces are integrated with civic, commercial and residential development. They are

³⁹ Final Policy Statement on the Eligibility of Pedestrian and Bicycle Improvements Under Federal Transit Law

often characterized by compact mixed-use development served by transit. These areas are defined as pedestrian districts in the RTP.

Walkable areas should be designed to reflect an urban development and design pattern where walking is safe, convenient and enjoyable. These areas are characterized by buildings oriented to the street and boulevard-type street design features, such as wide sidewalks with buffering from adjacent motor vehicle traffic, marked street crossings at all intersections with special crossing amenities at some locations, special lighting, benches, bus shelters, awnings and street trees. All streets within these areas are important pedestrian connections. Sections 3.08.120 (B) (2) and 3.08.130 (B) of the RTFP list requirements for pedestrian districts and new development near transit.

Pedestrian Policy 4. Improve pedestrian access to transit and community places for people of all ages and abilities.

Public transportation use is fully realized only with safe and convenient pedestrian and bicycle connections, especially safe crossings and facilities that connect stations or bus stops to surrounding areas or that provide safe and attractive waiting areas. Improving walkway connections between office and commercial districts and surrounding neighborhoods provides opportunities for residents to walk to work, shopping or to run personal errands. Buildings need to be oriented to the street and be well connected to sidewalks. Safe routes across parking lots need to be provided. This reduces the need to bring an automobile to work and enhances public transportation and carpooling as commute options. The RTFP requires that local Transportation System Plans include an evaluation of needs for pedestrian access to transit for all mobility levels, including direct, comfortable and safe pedestrian routes. Pedestrian access along transit-mixed use corridors is improved with features such as wide sidewalks, reasonably spaced marked crossings and buffering from adjacent motor vehicle traffic.

Pedestrian Policy 5. Ensure that the regional pedestrian network equitably serves all people.

All people in the region, regardless of race, income level, age or ability should enjoy access to the region's walking and transit networks and the access they provide to essential destinations, including schools and jobs. Currently the regional pedestrian network is incomplete in many areas of the region, including areas where people with low-income, people of color and people with language isolation live. Transportation is the second highest household expense for the average American, and providing transportation options in areas with low-income populations helps address transportation inequities.

Section 3.08.120[C] of the RTFP specifies that the needs of youth, seniors, people with disabilities and environmental justice populations including people of color and people with low incomes must be considered when planning transit. Regional and local planning,

design and construction of the networks must include consideration of the benefits and burdens of transportation investments to underserved and environmental justice populations and continue to collect data and monitor performance in accordance with section 3.08.010 of the RTFP. Investment programs should set priorities for sidewalk improvements to and along major transit routes and communities where physically or economically disadvantaged populations live.

3.3.9.3 Regional pedestrian network classifications and map

Figure 3.36 applies the regional pedestrian network concept on the ground, illustrating how different regional pedestrian facilities work together to form a comprehensive network that allows people to walk to transit, schools, employment centers, parks, natural areas, and shopping. This section describes the regional pedestrian network functional classifications shown on Figure 3.36, the Regional Pedestrian Network.

The regional pedestrian network mirrors the regional transit network reflecting the important relationship of a complete walking network and transit. Frequent transit routes and regional arterials comprise regional pedestrian streets. Regional trails are also part of the regional pedestrian network. Centers and station areas are regional pedestrian districts and include all streets of all functional classifications and paths within their boundaries.


The regional pedestrian network has a functional hierarchy like that of the regional motor vehicle network. Figure 3.36 provides a vision for a future pedestrian network and is used to identify gaps in the regional network. Refer to Chapter 4 for a map of existing pedestrian facilities and gaps in the region. The different functional elements of the regional pedestrian network are:

- **Pedestrian Parkways** are generally major urban streets that provide frequent and almost frequent transit service (existing and planned). They can also be regional trails.
- **Regional Pedestrian Corridors** are any major or minor arterial on the regional urban arterial network that is not a Pedestrian Parkway. Regional trails that are not Pedestrian Parkways are classified as Regional Pedestrian Corridors.
- **Local Pedestrian Connectors** are all streets and trails not included on the Regional Pedestrian Network.
- **Pedestrian Districts** are the Central City, Regional and Town Centers and Station Communities shown on the Regional Pedestrian Network Map. A pedestrian district is an area with a concentration of transit, commercial, cultural, institutional and/or recreational destinations where pedestrian travel is attractive, comfortable and safe. Pedestrian Districts are areas where high levels of walking exist or are planned. All streets and trails within the Pedestrian District are part of the regional system.

Figure 3.36

Regional Pedestrian Network

- Pedestrian parkway
- - - Pedestrian parkway (planned)
- Pedestrian corridor
- - - Pedestrian corridor (planned)
- Pedestrian district
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area




2023
REGIONAL
TRANSPORTATION
PLAN




Source: Metro
 11/30/23


1. Forest Grove-Cornelius-Hillsboro area



2. Hillsboro-Aloha-Beaverton-Tigard area



3. Sherwood-Tigard-Tualatin-Wilsonville area




Legend


(dotted lines are proposed projects and do not identify specific alignments)

- Pedestrian parkway
- Pedestrian corridor
- - - Pedestrian parkway (planned)
- - - Pedestrian corridor (planned)
- Pedestrian district
- Industrial area
- Employment area
- County boundary
- Urban growth boundary
- Metropolitan planning area


4. Lake Oswego-Milwaukie-Oregon City area



5. Hollywood-Gateway-Rockwood area



6. Fairview-Wood Village-Troutdale-Gresham



The information on this map was derived from digital databases on Metro's RLIS to represent elements of the 2023 Regional Transportation Plan adopted as part of Metro Ordinance No. 23-1496. Care was taken in the creation of this map. Metro cannot accept any responsibility for errors, omissions, or positional accuracy. There are no warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose, accompanying this product. However, notification of any errors are appreciated.

3.3.10 Transportation System Management and Operations Vision and Policies

The region’s Transportation System Management and Operations (TSMO) vision, concept and policies address the management of the significant public investment in capital infrastructure. Taking a “manage first” approach addressed concerns about the social, environmental and financial costs of large capital projects such as building new lanes. System management can restore reliable travel and provide flexibility for travelers to use a variety of travel options. OAR 660.012, Oregon’s Transportation Planning Rule (TPR), stipulates that coordinated land use and transportation plans should increase transportation choices and make more efficient use of the existing transportation system through transportation system management and demand management.

The 2021 TSMO Strategy updated the region’s ten-year strategy, continuing an innovative, holistic, multimodal, and cost-effective approach to managing the transportation system. The TSMO Strategy prioritizes optimization of the existing transportation system by improving business practices and collaboration, encouraging behavior changes through transportation demand management and using technology to understand and manage how the system operates.

3.3.10.1 Transportation system management and operations vision

Regional stakeholders share a vision for TSMO: Collaborate to provide reliable, agile and connected travel choices so that all users are free from harm, and to eliminate the disparities experienced by Black, Indigenous, people of color and people with low incomes.

This vision reflects broad participation in planning for operations. TSMO participation is multidisciplinary, and requires collaboration across several disciplines, including planners, engineers, emergency responders, demand management specialists, operators, and maintenance professionals. The region leads by aligning efforts with six TSMO Strategy goals:

1. Provide a transportation system that is reliable for all users.
2. Connect all people to the goods, services, and destinations they need through a variety of travel choices.
3. Collaborate as effective stewards for the transportation system.
4. Eliminate the disparities in the transportation system experienced by Black, Indigenous, people of color and people with low incomes.
5. Create a transportation system where all users are free from harm.
6. Manage the system to be agile in the face of growth, disruptions and changing technology.

3.3.10.2 Transportation system management and operations concept

The concept for TSMO was further refined by stakeholders to establish objectives, performance measures and actions. The actions in

Table 3.12 show the range of regional work that connects TSMO work to achieving outcomes aligned with the RTP.

Table 3.12: Examples of TSMO actions and investments in four strategic areas

Concepts, Capabilities, and Infrastructure <ul style="list-style-type: none">• Inventory and manage regional signal and Intelligent Transportation System Communications Infrastructure• Manage transportation assets to secure the network• Continue freight technology and Intelligent Transportation Systems deployment• Facilitate ground truthing of emerging technologies• Establish a Regional Transit Operators TSMO Group• Unify and standardize fare subsidies for transit and Mobility on Demand• Develop an Intelligent Transportation System travel time information data collection and distribution plan for Regional Disaster Preparedness Organization regional emergency routes• Create continuous improvement process for existing and new signal systems and related performance• Deploy regional traveler information systems• Implement integrated corridor management and mainstream into corridor planning• Create a TSMO safety toolbox• Build and use a TSMO Toolbox to connect gaps in bicycle and pedestrian infrastructure
Planning <ul style="list-style-type: none">• Develop a Mobility on Demand strategy and policy• Pilot Origin-Destination data to prioritize TSMO investments• Participate in regional public outreach to assist in guiding, listening and learning through TSMO focused conversations• Update the regional ITS Architecture
Listening & Accountability <ul style="list-style-type: none">• Track and prioritize TSMO investments for and with Black, Indigenous, people of color and people with low incomes• Create a community listening program• Improve TSMO data availability to aid in traveler decisions and behavior
Data Needs <ul style="list-style-type: none">• Establish TSMO performance measures baseline.• Explore new TSMO data sources

3.3.10.3 Transportation system management and operations (TSMO) policies

TSMO Policy 1	Manage the transportation system for the effective and efficient use of publicly funded transportation assets while supporting mobility, multi-modal reliability, racial equity, safety, and reductions in carbon emissions.
TSMO Policy 2	Take actions from the regional TSMO Strategy by supporting a program that conducts planning for operations, develops new operational concepts, assesses future needs for capabilities, identifies gaps in data and establishes a process for listening and accountability.
TSMO Policy 3	Optimize operations for reliability and mobility by coordinating and advancing operator capabilities with shared tools and interoperable technologies.
TSMO Policy 4	Provide real-time traveler information data across devices and at physical locations that is comprehensive in serving the needs of people, businesses and freight movement.
TSMO Policy 5	Improve incident detection and clearance times on the region’s transit and motor vehicle networks to reduce the impact of crashes on the transportation system.

TSMO Policy 1. Manage the transportation system for the effective and efficient use of publicly funded transportation assets while supporting mobility, multi-modal reliability, racial equity, safety and reductions in carbon emissions.

Consistent with regional policy dating back to the 1990s, transportation agencies use system management to make the best use of existing infrastructure to delay or avoid large, higher-cost and potentially disruptive construction projects. This policy is applied using regional values and desired outcomes for mobility, reliability, racial equity, safety and reduction in greenhouse gas emissions.

Transportation agencies collaborate to identify and expand practices and technologies to a regional scale that are effective at reducing vehicle miles traveled and crashes while increasing reliability, connectivity, traveler information and investments that support racial equity. These technologies also record data from the transportation system that supports effective operations, planning and investments. Performance measures and targets for system management support the Congestion Management Process (CMP), Climate Smart Strategy and the 2021 TSMO Strategy.

Each step of implementing the strategy will use the TSMO Equity Tree (a branching diagram), working up through a series of equity-focused questions. The last step is to

evaluate the plan or action for accountability. Each evaluation asks, “Did the outcomes help or hurt communities of color?” and suggests next steps depending on the answer.

TSMO Policy 2. Take actions from the regional TSMO Strategy by supporting a program that conducts planning for operations, develops new operational concepts, assesses future needs for capabilities, identifies gaps in data and establishes a process for listening and accountability.

In 2010, the region completed a planning process to adopt the first ten-year strategy for implementing TSMO. This formalized a regional TSMO Program to convene stakeholders and support priorities with resources and partnerships. Metro convenes TransPort, the subcommittee of Transportation Policy Alternatives Committee (TPAC). TransPort advances the TSMO Strategy through monthly meetings for cooperative planning and deployment of technologies and related procedures. Broad TransPort participation is encouraged. This regional forum supports operators of greater Portland’s roads, highways, transit, shared-use mobility services, transportation demand management, congestion pricing, parking management, freight, active transportation facilities and digital infrastructure. Metro and TransPort form additional work groups as needed. Figure 3.37 shows where some of these actions and investments are envisioned to be applied in the region to improve mobility, safety, efficiency, and reliability of the system.

TSMO Policy 3. Optimize operations for reliability and mobility by coordinating and advancing operator capabilities with shared tools and interoperable technologies.

Transportation operators meet to share perspective on agency performance “capability maturity” in operations and an overall performance of regional partners working together. By reaching agreement on standards and procedures, transportation operators share and advance capabilities. The end goal is to reach optimization across multiple categories such as actively managing the transportation system, responding to incidents, participating in planning, measuring performance, building a workforce with a culture of technical understanding and leadership, and engaging in broad collaboration. In many cases, optimization requires formal agreements, such as data sharing, that stem from regional policies. In other cases, the conversations prepare for emerging technologies as well as retiring outmoded technology.

TSMO Policy 4. Provide real-time traveler information data across devices and at physical locations that is comprehensive in serving the needs of people, businesses and freight movement.

TSMO responds to the barriers that can be overcome with traveler information, aiding people to find and use the most sustainable affordable and safest option. The 2021 TSMO Strategy includes actions to ensure investments and the creation of traveler information with community involvement supportive of racial equity.

TSMO Policy 5. Improve incident detection and clearance times on the region’s transit and motor vehicle networks to reduce the impact of crashes on the transportation system.


TSMO Strategy is aligned with the region’s Safety Strategy to eliminate severe crashes (crashes with major injuries or fatalities) by 2035. Crashes on the transportation network cause non-recurring congestion, and fatal crashes result in longer clearance and recovery times with sustained impacts. The 2021 TSMO Strategy aims to reduce harm, and reduce the non-recurring congestion created by incidents, by improving the safety of the system overall. ⁴⁰

3.3.10.4 Transportation system management and operations map

The map for regional TSMO Figure 3.37 reflects Policy 1. This map will be used in Transportation System Plan updates and amendments. Actively managing the transportation system requires Intelligent Transportation Systems (ITS) equipment, such as variable message signs, along throughways and arterials to alert travelers with information or advise safe speeds. A variety of sensors help automate this process, but operators also utilize cameras to solve problems remotely or deploy responders to an incident. A digital infrastructure transmits data to and from transit and road operators who use central, shared software to improve multimodal movement and safety at intersections with traffic signals. In partnership with Portland State University, regional partners share data that can then be accessed by academic researchers, planners, consultants, and the public. In partnership with ODOT and the private sector, the region’s operators also use crowdsourced data. Crowdsourced data helps evaluate reliability and can inform current travel conditions and report crashes.

⁴⁰ “Ridesharing” in this context means traditional not-for-profit carpooling or vanpooling, not Transportation Network Companies such as Uber or Lyft.

Figure 3.37: Transportation system management and operations map



3.3.11 Transportation Demand Management Concept and Policies

The Regional Travel Options (RTO) program is led by Metro and supports TDM work in the region primarily through awarding grants to partners leading outreach and engagement programs. This methodology has led to successful program implementation in the places and instances where it has been used. But there remain significant gaps in where TDM is used in the region and limits on expanding TDM efforts.

The RTO Strategy has established a goal of expanding the number of partners and programs to support the region's goals, but clearer policy direction is needed to better define how TDM is to be implemented in the region and move TDM efforts beyond their current levels.

3.3.11.1 Transportation demand management concept

Transportation Demand Management (TDM) is a series of activities aimed at ensuring people are aware of, understand and have access to the full variety of travel options available within the region. Though the region has already done much and continues to work to improve and expand travel options through capital investments in non-auto modes, the potential exists to increase the public's use of these non-SOV modes through TDM investments.

TDM complements and enhances other RTP policy areas by helping ensure the transportation system is used in a balanced way to maximize investments in transportation. TDM provides information, encouragement, and incentives to help people make more of their trips safely and comfortably without driving alone. TDM programs are developed and staffed by professionals trained in understanding the travel needs of various groups, such as commuters or school children, and creating methods of helping them make those trips without the need for an SOV trip.

A typical TDM program involves working with a defined group of people that have similar travel needs or live in a specific place. Trained staff discuss the transportation needs and interests of the group and provide information and incentives to encourage people to try a new travel mode. This work can take many forms, from participation in [GetThereOregon.org](https://www.getthereoregon.org), a statewide website provided by ODOT and dedicated to facilitating travel options use, to a localized outreach effort specific to a single housing development.

Active involvement in delivering TDM programming is needed at the state, regional and local levels. Certain programs are most effective when developed and led by local governments, school districts, Transportation Management Associations (TMA), employers or community organizations. Others are better suited to be conducted on a state or regional scale.

TDM is particularly effective when paired with other policies or capital investments. Building new or improved active transportation infrastructure provides an opportunity for TDM efforts to help people be aware of and use the new travel options available to them. Complementary TDM activities should be planned and budgeted for in capital system improvement projects to ensure people are aware of the new travel options available to them, and to help them create new travel patterns and habits.

As the region considers roadway pricing and parking management as strategies for reducing auto trips, TDM is an important component in ensuring that people’s mobility is maintained when these strategies are implemented. Making people aware of the existent options to paying a toll or fee can reduce the public’s financial burden and help improve reliability and efficiency of the transportation network.

A significant portion of the region’s current TDM activities are coordinated through the Regional Travel Options (RTO) program. This program, led by Metro on behalf of the entire region, currently coordinates partner activities and provides grant funds for TDM activities throughout the region. Through the RTO Strategy, the region’s TDM vision, goals, objectives, and needs are defined. Roles for regional partners are defined, as is the grant funding methodology and criteria.

3.3.11.2 Transportation demand management policies

TDM Policy 1	Develop and refine regional and local TDM policies and implementation plans to help reach climate, mobility and modal targets.
TDM Policy 2	Provide adequate TDM resources and programming to meet the public’s specific mobility needs for employment, education and essential services.
TDM Policy 3	Provide and deliver TDM programming at a variety of scales: state, regional and local.
TDM Policy 4	Improve access to travel choices and eliminating barriers for marginalized communities, with a focus on communities of color and people with low incomes.

TDM Policy 1. Develop and refine regional and local TDM policies and implementation plans to help reach climate, mobility and modal targets.

TDM is a component of numerous federal, state, and regional plans, including:

- Climate Friendly and Equitable Communities Program
- ODOT Transportation Options Plan
- DEQ Employee Commute Options Rule

- Metro Climate Smart Strategy
- Metro Regional Travel Options Strategy
- Metro Transportation System Management & Operations Strategy
- Regional Congestion Management Process

These plans identify implementation of TDM programs as a part of the actions required for objectives to be met. Sufficient policy development and planning must be in place so that the roles and responsibilities of various entities are established and understood. Current local planning is insufficient in defining how TDM is to be implemented at a local level. And regional TDM planning is focused primarily on delivering grant funding through the RTO program.

Planning for TDM programs should be expanded and coordinated at the state, regional and local levels to ensure programs exist and are effective at helping people drive less. For some TDM programs, implementation at a regional scale is the most cost effective and efficient means of delivery. Other TDM programming functions best at a local, county or school district scale. A comprehensive regional TDM effort involves multiple levels of effort coordinated between government and non-government partners.

TDM Policy 2. Ensure adequate TDM resources and programming are deployed to meet the public’s specific mobility needs for employment, education and essential services.

TDM programs are most effective when they are tailored to the specific travel needs of a group or community. The region has moved from a broad-based, one-size-fits all approach for TDM messaging and outreach, to implementing specific approaches for different travel needs. For example, helping commuters find other ways to get to work often involves working with employers to establish programs that include information and incentives at worksites. But for Safe Routes to School programs, an entirely different approach is needed to work with parents and children to help them see the fun being able to safely walk, bike or roll to school, as well as the benefits. The region should provide adequate funding, coordination and resources to effectively implement TDM.

Often, TDM efforts are compromised by a lack of first/last mile connections to transit, or by a lack of 24-hour transit service and vanpools. Many commuters live outside the region and have no option other than driving to work. Improvements to the regional transit system, as outlined in the transit policy section, are needed to improve TDM program effectiveness.

Regional funding for a portion of the region’s TDM actions is provided through the RTO program. In its current form, the RTO program funds grants to partners conducting TDM activities. A portion of grant funds are reserved for partners with defined TDM plans and

programs to ensure on-going funding is available. Other grant funds are aimed at pilot or one-time TDM projects, or to develop partner capacity to plan for and deliver TDM programs on an on-going basis. ODOT also provides funding to the RTO program to promote and expand use of the GetThereOregon.org website. Current funding levels are not sufficient to support an expanded TDM effort throughout the region. Additional state, regional and local funding will be needed to support these efforts.

TDM Policy 3. Provide and deliver TDM programming at a variety of scales: state, regional and local.

A thorough regional TDM effort entails a variety of programs, at different scales and targeted towards a spectrum of travel needs. Delivery of these programs is most effective when it is led by the appropriate organization or government, depending on the program and its purpose.

Creation of TDM policy and ordinances through local TSPs is a successful approach to defining how TDM programs can be tailored to fit local needs and infrastructure and be coordinated with regional-scale efforts. Providing a robust variety of successful TDM programs around the region comes from harnessing the efforts and expertise of cities, counties, regional and state agencies, as well as non-governmental organizations (NGO).

Government partners have oversight authority and responsibilities for managing parking and roadway pricing. Their role in these initiatives put them in a position to also lead complementary TDM efforts to help the public understand the travel alternatives available and ensure pricing strategies are implemented to their fullest potential. Non-governmental organizations (NGOs) have insights and relationships with communities that, when combined with the capabilities and responsibilities of governments, can lead to more effective and impactful TDM programming.

TDM Policy 4. Improve access to travel choices and eliminating barriers for marginalized communities, with a focus on communities of color and people with low incomes.

The negative impacts of auto-centric transportation investments in the region have fallen particularly hard on marginalized communities, especially communities of color and people with low incomes. TDM investments made through a racial equity focus begin to correct these impacts and improve multiple regional priorities by addressing known burdens on marginalized communities in accessing travel options, which includes cost, personal safety from harassment/bias and physical access to travel options. TDM efforts should focus on working with partners to learn together how to adapt and develop programming that is inclusive of and meets the needs of marginalized communities.

Implementing meaningful TDM programming in many areas of the region is constrained by the lack of sidewalks, safe bicycling infrastructure or low levels of transit service. These same areas are often those with high percentages of Black, Indigenous, people of color and low-income residents. Continued focus and prioritization of improvements in these areas is a key part of ensuring that TDM programs can benefit everyone in the region.

3.3.12 Emerging Technology Policies

Over the past several decades, new developments in technology have begun to reshape the way that people travel. Over three-quarters of adults now own a smartphone, often including apps that provide instant access to information on travel choices. Some new services combine smartphones with social networking, online payment and global positioning systems to connect people with vehicles and rides. Most auto manufacturers now offer hybrid or electric vehicles, and the cost of these vehicles has been falling, giving more people access to clean transportation options. Other automakers have been working to develop vehicles that drive themselves, which could dramatically transform our relationship with cars.

The RTP uses the blanket term emerging technology to encompass all new developments and establishes a set of terms to describe and categorize them, including:

- Advances in vehicle technology, such as automated vehicles (AVs) that operate independently of any input from a human driver, connected vehicles (CVs) that communicate with each other or with traffic signals and other infrastructure and electric vehicles (EVs) that use electric motors instead of or in addition to gasoline-powered motors.
- New mobility services that use smartphones and other new technologies to connect people with vehicles and rides. These services include ride hailing companies that connect passengers with drivers who provide rides in their personal vehicles. It also includes car, scooter, or bike share that allow people to rent a nearby vehicle for short trips as well as microtransit services that operate vans or small buses, often tailoring schedules and routes to customers' travel needs. Traveler information and payment services that help people plan trips and compare different ways of getting around, get detailed information on their mode of choice, track and share their trips, and pay for trips.

3.3.12.1 Emerging technology principles

Unlike other aspects of the transportation system, which are built and operated by the public sector, many emerging technology services are currently developed and operated by private companies. Transportation agencies can work with private companies in a variety of different ways—including contracting directly with companies and creating regulations that govern how companies operate—to bring emerging technology services to their communities in a way that benefits people. This work often happens more in the realm of partnerships and pilot projects than in policy and regulation. The principles summarized in Table 3.13 guide Metro and its partners in identifying companies that share common goals when developing partnerships and pilot projects.

Table 3.13: RTP goals and corresponding emerging technology principles

RTP goal	Emerging technology principle
Economy	Emerging technology should create more efficient ways to meet the transportation needs of local businesses and workers. Emerging technology companies and users should contribute their fair share of the cost of operating, maintaining and building the transportation system.
Climate	Emerging technology should improve transit service or provide shared travel options and support transit, bicycling and walking.
Mobility	Emerging technology should promote shared trips, decrease vehicle miles traveled and minimize conflicts between modes.
Safety	Emerging technology should reduce the risk of crashes for everyone and protect users from data breaches and cyber attacks.
Equity	New mobility services should be accessible, affordable and available for all and meet the transportation needs of communities of color and marginalized communities. Companies and public agencies should collaborate and share data to help make the transportation system better for everyone.

3.3.12.2 Emerging technology policies

Emerging Technology Policy 1	Make emerging technology accessible, available and affordable to all and use technology to create more equitable communities.
Emerging Technology Policy 2	Use emerging technology to improve transit service, provide shared travel options throughout the region and support transit, bicycling and walking.
Emerging Technology Policy 3	Use the best available data to empower travelers to make travel choices and to plan and manage the transportation system.
Emerging Technology Policy 4	Advance the public interest by anticipating, learning from and adapting to new developments in technology.

Emerging Technology Policy 1. Make emerging technology accessible, available and affordable to all, and use technology to create more equitable communities.

Metro and its partners are responsible for ensuring that the transportation system serves all people, particularly those in the greatest need. New mobility services have the potential to bring more flexible transportation options to marginalized communities, but not everyone can access these services. Communities of color face the threat of discrimination from drivers or companies, some older adults and people who speak limited English are not able to use apps, many low-income people cannot afford costly data plans or lack access to bank accounts and people in wheelchairs often struggle to find accessible shared vehicles. Removing these barriers can help to bring better

transportation choices to communities of color, night shift workers, people with disabilities, people living in areas that lack frequent transit service and others.

Emerging Technology Policy 2. Use emerging technology to improve transit service, provide shared travel options throughout the region and support transit, bicycling and walking.

Emerging technology has already given people in the region new ways to get around, whether by taking car, scooter, or bike share, hailing a ride, or simply making it easier for people to learn about and pay for public transportation. However, new mobility services are often concentrated in communities where it is already easy to take transit, walk or bike, which can create more congestion and pollution by attracting people away from more efficient modes and clogging streets with vehicles looking for passengers. To make the most of emerging technology's potential to reduce congestion and pollution, the region's transportation agencies need to prioritize and invest in the modes that move people most efficiently, improve convenience and safety for transit riders, pedestrians, and bicyclists and direct new mobility services to provide options in places that currently lack them in addition to adding options to communities that are already rich in travel choices.

Emerging Technology Policy 3. Use the best data available to empower people to make travel choices and to plan and manage the transportation system.

In today's transportation system, data is almost as important as infrastructure. Smartphones enable people to instantly book a transit trip or find a new route when they run into traffic, and new mobility companies use real-time data to balance supply and demand. Metro and its agency partners work to ensure that high-quality information is available for all transportation options in the region, and that this information is presented in a way that allows travelers to seamlessly plan and book trips. Transportation agencies also work to collect data on how travel patterns are changing to plan the transportation system. This requires collecting data from companies that operate emerging technologies in a way that helps agencies understand trip making without risking users' privacy. It also requires agencies to improve data on transit, bicycling and walking as well as on new mobility options and create systems that allow us to share this data among public agencies.

Emerging Technology Policy 4. Advance the public interest by anticipating, learning from and adapting to new developments in technology.

Our current planning process is designed around infrastructure projects intended to last for 50 years and an unchanging set of transportation services. It can take decades to plan and build a project, and once it is built there is little room for change. This time-intensive, risk-averse approach continues to make sense for major infrastructure projects, but to effectively plan for emerging technology agencies need to test new services and approaches and learn from their experience. Agencies in the region have used approaches like pilot testing and phased implementation of regulations so that they can test new approaches to working with technology in a small-scale, low-risk manner before applying what they learn to larger-scale efforts.

This page intentionally left blank.

This page intentionally left blank.

If you picnic at Blue Lake or take your kids to the Oregon Zoo, enjoy symphonies at the Schnitz or auto shows at the convention center, put out your trash or drive your car – we’ve already crossed paths.

So, hello. We’re Metro – nice to meet you.

In a metropolitan area as big as Portland, we can do a lot of things better together. Join us to help the region prepare for a happy, healthy future.

Metro Council President

Lynn Peterson

Metro Councilors

Ashton Simpson, District 1

Christine Lewis, District 2

Gerritt Rosenthal, District 3

Juan Carlos González, District 4

Mary Nolan, District 5

Duncan Hwang, District 6

Auditor

Brian Evans

Stay in touch with news, stories and things to do.

oregonmetro.gov/news

If you have a disability and need accommodations, call 503-220-2781, or call Metro’s TDD line at 503-797-1804. If you require a sign language interpreter, call at least 48 hours in advance.



Metro

600 NE Grand Ave.

Portland, OR 97232-2736

503-797-1700

503-797-1804 TDD

503-797-1795 fax

For more information, visit
oregonmetro.gov/rtp